

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

CÚNNTAS BLIADHANTAMHAIL ÁRD-CHLÁRUIDHE
SAORSTÁT ÉIREANN.

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL FOR SAORSTÁT ÉIREANN

CONTAINING

A GENERAL ABSTRACT of the NUMBERS

OF

MARRIAGES, BIRTHS AND DEATHS

REGISTERED IN SAORSTÁT ÉIREANN

DURING THE YEAR

1925

GENERAL SUMMARY.

POPULATION, MARRIAGES, THEIR NUMBER AND THEIR RELATION TO POPULATION, RELIGIOUS DENOMINATIONS, AND CIVIL CONDITION. BIRTHS, THEIR NUMBER AND THEIR RELATION TO POPULATION. DEATHS, THEIR NUMBER AND THEIR RELATION TO POPULATION, AGES, AND CAUSES; EMIGRATION; METEOROLOGY.

DUBLIN:

PUBLISHED BY THE STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
Messrs. EASON & SON, LTD., 40-41 LOWER SACKVILLE STREET, DUBLIN.

1926.

Price One Shilling and Nine Pence.

CONTENTS.

REPORT :—

	Page
INTRODUCTORY REMARKS	vii
GENERAL SUMMARY	
Population, Marriages, Births, Deaths and Emigration	viii
MARRIAGES :	
Their Number and Proportion to the Population	viii
Number by each mode of celebration in the years 1915-1925	ix
Civil Condition of Persons Married	ix
Signatures to Marriage Registers and Certificates	ix
BIRTHS :	
Their Number and Proportion to the Population	ix
Birth-rate in Urban and Rural Areas	ix
Proportion of Illegitimate Births in Saorstát Éireann and in the several Provinces	ix
Birth-rate in the Provinces	x
Number of Births by Quarters	x
Multiple Births in Saorstát Éireann	x
DEATHS :	
Their Number and Proportion to the Population	x
Death-rate in the Provinces and in Urban and Rural areas	x
Number and Proportion of Deaths registered during each Quarter	x
Deaths in Institutions	xi
Causes of Death—General Observations	xi
„ Deaths from all causes and from the Principal causes during the years 1915-25 with the respective rates per 100,000 of the Estimated Population	xii-xiii
„ Observations on the Mortality from each of the principal causes	xiv-xxiii
Deaths from Tuberculous Disease	xvi-xvii, xxxii-xxxiii
Deaths from Cancer in Saorstát Éireann during 1925, by Sexes, Ages, and Parts Affected	xvii-xix
Deaths of Women from Diseases Caused by or Associated with Pregnancy or Child- bearing	xxi-xxii, xxxii-xxxiii
Violent Deaths	xxiii
Uncertified Deaths	xxiii
Inquests	xxiii
Ages at Death	xxiii

REPORT— <i>Continued.</i>	Page
Infant Mortality—General Observations	xxiv
„ in Urban and Rural Districts of Saorstát Éireann	xxiv
„ Deaths of Illegitimate Infants in Saorstát Éireann	xxv
„ Deaths of all Infants per 1,000 Births, by causes and ages during the years 1915-25	xxvi
„ Deaths of all Infants per 1,000 Births, by causes, ages and sexes during 1925	xxvii
„ Deaths of all Infants per 1,000 Births from certain causes in Urban and Rural Areas	xxviii
„ Deaths of Infants relating to Urban and Rural areas by ages, also rates per 1,000 Births	xxix
„ Deaths of Illegitimate Infants by causes and ages, also rates per 1,000 Illegitimate Births by age periods	xxx
„ Deaths of Illegitimate Infants registered in each County and County Borough of Saorstát Éireann	xxxi
Rates per 1,000 of the Population represented by Marriages, Births, Deaths, and Deaths from certain causes, also Infant Mortality per 1,000 Births in each County, County Borough, and Province	xxxii
Rates per 1,000 of the Population represented by Births and Deaths, and Deaths from certain causes, also Infant Mortality per 1,000 Births, in Urban and Rural Areas	xxxiii
METEOROLOGY	xxxiv

ABSTRACTS :—

Marriages, Births (distinguishing Illegitimate Births), and Deaths registered in each Province, County and County Borough, with the results arising from correction for Births and Deaths in Institutions	1
Marriages, Births (distinguishing Illegitimate Births) and Deaths in the Superintendent Registrar's Districts, with the results arising from correction for Births and Deaths in Institutions	2-4
Marriages registered in Saorstát Éireann in each of the Provinces, Counties, and County Boroughs in 1925, distinguishing Roman Catholic from Protestant Marriages, and giving the total numbered registered in each quarter of the year; the Conjugal Condition of Persons Married; the Number of Minors and of those who signed the Registers by Marks	6-7
Deaths of Males and Females at different ages registered in 1925 relating to Provinces, Counties, and County Boroughs	8-10
Causes of Deaths of Males and of Females in Saorstát Éireann at different periods of life in 1925	12-27
Causes of Death in Saorstát Éireann in 1925 by Sexes, Ages and Place of Occurrence	28

ABSTRACTS :—*continued.*

Deaths by Causes, in 1925, relating to each County and County Borough (as under), showing Sexes, Ages and Place of Occurrence:— 29-59

	Page		Page		Page
Carlow	29	Kildare	32	Monaghan	59
Cavan	57	Kilkenny	33	Offaly	38
Clare	42	Leitrim	53	Roscommon	55
Cork	43	Leix	34	Sligo	56
Cork Co. Boro.'	44	Limerick	46	Tipperary N.R.	48
Donegal	58	Limerick Co. Boro.'	47	Tipperary S.R.	49
Dublin	30	Longford	35	Waterford	50
Dublin Co. Boro.'	31	Louth	36	Waterford Co. Boro.'	51
Galway	52	Mayo	54	Westmeath	39
Kerry	45	Meath	37	Wexford	40
				Wicklow	41

Causes of Death by Administrative Counties during 1925, distinguishing Urban and Rural districts, arranged by Provinces, with the number of deaths under one year, at 65 years and upwards, the number of uncertified deaths, the number of births, and the population according to the Census of 1926 60-67

Population of the Saorstát Éireann area at each of the nine censuses, 1841-1926 ... 68

Population by Sexes and Ages according to census of 1911 68

Population estimated in the middle of the years 1911-25 68

Index to Superintendent Registrars' Districts

APPENDIX :—

Number of Searches at the General Register Office during the years 1864-1925, the amount of Fees received 69

CÚNNTAS

DO

SHEAMAS DE BÚRCA, AIRE UM RIALTAS AITIÚIL.

A CHARA,

I have the honour to submit my Annual Report on the Marriages, Births and Deaths registered in Saorstát Éireann, during the year 1925.

In this Report, as in that for each of the years 1923 and 1924 the Births and Deaths shown for the various administrative areas are corrected for those occurring in institutions.

GENERAL SUMMARY.

The results for 1925 show reductions in the numbers of marriages, births and deaths registered as compared with the preceding year, and a very large increase in the number of emigrants.

The marriages registered during the year under review numbered 13,820, being 1,002 less than the number in 1924.

There were 62,069 births, showing a reduction of 1,333 as compared with the preceding year.

The number of deaths was 43,650, being 1,530 under the number for 1924.

Tuberculosis caused 4,673 deaths, being 205 above the record low mortality in 1923, viz., 4,468 deaths.

The number of deaths from cancer in 1925, viz., 2,801, shows a decrease of 102 as compared with the high number recorded for 1924.

To heart diseases 4,965 deaths were attributed. This number is 173 above that recorded for 1924.

Deaths from bronchitis numbered 2,654 or 272 below those recorded for 1924. Pneumonia caused 2,338 deaths, being 329 below the low number registered in 1924.

The infant mortality in 1925 for the entire area was 68 per 1,000 births, which was 4 per 1,000 below the rate for 1924, viz., 72 per 1,000. The rate for rural areas was 53 per 1,000 and for urban areas 97 per 1,000 births.

TABLE I.—Showing for each of the years 1915-25 the estimated Population* of SAORSTÁT ÉIREANN area; the number of MARRIAGES, BIRTHS and DEATHS registered, with the rates per 1,000 of the estimated Population represented thereby; and the averages for the ten years, 1915-1924; also particulars relating to Northern Ireland for the year 1925.

YEARS.	* Estimated Population in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.			
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	
1915	3,068,000	16,282	67,501	53,713	5·31	22·00	17·51	
1916	3,068,000	15,207	64,814	50,627	4·96	21·13	16·50	
1917	3,065,000	14,201	61,421	51,713	4·63	20·04	16·87	
1918	3,066,000	14,773	61,092	53,682	4·82	19·93	17·51	
1919	3,102,000	17,201	61,829	55,776	5·55	19·93	17·98	
1920	3,103,000	17,276	67,015	45,521	5·57	21·60	14·67	
1921	3,096,000	15,102	61,010	44,537	4·88	19·71	14·39	
1922	3,022,000	15,141	58,849	44,547	5·01	19·47	14·74	
1923	3,014,000	15,632	61,690	42,217	5·19	20·47	14·01	
1924	3,005,000	14,822	63,402	45,180	4·93	21·10	15·03	
Yearly Average, 1915-1924 ...	3,061,000	15,564	62,862	48,751	5·08	20·54	15·92	
1925	2,985,000	13,820	62,069	43,650	4·63	20·79	14·62	
NORTHERN IRELAND, 1925.								
1925	1,257,000	7,682	27,686	19,784	6·11	22·0	15·7	

* See page 68.

EMIGRATION.

From returns kindly furnished by the Ministry of Industry and Commerce (Department of Statistics) Saorstát Éireann, it would appear that the number of emigrants from Saorstát Éireann to "places out of Europe and not within the Mediterranean Sea" during the year 1925 was 30,302, including 26,546 bound for the United States, 1,861 for British North America, 1,076 for Australia, 290 for New Zealand, 170 for British South Africa, 136 for India, and 223 for other countries.

The number of emigrants in 1924 was 19,077 of whom 12,016 left for the United States.

MARRIAGES.

During the year 1925 the marriages registered in Saorstát Éireann numbered 13,820, being equivalent to a rate of 4·63 per 1,000 of the estimated population; this rate is 0·30 below that for the previous year, and 0·45 below the average for the ten years, 1915-24.

Of the 13,820 marriages, 12,897 were of Roman Catholics, as compared with 13,835 in 1924, the remaining marriages numbering 923, as against 987 in 1924. Included in the 923 marriages are 671 celebrated according to the rites and ceremonies of the Church of Ireland, as against 709 in 1924; 112 as compared with 143 in 1924, were in Presbyterian Meeting-houses; 70 as against 54 in 1924 in "Registered Buildings" belonging to various religious denominations; 54 by civil contract in the Registrars' offices, as against 65 in 1924; 2 were according to the usages of the Society of Friends; and 14 as compared with 15 in 1924, were according to the Jewish rites.

The rate per 1,000 of the estimated Roman Catholic population represented by the number of marriages of Roman Catholics was 4·82, or 0·36 below the corresponding average rate for the preceding ten years, and the rate for other marriages was equivalent to 2·97 per 1,000 of all persons other than Roman Catholics in the population, this rate being 1·26 below the corresponding average rate for the ten years, 1915-24.

TABLE II.—MARRIAGES registered in Saorstát Éireann area in 1925, and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented thereby.

YEARS.	Marriages registered other than Roman Catholic.							Roman Catholic Marriages.	Total Marriages Registered.	Rate per 1,000 of estimated corresponding Population represented by		
	According to the Rites of the Church of Ireland.	In Registered Presbyterian Meeting-houses.	In Registered Buildings.	In the Registrars' Offices.	Society of Friends.	Jews.	Total.			Marriages, other than Roman Catholic.	Roman Catholic Marriages.	Total Marriages.
1915 ...	1,062	205	95	123	2	6	1,493	14,789	16,282	4.67	5.38	5.31
1916 ...	915	174	75	116	2	6	1,288	13,919	15,207	4.03	5.06	4.96
1917 ...	995	199	80	93	3	11	1,381	12,820	14,201	4.32	4.67	4.63
1918 ...	1,064	196	79	119	1	10	1,469	13,304	14,773	4.60	4.84	4.82
1919 ...	1,125	239	99	117	3	9	1,592	15,609	17,201	4.93	5.62	5.55
1920 ...	1,140	205	96	161	—	19	1,621	15,655	17,276	5.01	5.63	5.57
1921 ...	970	180	88	155	—	9	1,402	13,700	15,102	4.35	4.94	4.88
1922 ...	856	154	78	127	—	11	1,226	13,915	15,141	3.89	5.14	5.01
1923 ...	752	154	53	83	5	9	1,056	14,576	15,632	3.36	5.40	5.19
1924 ...	709	143	54	65	1	15	987	13,835	14,822	3.15	5.14	4.93
Yearly Average 1915-1924	959	185	80	116	2	10	1,352	14,212	15,564	4.23	5.18	5.08
1925 ...	671	112	70	54	2	14	923	12,897	13,820	2.97	4.82	4.63

It will be found from the figures given in the Abstract of Marriages, pages 6-7, that 90.6 per cent. of the total marriages were those of bachelors and spinsters; that 5.6 per cent. were those of widowers and spinsters; that 2.5 per cent. were marriages of bachelors and widows; and that those of widowers and widows formed 1.3 per cent. of the total marriages. Thus, of the men married 6.9 per cent. were widowers, and of the women 3.8 per cent. were widows, or in 9 instances in every 100 marriages, one or both of the contracting parties had been in the married state before.

A rough test of the progress of elementary education in Saorstát Éireann is afforded by the signatures of the contracting parties in the marriage registers or certificates. In the year 1925 there were 13,536 or 97.9 per cent. of the husbands, and 13,694, or 99.1 per cent. of the wives, who wrote their names, and the remainder signed by "mark."

Table XIV supplies the rates per 1,000 of the population represented by marriages in the provinces, counties and county boroughs.

BIRTHS.

The number of births registered in Saorstát Éireann during the year 1925 was 62,069 (boys 31,818 and girls 30,251) equivalent to 20.8 per 1,000 of the estimated population, this rate being 0.3 above the average of the ten years, 1915-24.

The rate represented by the births registered in Northern Ireland was 22.0 per 1,000 of the estimated population; in England and Wales, 18.3; and in Scotland, 21.3.

For the combined county boroughs and urban districts in Saorstát Éireann, the rate per 1,000 of the population during the year 1925 was 24.7 and for all rural districts it was 19.3 (Table XV).

In 1925 the proportion of male infants born alive in Saorstát Éireann to every 1,000 females was 1,052; in 1924, it was 1,066; in 1923, 1,065; in 1922, 1,065; in 1921, 1,056; in 1920, 1,067; and in 1919 it was 1,069.

Of the 62,069 births registered during the year 60,407 or 97.3 per cent. were legitimate, and 1,662, or 2.7 per cent. were illegitimate.

For the province of Leinster illegitimacy in 1925 amounted to 3.2 per cent. of the total number of births for that province; Munster 2.7 per cent.; Connaught 1.1 per cent., and Ulster (part of) 3.0 per cent., as compared with 3.2 per cent., 2.7 per cent., 1.2 per cent., and 2.5 per cent. respectively, in 1924.

The male children born in wedlock numbered 30,947 and the female 29,460 or 1,050 of the former to every 1,000 of the latter, and of the illegitimate children 871 were males and 791 females, or 1,101 boys to every 1,000 girls.

It should be stated that the illegitimate birth-rate for Saorstát Éireann compares favourably with that for most other countries.

For the province of Leinster the birth-rate was 22·36 per 1,000 of the population (Census 1926); for Munster 20·46; for Connaught 19·55, and for Ulster (part of) 19·00.

The following statement shows the total number of infants, by sexes, whose births were registered in Saorstát Éireann during each quarter of 1925:—

—	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males	7,811	8,479	8,232	7,296	31,818
Females	7,434	7,947	7,825	7,045	30,251
Total	15,245	16,426	16,057	14,341	62,069

Of the total births 51·0 per cent. were registered in the first six months (181 days) and 49·0 per cent. in the second six months (184 days).

MULTIPLE BIRTHS.

The number of twin births registered in Saorstát Éireann during the year 1925 was 682 and the number of triplet births 9. The twin births were 1·10 per cent. of the total births, 1·12 of the single births and 1·11 per cent. of the total mothers, the respective percentages in the preceding year being 1·29, 1·32, and 1·30.

The infants born in wedlock (60,407) as registered in 1925, include 663 twins a number equivalent to 1·11 per cent. of the 59,730 married mothers and 7 triplets, while the illegitimate infants (1,662) include 19 twins, equivalent to 1·16 per cent. of the 1,639 unmarried mothers.

Of the 1,391 infants born alive resulting from multiple births, 690 were males and 701 females.

DEATHS.

The deaths registered in Saorstát Éireann during the year 1925 numbered 43,650, affording a rate of 14·62 per 1,000 of the estimated population. The deaths of males amounted to 22,118, or 14·63 per 1,000 of the estimated number of males in the population, the deaths of females numbering 21,532, equivalent to 14·62 per 1,000 of the estimated female population.

The mortality from all causes in 1925 is 0·41 per 1,000 below that for 1924, and 1·30 per 1,000 below the average for the ten years 1915-24.

The death rate from all causes for Northern Ireland was 15·74 per 1,000, for England and Wales, 12·16 per 1,000 and for Scotland, 13·39 per 1,000.

Table XIV., gives the rates from all causes for Saorstát Éireann by provinces, counties and county boroughs.

From this it will be seen that the rate for the province of Leinster was 15·28 per 1,000 of the population of the province, for Munster 13·63 per 1,000, for Connaught 14·17 per 1,000 and for Ulster (part of) 16·74 per 1,000.

The rates for counties and county boroughs varied from 11·53 for Kerry county to 17·48 for Leitrim county.

For urban areas (county boroughs and urban districts) the mortality from all causes in 1925 was 15·63 per 1,000 of the population and for the rural districts 14·29 per 1,000 (Table XV.).

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1925.

—	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males	6,577	5,910	4,624	5,007	22,118
Females	6,421	5,823	4,449	4,839	21,532
Total	12,998	11,733	9,073	9,846	43,650

Of the total deaths 24,731, or 56·7 per cent., were recorded during the first six months and 18,919, or 43·3 per cent., in the second six months.

The annual rate per 1,000 of the population represented by deaths registered in the first quarter of the year was 17·4; in the second quarter, 15·6; in the

third, 12·2; and in the fourth, 13·2, as compared with 19·3, 16·9, 12·6, and 14·9, respectively, for the first, second, third and fourth quarters of the ten years, 1915-24.

DEATHS IN INSTITUTIONS.

The Abstract commencing on page 28 gives particulars relating to deaths by certain causes in institutions in Saorstát Éireann and for each county and county borough. Of the 43,650 deaths, 3,478 took place in infirmaries and general and special hospitals, 1,227 in mental hospitals, 5,988 in county homes and hospitals or in workhouse hospitals, and 32,957 occurred elsewhere. Of the total deaths, 24·5 per cent. occurred in the above-named institutions (8·0 per cent. in infirmaries and general and special hospitals, 2·8 per cent. in mental hospitals and 13·7 per cent. in county homes and hospitals) and 75·5 per cent. occurred elsewhere.

CAUSES OF DEATH.

In the table which follows, the number of deaths from some of the principal diseases are shown for the years 1924 and 1925, also the averages for the ten years, 1915-1924.

CAUSES.	Number of Deaths registered			CAUSES.	Number of Deaths registered		
	Years.		Average 10 years 1915-24		Years.		Average 10 years 1915-24
	1925.	1924.			1925.	1924.	
Enteric Fever ...	105	123	158	Tuberculous Disease ...	4,673	4,582	5,580
Typhus ...	9	5	24	Cancer ...	2,801	2,903	2,651
Measles ...	198	198	263	Heart Disease ...	4,965	4,792	4,899
Scarlet Fever ...	70	65	104	Bronchitis ...	2,654	2,926	3,752
Whooping-cough	429	621	446	Pneumonia ...	2,338	2,667	2,805
Diphtheria ...	158	186	267	Diarrhoea and Enteritis under two years of age ...	640	515	645
Dysentery ...	13	4	17	Puerperal Septic Diseases ...	125	123	129
Influenza ...	1,171	2,073	2,290	Other Accidents and Diseases of Pregnancy and Childbirth ...	166	180	188
Encephalitis Lethargica ...	51	55	14				
Cerebro-spinal Fever ...	12	28	32				

The number of deaths from all causes in 1925 shows a decrease of 1,530 as compared with 1924. Deaths from influenza decreased by 902, pneumonia by 329, bronchitis by 272, whooping cough by 192, cancer by 102, diphtheria by 28, enteric fever by 18, cerebro-spinal fever by 16, other accidents of pregnancy and child-birth by 14 and encephalitis lethargica by 4.

On the other hand deaths from heart disease in 1925, show an increase of 173, deaths from diarrhoea and enteritis of children under 2 years an increase of 125, deaths from tuberculosis an increase of 91, deaths from dysentery an increase of 9, deaths from typhus an increase of 4, deaths from scarlet fever an increase of 5, and deaths from puerperal septic diseases an increase of 2.

According to Table XIV., which gives the information by provinces, counties and county boroughs, deaths from the principal epidemic diseases* in Saorstát Éireann in 1925 are represented by a rate of 0·54 per 1,000 of the population, the rates varying from 1·73 per 1,000 for Dublin county borough, 0·79 per 1,000 for Waterford county borough, 0·76 for Cork county borough, and 0·74 per 1,000 for Dublin county to 0·04 per 1,000 for Leix county; 0·16 per 1,000 for Meath county, 0·16 per 1,000 for Clare county and 0·20 per 1,000 for Mayo county.

Table XV. shows that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 1·09 per 1,000 of the population, being more than 3 times the rate for rural districts—0·32 per 1,000.

* See note * on p. xxxii.

TABLE III.—Showing the number of Deaths from all Causes, from some of the EIREANN during each of the eleven years, 1915-1925, with the average of the estimated Population represented by the number of Deaths from also particulars relating to Northern Ireland for the year 1925.

NOTE.—The Classification of Causes of Death adopted for 1921-5 is in accordance with the International as far as possible, in order to afford comparison with those for 1921-5. The numbers in brackets

YEAR.	Total Number of Deaths.	Enteric Fever (1)	Typhus (2)	Small-pox (6)	Measles (7)	Scarlet Fever (8)	Whooping-cough (9)	Diphtheria (10)	Dysentery (16)	Influenza (11)	Encephalitis, Letnarica (23)	Meningococcal Meningitis (including Cerebro-spinal Fever), (24)	Tuberculosis of the Respiratory System (31)	Other Tuberculosis (32-7)	Cancer, Malignant Disease (43-6)	Diabetes (57)	Cerebral Haemorrhage (74)
-------	-------------------------	-------------------	------------	---------------	-------------	-------------------	--------------------	-----------------	----------------	----------------	------------------------------	---	---	---------------------------	----------------------------------	---------------	---------------------------

(1). NUMBER SAORSTÁT

1915	...	53,713	181	29	—	307	236	486	232	20	1,082	—	65	5,431	1,294	2,553	274	1,514
1916	...	50,627	209	27	—	218	184	525	200	17	712	—	40	5,160	1,311	2,679	239	1,439
1917	...	51,713	191	38	—	372	74	375	187	17	1,004	—	44	5,320	1,346	2,633	252	1,500
1918	...	53,682	190	29	—	487	56	499	152	12	6,788	—	46	5,142	1,350	2,618	209	1,287
1919	...	55,776	132	24	—	99	64	287	185	29	7,468	4	25	4,532	1,307	2,672	209	1,438
1920	...	45,521	180	30	—	227	109	795	378	18	696	17	21	3,975	1,147	2,588	235	1,375
1921	...	44,537	140	17	—	141	110	216	461	27	648	31	23	3,864	960	2,609	215	1,263
1922	...	44,547	96	18	—	458	73	201	401	9	1,812	19	11	3,694	920	2,523	239	1,303
1923	...	42,217	142	10	—	171	66	454	285	15	621	16	17	3,524	944	2,730	224	1,365
1924	...	45,180	123	5	—	198	65	621	186	4	2,073	55	28	3,692	890	2,903	212	1,329
Average—ten years 1915-24		48,751	158	24	—	263	104	446	267	17	2,290	14	32	4,433	1,147	2,651	231	1,381
1925	...	43,650	105	9	—	198	70	429	158	13	1,171	51	12	3,667	1,006	2,801	222	1,312

NORTHERN

1925	...	19,784	50	1	—	227	118	338	101	—	701	26	4	1,574	526	1,441	104	1,101
------	-----	--------	----	---	---	-----	-----	-----	-----	---	-----	----	---	-------	-----	-------	-----	-------

(2). RATES PER 100,000 OF SAORSTÁT

1915	...	1,750.7	5.9	0.9	—	10.0	7.7	15.8	7.6	0.7	35.3	—	2.1	177.0	42.2	83.2	8.9	49.3
1916	...	1,650.1	6.8	0.9	—	7.1	6.0	17.1	6.5	0.6	23.2	—	1.3	168.2	42.7	87.3	7.8	46.9
1917	...	1,687.2	6.2	1.2	—	12.1	2.4	12.2	6.1	0.6	32.8	—	1.4	173.6	43.9	85.9	8.2	48.9
1918	...	1,750.9	6.2	1.0	—	14.3	1.8	16.3	5.0	0.4	221.4	—	1.5	167.7	44.0	85.4	6.8	42.0
1919	...	1,798.1	4.3	0.8	—	3.2	2.1	9.3	6.0	0.9	240.7	0.1	0.8	146.1	42.1	86.1	6.7	46.4
1920	...	1,467.0	5.8	1.0	—	7.3	3.5	25.6	12.2	0.6	22.4	0.5	0.7	128.1	37.0	83.4	7.6	44.3
1921	...	1,438.5	4.5	0.5	—	4.6	3.6	7.0	14.9	0.9	20.9	1.0	0.7	124.8	31.0	84.3	6.9	40.8
1922	...	1,474.1	3.2	0.6	—	15.1	2.4	6.6	13.3	0.3	60.0	0.6	0.4	122.2	30.4	83.5	7.9	43.1
1923	...	1,400.7	4.7	0.6	—	5.7	2.2	15.1	9.5	0.5	20.6	0.5	0.6	116.9	31.3	90.6	7.4	45.3
1924	...	1,503.5	4.1	0.2	—	6.6	2.2	20.7	6.2	0.1	69.0	1.8	0.9	122.9	29.6	96.6	7.1	44.2
Average—ten years, 1915-24		1,592.1	5.2	0.8	—	8.6	3.4	14.6	8.7	0.6	74.6	0.5	1.0	144.8	37.4	86.6	7.5	45.1
1925	...	1,462.3	3.5	0.3	—	6.6	2.3	14.4	5.3	0.4	39.2	1.7	0.4	122.9	33.7	93.9	7.4	44.0

NORTHERN

1925	...	1,573.9	4.0	0.1	—	18.1	9.4	26.9	8.0	—	55.8	2.1	0.3	125.2	41.8	114.6	8.3	87.6
------	-----	---------	-----	-----	---	------	-----	------	-----	---	------	-----	-----	-------	------	-------	-----	------

Principal Causes, and the number of Uncertified Deaths registered in SAORSTAT Annual Number for the ten years, 1915-1924; (2) the Respective Rates per 100,000 these causes, and the percentage of Uncertified Deaths to Deaths from All Causes;

Nomenclature as revised in 1920. The figures given in the Reports for the years 1915-20 have been adjusted, below, indicate the position of the Causes of Death in the International List.

Heart Disease (87-90)	Arterial Sclerosis (91E)	Bronchitis (99)	Pneumonia (all Forms) (100-101)	Other Diseases of the Respiratory System (97-8, 102-7)	Ulcer of the Stomach or Duodenum (111)	Diarrhea and Enteritis under 2 years of age (113)	Appendicitis and Typhilitis (117)	Cirrhosis of the Liver (122)	Acute and Chronic Nephritis (128-9)	Puerperal Sepsis (146-7)	Other Accidents and Diseases of Pregnancy and Parturition (143B-5 148-50)	Congenital Deblity and Malformation, Premature Birth (159-161)	Violent Deaths.		Other Defined Diseases	Causes ill-defined or unknown (204-5)	Uncertified Deaths	YEAR.
													Suicide (165-74)	Other Deaths from Violence (175-203)				

OF DEATHS.

ÉIREANN.

5,682	103	5,027	2,789	857	226	813	140	215	1,153	139	219	2,156	81	1,232	17,724	1,453	14,485	1915
5,373	101	4,164	2,544	808	242	767	111	197	1,213	159	213	2,073	68	1,548	16,831	1,255	13,615	1916
5,255	127	4,544	2,702	837	233	697	150	138	1,203	123	175	2,069	53	1,199	17,515	1,340	14,366	1917
4,603	119	3,761	3,928	726	240	610	133	130	1,111	105	190	1,902	65	926	15,079	1,239	12,319	1918
5,020	149	4,355	3,601	802	222	634	121	113	1,124	111	180	1,953	83	881	16,665	1,387	14,610	1919
4,591	137	3,516	2,626	701	204	571	161	109	1,065	136	190	1,987	61	1,218	15,246	1,211	12,352	1920
4,427	152	3,013	2,303	678	201	883	139	118	1,024	123	179	1,752	79	2,031	14,725	1,985	12,098	1921
4,609	147	3,345	2,792	714	216	443	147	98	996	139	194	1,580	65	1,366	14,320	1,599	11,750	1922
4,643	150	2,866	2,102	681	267	513	164	94	1,043	135	162	1,658	74	1,315	14,117	1,640	11,417	1923
4,792	202	2,926	2,667	763	292	515	159	88	1,062	123	180	1,379	96	833	14,782	1,437	12,208	1924
4,899	139	3,752	2,805	757	234	645	142	130	1,099	129	188	1,901	73	1,255	15,690	1,455	12,922	Average 1915-1924
4,965	197	2,654	2,338	737	270	640	156	90	1,128	125	166	1,783	88	728	14,914	1,447	11,733	1925

IRELAND.

2,533	198	1,394	1,266	284	129	333	94	24	435	43	80	985	75	393	5,012	194	2,350	1925
-------	-----	-------	-------	-----	-----	-----	----	----	-----	----	----	-----	----	-----	-------	-----	-------	------

THE ESTIMATED POPULATION.

ÉIREANN.

185.2	3.4	163.8	90.9	27.9	7.4	26.5	4.6	7.0	37.6	4.5	7.1	70.3	2.6	40.2	577.7	47.4	* 27.0	1915
175.1	3.3	135.7	82.9	26.3	7.9	25.0	3.6	6.4	39.5	5.2	7.0	67.6	2.2	50.5	548.6	40.9	26.9	1916
171.5	4.2	148.3	88.2	27.3	7.6	22.7	4.9	4.5	39.3	4.0	5.7	67.5	1.7	39.1	571.5	43.7	27.8	1917
150.1	3.9	122.7	128.1	23.7	7.8	19.9	4.3	4.3	36.2	3.4	6.2	62.0	2.1	30.2	491.8	40.4	22.9	1918
161.8	4.8	140.4	116.1	25.9	7.2	20.4	3.9	3.6	36.2	3.6	5.8	63.0	2.7	28.4	534.0	44.7	26.2	1919
148.0	4.4	113.3	84.6	22.6	6.6	18.4	5.2	3.5	34.3	4.4	6.1	64.0	2.0	39.3	491.3	39.0	27.1	1920
143.0	4.9	97.3	74.4	21.9	6.5	28.5	4.5	3.8	33.1	4.0	5.8	56.6	2.5	65.6	475.6	64.1	27.2	1921
152.5	4.9	110.7	92.4	23.6	7.1	14.7	4.9	3.2	33.0	4.6	6.4	52.3	2.2	45.2	473.9	52.9	26.4	1922
154.0	5.0	95.1	69.7	22.6	8.9	17.0	5.4	3.1	34.6	4.5	5.4	55.0	2.5	43.6	468.4	54.4	27.0	1923
159.5	6.7	97.4	88.8	25.4	9.7	17.1	5.3	2.9	35.3	4.1	6.0	62.5	3.2	27.7	491.9	47.3	27.0	1924
160.1	4.5	122.5	91.6	24.7	7.7	21.0	4.7	4.2	35.9	4.2	6.1	62.1	2.4	41.0	512.5	47.5	26.6	Average 1915-1924
166.3	6.6	88.9	78.3	24.7	9.0	21.5	5.2	3.0	37.8	4.2	5.6	59.7	3.0	24.4	499.6	48.5	26.9	1925

IRELAND.

201.5	15.8	110.9	100.7	22.6	10.3	26.5	7.5	1.9	34.6	3.4	6.4	78.4	6.0	31.3	398.5	15.4	11.9	1925
-------	------	-------	-------	------	------	------	-----	-----	------	-----	-----	------	-----	------	-------	------	------	------

* Per cent. of total deaths.

ENTERIC FEVER.—There were 105 deaths (of males 66 and of females 39), including 3 from paratyphoid fever, recorded during the year 1925. The 105 deaths are 18 under the number (123) recorded in 1924, and 53 below the average (158) for the ten years 1915-24. Thirty-nine appertained to urban areas and 66 to rural (see abstract commencing on page 60).

TYPHUS.—Nine deaths from typhus were registered, as against 5 in 1924 and an average of 24. Of the 9 deaths in 1925, 4 were those of males and 5 of females.

SMALL-POX.—No case of this disease was reported during the year, nor during any of the preceding ten years.

MEASLES.—The fatal cases of this disease numbered 198 (of males 109 and of females, 89). This number, which is the same as the number recorded during the preceding year, is 65 under the average for the ten years, 1915-24, viz., 263. Of the 198 deaths, 172 were those of children under 5 years of age, including 120 under 2 years.

SCARLET FEVER.—Deaths from this disease amounted to 70 during the year 1925, as compared with 65 in 1924, and an average of 104 for the ten years ending with the latter year. Of the 70 deaths, 33 were those of males and 37 of females.

WHOOPING-COUGH.—Deaths from whooping-cough, which declined from 795 in 1920 to 216 in 1921 and 201 in 1922, rose to 454 in 1923, and still further to 621 in 1924, fell in 1925 to 429, or 17 under the average (446) for the ten years, 1915-1924.

Of the 429 deaths (of males 200 and of females 229) 393 were those of children under 5 years of age, 203 of the latter being deaths of infants under one year of age.

The deaths recorded for urban areas numbered 164 and for rural areas 265, as compared with 239 and 382 respectively, in 1924.

DIPHTHERIA.—The number of deaths from this disease (158), which is 28 under the number (186) registered during 1924, is 109 below the average (267) for the ten years 1915-24. The deaths in 1925 comprise 76 of males and 82 of females; of the total number, 74 deaths were those of children under 5 years of age and 57 were between 5 and 10 years, so that 131 or 83 per cent. of all the deaths from diphtheria were those of children under ten years of age.

DYSENTERY.—To this cause 13 deaths were attributed, as compared with an average of 17 for the preceding ten years.

DIARRHŒA AND ENTERITIS (Children under 2 years).—The number of deaths of children attributed to this cause during the year 1925 was 640, which number is 125 above that recorded in 1924, but 5 below the average (645) for the decennium, 1915-24.

Of the 640 deaths (360 of males and 280 of females) Dublin county borough alone accounted for 268 or 42 per cent. of all the deaths under this heading.

The mortality among children in 1925 from diarrhoea and enteritis for urban areas based on the births recorded therefor was 22·8 per 1,000 and for rural areas the corresponding rate was 3·8 per 1,000, the respective rates for the preceding year being 16·7 and 3·6. (See Abstract on page 60).

INFLUENZA.—The number of deaths from influenza registered during the year 1925 was 1,171—deaths of males, 531, and of females, 640—the rate per 1,000 of the population represented by these figures being 0·39, 0·35 and 0·43, respectively. In 1920 the number of deaths from this cause was 696, in 1921 it was 648, in 1922 it rose to 1,812, falling in 1923 to 621, and followed by a rise to 2,073 in 1924. The number (1,171) in 1925, is 1,119 under the average (2,290) for the ten years, 1915-24.

It should be noted, however, that the highest annual mortalities from influenza ever recorded in Saorstát Éireann, viz., those for the years 1918 and 1919, during which 6,788 and 7,468 deaths, respectively, occurred, are included in this average, and if the average be taken for the deaths in 1915-24 exclusive of those for the two years referred to it will be found that the annual average for the 8 years is 1,081, which is 90 below the number recorded for the year 1925.

Of the deaths from influenza in 1925, 51 per cent. were registered during the first quarter of the year, 30 in the second, 8 in the third and 11 in the fourth quarter.

Of the 1,171 deaths from influenza, 235 related to urban and 936 to rural areas.

Among the 1,171 deaths from influenza in the entire area, 290 were associated with pulmonary complications, and 881 were returned as from influenza without qualification or were from that disease complicated with maladies other than pulmonary.

ERYSIPELAS.—There were 39 deaths (22 of males and 17 of females) from this cause, as compared with 32 in 1924.

ACUTE POLIOMYELITIS.—Twelve deaths were ascribed to this disease, being 2 under the number recorded in the preceding year.

ENCEPHALITIS LETHARGICA.—The fatal cases of this disease, which numbered 4 in 1919, 17 in 1920, 31 in 1921, 19 in 1922, 16 in 1923 and 55 in 1924, fell to 51 in 1925. Twenty-one of the latter were those of males and 30 of females.

CEREBRO-SPINAL FEVER.—This disease caused 12 deaths (7 of males and 5 of females) or 16 under the number for 1924, and 20 under the average for the 10 years 1915-24.

OTHER EPIDEMIC DISEASES.—There were 9 deaths (all of males) from malaria, 9 deaths (4 males and 5 females) from epidemic rose rash, and one death (that of a female) from varicella.

TETANUS.—The number of deaths from this disease was 17, those of males being 16 and of females 1, as against a total of 24 (20 of males and 4 of females) in 1924.

TUBERCULOSIS.

Deaths from all forms of tuberculous disease registered in Saorstát Éireann during the year 1925 numbered 4,673, and of these 2,307 were deaths of males and 2,366 of females. The total number is equivalent to a rate of 1.57 per 1,000 of the total population, the number of deaths of males affording a rate of 1.53 per 1,000 of the estimated number of males, and the deaths of females 1.61 per 1,000 of the estimated number of females in the population, as will be seen from the following Table.

The corresponding rates for all deaths from tuberculosis were, in Northern Ireland 1.67 per 1,000 of the estimated population, in England and Wales 1.04 per 1,000 and in Scotland 1.10 per 1,000.

TABLE IV.—Showing by sexes the mortality from tuberculosis during each of the years 1915-24.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase.		Annual Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.	Number.	Per cent.
1915 ...	3,640	2.35	3,085	2.03	6,725	2.19	381	6.0	—	—
1916 ...	3,394	2.19	3,077	2.03	6,471	2.11	—	—	254	3.8
1917 ...	3,378	2.18	3,288	2.17	6,666	2.17	195	3.0	—	—
1918 ...	3,244	2.09	3,248	2.15	6,492	2.12	—	—	174	2.6
1919 ...	2,846	1.78	2,993	1.99	5,839	1.88	—	—	653	10.1
1920 ...	2,516	1.57	2,606	1.73	5,122	1.65	—	—	717	12.3
1921 ...	2,337	1.46	2,487	1.66	4,824	1.56	—	—	298	5.8
1922 ...	2,316	1.51	2,298	1.54	4,614	1.53	—	—	210	4.4
1923 ...	2,222	1.46	2,246	1.51	4,468	1.48	—	—	146	3.2
1924 ...	2,264	1.49	2,318	1.56	4,582	1.52	114	2.6	—	—
Average, 1915-1924,	2,816	1.81	2,764	1.84	5,580	1.82	—	—	*2,143	31.9
1925 ...	2,307	1.53	2,366	1.61	4,673	1.57	91	2.0	—	—

* Decrease in 1924 as compared with 1915.

It will be observed from this table that a continuous reduction in the mortality from tuberculosis has taken place in the Saorstát Éireann area year by year, beginning with the year 1918, up to 1923, the rate for the latter year being the lowest recorded for Saorstát Éireann. This low mortality was followed by an increase in 1924, amounting to 114 deaths (42 of males and 72 of females) and by a further increase of 91 (43 males and 48 females) in 1925.

Of the 4,673 deaths, 3,667 (of males 1,787, and of females 1,880) were caused by tuberculosis of the respiratory system, 270 (of males 131 and of females 139) by tuberculosis of the meninges, 287 (of males 153 and of females 134) by tuberculosis of the intestines and peritoneum, 66 (of males 40, and of females 26) by tuberculosis of the vertebral column, 51 (of males 30 and of females 21) by tuberculosis of the joints, 105 (of males 56 and of females 49) by tuberculosis of other organs, and 227 (of males 110 and of females 117) were caused by disseminated tuberculosis.

The deaths from tuberculosis of the respiratory system in 1925 show a decrease of 25 (20 males and 5 females) as compared with 1924, and those from other forms of tuberculous disease, numbering 1,006 (520 deaths of males and 486 of females) an increase of 116, consisting of 63 deaths of males and 53 of females.

Included in the 4,673 deaths from tuberculous diseases are 1,760 deaths of persons belonging to urban areas and 2,913 to rural, as compared with 1,768 urban and 2,814 rural deaths in 1924, showing a decrease of 8 in the urban deaths in 1925, and an increase of 99 in the deaths appertaining to rural areas.

The abstracts commencing on page 28 give the details regarding deaths from tuberculosis, by provinces, counties, county boroughs, and urban and rural districts, while Tables XIV. and XV. supply the rates per 1,000 of the population for these areas.

It will be seen from Table XIV. that the highest tuberculosis mortality for county or county borough areas related to the following:—Dublin county borough (2·31 per 1,000), Cork county borough (2·22 per 1,000), Tipperary, South Riding (2·02 per 1,000), Westmeath county (1·99 per 1,000), and Louth county (1·90 per 1,000), the counties having the lowest rates in 1925 being Roscommon (0·78), Longford (1·13), Mayo (1·16) and Sligo (1·16).

SYPHILIS, &c.—Twenty-five deaths (18 of males and 7 of females) were ascribed to syphilis as compared with 22 in 1924. Of the 25 deaths, 17 (13 of males and 4 of females) were those of infants under one year of age.

Five deaths (4 males and one female) were ascribed to other venereal affections.

There were 35 deaths (31 of males and 4 of females) from general paralysis of the insane; 17 deaths (of males 14 and of females 3) from locomotor ataxy, and 24 deaths (of males 20, and of females 4) from aneurysm.

PURULENT INFECTION, SEPTICÆMIA.—Under this heading 88 deaths were returned, (47 being those of males, and 41 of females), as against 95 in the preceding year.

OTHER INFECTIOUS DISEASES.—One death (that of a male) from mycosis was recorded.

CANCER.—A distinctly upward tendency in the mortality from cancer is one of the notable features of the death statistics of the years 1923 and 1924, as will be seen from Table III., which shows that while the mortality for the years 1915-22 fluctuated but slightly, that for the year 1923 gave an increase of 8 per cent. as compared with 1922, and that for 1924 an increase of 6 per cent. as compared with 1923.

In the year 1925, however, the deaths from cancer, numbering 2,801, show a decrease of 102 as compared with the preceding year,

During the years 1882 to 1890, the average annual rate per 1,000 of the mean population of those years, represented by the number of deaths from cancer registered in the Saorstát Éireann area was 0·37, followed by a rate of 0·48 per 1,000 for the ten years, 1891-1900, by 0·68 per 1,000 for the decennium, 1901-10, by 0·84 per 1,000 for the decennium, 1911-1920, and by 0·90 per 1,000 for the five years, 1921-25.

It is not possible to say to what extent the increase in the mortality from this cause is due to faulty description of the cause of death in the records of the earlier years. It is improbable, however, that any considerable proportion of the increase shown in the average annual mortality from cancer for the five years 1921-5, as compared with that for the decennium 1901-10, can be ascribed in this way to inaccurate diagnosis.

Consequently, the mortality from cancer in the Saorstát Éireann area during the five years, 1921-25, viz., 0·90 per 1,000, would appear to show a real increase of 32 per cent. as compared with the average annual rate (0·68 per 1,000) for the ten years, 1901-10.

Of the 2,801 deaths in 1925, those of males numbered 1,502, and of females 1,299. These figures are represented by rates of 0·94 per 1,000, 0·99 per 1,000, and 0·88 per 1,000, respectively.

As compared with 1924 (1·01 per 1,000) the mortality among males in 1925 shows a decrease of 2 per cent., the decrease among females being 4 per cent. on the rate (0·92 per 1,000) in 1924.

Deaths from cancer in urban areas numbered 963 or 1.12 per 1,000 of the population, and in rural areas, 1,838, equivalent to 0.87 per 1,000, as compared with 991 urban deaths (rate 1.15 per 1,000) and 1,912 rural (rate 0.91 per 1,000) in 1924.

Of the 2,801 deaths from cancer, 1,396 were returned as from carcinoma, 122 as from sarcoma, and 1,283 as from cancer, malignant disease.

In Northern Ireland the rate for both sexes was 1.15 per 1,000, for males 1.08, and for females 1.21.

For England and Wales the mortality from cancer in 1925 was 1.34 per 1,000 of the population and for Scotland 1.36 per 1,000.

Table V. shows the number of deaths from cancer, by sexes, ages, and parts affected.

TABLE V.—Showing the deaths from CANCER* registered in Saorstát Éireann during the year 1925, by Sexes, Ages, and parts affected.

Parts Affected.	MALES.															FEMALES.															Total Males and Females
	AGES AT DEATH.															AGES AT DEATH.															
	Under 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and Upwards	TOTAL.	Under 20	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and Upwards	TOTAL.			
43 { Jaw	3	4	5	9	5	9	4	13	9	61	3	1	1	2	1	1	2	3	14	75		
43 { Lip	1	.	4	3	5	9	7	6	35	2	1	.	4	7	42		
43 { Mouth	4	4	5	5	3	8	2	3	34	.	.	.	1	.	1	1	.	3	37		
43 { Tongue	1	1	8	12	16	18	16	11	13	8	104	2	.	.	2	1	2	.	.	.	7	111		
44 { Liver, Gall Bladder }	3	3	2	6	8	11	14	30	26	17	18	138	.	1	.	2	4	9	10	21	20	23	21	19	14	144	282		
44 { Oesophagus	1	1	3	4	11	10	4	8	3	45	.	.	.	2	3	3	3	4	2	3	1	2	1	24	69		
44 { Pharynx	1	4	3	3	7	3	5	1	27	2	.	.	.	3	3	.	1	9	36			
44 { Stomach	3	2	5	25	36	36	52	77	63	47	33	379	.	.	.	2	7	13	19	34	42	42	54	37	36	286	665		
45 { Intestine	1	1	.	.	4	8	7	14	23	21	31	24	14	148	.	.	1	2	5	5	10	18	13	25	17	20	11	127	275		
45 { Mesentery	
45 { Peritoneum	2	.	.	.	2		
45 { Rectum	1	1	4	5	12	10	20	11	14	9	9	96	.	1	1	.	.	1	8	7	9	15	10	10	7	69	165		
46 { Ovary	1	.	1	3	2	2	4	1	1	1	16	16		
46 { Uterus	1	1	.	14	14	6	23	16	22	13	8	8	126	126		
46 { Vagina	1	.	1	.	1	3	3		
46 { Vulva	1	1	2	4	4	4		
47 { Breast	1	.	.	.	2	3	.	.	.	9	4	23	33	41	21	22	26	13	24	216	219		
48 { Ear	1	.	1	2	.	2	5	2	13	3	3	16		
48 { Face	2	.	3	2	3	4	7	11	32	1	3	3	6	11	24	56		
48 { Nose	1	1	2	2	3	3		
48 { Penis	1	1	1	2	.	.	.	5	5	5		
48 { Scrotum	1	.	1	1	3	3	3		
48 { Other Skin	1	1	.	2	.	.	1	1	1	1	1	5	7		
49 { Arm, Leg	1	2	1	.	.	2	2	1	4	2	2	2	4	23	1	.	.	1	1	2	.	3	3	7	1	8	10	37	60		
49 { Axilla	1	1	1	1	.	.	2	3		
49 { Bladder	1	1	2	7	4	2	6	1	6	30	1	1	3	1	2	1	2	11	41			
49 { Brain	1	.	1	.	1	.	.	.	3	1	1	4		
49 { Eye	1	1	.	2	2	.	.	1	1	8	1	1	2	10	10		
49 { Groin	1	1	1	1	.	1	3	4	4		
49 { Kidney	1	1	1	1	2	4	5		
49 { Larynx, Trachea	1	.	3	3	3	4	6	6	2	1	29	.	1	.	.	.	2	1	3	2	.	1	1	.	2	12	41	
49 { Lung	1	.	.	.	1	1	1	1	.	.	.	5	1	1	.	.	.	2	7		
49 { Mediastinum	1	1	1	.	.	.	1	.	.	4	1	1	.	.	1	1	.	4	8			
49 { Neck	1	3	2	6	10	10	9	5	8	7	61	.	.	.	1	.	1	1	1	1	2	4	5	1	16	77		
49 { Pancreas	2	.	1	3	2	3	4	2	2	19	.	.	.	1	.	.	1	4	6	3	2	2	2	2	21	40		
49 { Parotid	1	.	.	1	1	.	.	.	1	4	1	2	3	7		
49 { Pelvis	1	.	1	.	1	.	.	.	1	1	4	.	.	8	.	1	.	1	1	.	.	.	1	1	.	.	5	13	13		
49 { Prostate	1	1	3	7	5	7	4	28	28		
49 { Rib, Sternum	1	1	.	3	3	3		
49 { Shoulder		
49 { Spinal Column	1	1	1	.	3	3		
49 { Spleen	1	.	.	.	2	2		
49 { Testes	1	.	.	1	1	.	1	1	5	5		
49 { Thorax	1	.	.	2	1	.	.	.	4	.	.	.	1	5		
49 { Throat	2	2	5	13	8	13	7	13	8	71	.	.	.	1	.	.	1	4	3	4	.	4	1	18	89		
49 { Thyroid	1	1	.	2	.	2	.	2	.	.	8	8		
49 { Abdomen	1	.	1	1	2	.	1	4	2	1	.	1	.	14	1	.	1	1	2	.	4	1	6	5	4	3	28	42			
49 { Other and Undefined }	1	.	1	1	1	2	3	6	4	8	8	10	2	47	.	.	1	.	3	.	7	1	2	6	2	1	3	26	73		
TOTAL	13	3	12	14	32	81	120	172	208	250	233	207	157	1,502	7	5	5	25	46	84	109	180	156	204	173	151	154	1,299	2,801		

* Including Carcinoma Sarcoma and Cancer, Malignant Disease.

TUMOURS.—Only tumours definitely stated to have been either non-malignant, or as to which as the result of special enquiries regarding their nature, further information was not obtainable, are included under this heading.

There were 35 deaths from cerebral tumour (of males 15 and of females 20); 8 from tumours of the ovary; 20 from tumours of the uterus; and 51 from tumours of other or unstated sites (27 of males and 24 of females).

The latter included 16 returned as from tumour of the abdomen, 8 of bladder, 7 of intestine, 5 of mediastinum, 2 of liver, 2 of lung, 2 of pancreas, one of each of the following:—adrenals, axilla, colon, œsophagus, pituitary gland, spine and throat, and 2 were tumours of which the site was unstated.

RHEUMATISM.—There were 90 deaths (38 of males and 52 of females) from rheumatic fever; 299 deaths (128 of males and 171 of females) from chronic rheumatism, osteo-arthritis and gout.

DIABETES.—To this cause 222 deaths were attributed, 107 being deaths of males and 115 of females. The total deaths are 10 above the number (212) for the year 1924, but 9 under the average for the 10 years 1915-24.

ALCOHOLISM.—Eighteen deaths were ascribed to alcoholism, and of these 16 were those of males. Cirrhosis of the liver caused 90 deaths, 67 being those of males and 23 of females. All except one male were aged 30 years and upwards.

OTHER GENERAL DISEASES.—Among these were 29 deaths from rickets, 212 from pernicious anæmia (92 of males and 120 of females), 95 from other anæmias and chlorosis (34 of males and 61 of females), 2 (both females) from disease of the pituitary gland, 20 (all females) from exophthalmic goitre, 18 from other diseases of the thyroid gland (one death of a male and 17 deaths of females), 5 from tetany (2 of males and 3 of females), 2 from diseases of thymus (both of males), 21 (14 of males and 7 of females) from diseases of the adrenals, 6 from disease of the spleen, 22 from leukæmia, 22 from lymphadenoma (Hodgkins' disease) and 3 from chronic poisoning by mineral substances. Of 26 other deaths under this heading 19 (12 males and 7 females) were returned as occurring from purpura hæmorrhagica; 3 (2 males and 1 female) from hæmophilia; 3 (one male and 2 females) from amyloid disease and one (a female) from diabetes insipidus.

MENINGITIS AND ENCEPHALITIS.—Deaths from meningitis (not returned as cerebro-spinal or tuberculous) amounted to 307 (deaths of males numbering 167, and of females, 140) as compared with 329, 182, and 147 respectively, in 1924.

The number of deaths from encephalitis (not returned as encephalitis lethargica), was 59 as against 32 in 1924.

CEREBRAL HÆMORRHAGE.—The number of deaths returned under this heading was 1,312, comprising 594 deaths of males and 718 of females. These figures include the deaths of 25 males and 49 females from cerebral thrombosis and embolism.

The 1,312 deaths are 17 below the number recorded in 1924, and 69 under the average for the 10 years, 1915-24.

EPILEPSY.—There were 155 deaths (of males 85, and of females 70) from epilepsy, as compared with 183 in the preceding year.

CONVULSIONS.—The number of deaths ascribed to convulsions was 643 (of males 349, and of females 294) and of the 643 deaths, 504, or 78·4 per cent. were those of infants under one year of age, constituting 12·0 per cent. of the deaths from all causes of infants under one year of age registered in Saorstát Éireann during the year 1925.

HEART DISEASE.—To this group, 4,965 deaths (of males 2,454, and of females 2,511) were assigned, equivalent to a rate of 1·66 per 1,000 of the estimated population, and contributing 11·4 per cent. to the mortality from all causes. The number of deaths from heart disease during the year under review is 173 more than that for 1924, and 66 more than the average (4,899) for the ten years 1915-24.

Of the 4,965 deaths, 28 were ascribed to pericarditis, 157 to acute endocarditis and myocarditis, 80 to angina pectoris, and 4,700 to other diseases of the heart.

ARTERIAL SCLEROSIS.—Deaths from arterial sclerosis, of which 129 were those of males, and 68 of females, numbered 197, the number recorded for 1924, being, 202.

BRONCHITIS.—The deaths from this cause numbered 2,654 (of males, 1,266, and of females, 1,388), being equivalent to a rate of 0·89 per 1,000 of the population, or 6·1 per cent. of the total number of deaths from all causes. The number of deaths (2,654) is 272 below the number for 1924, and 1,098 under the average for the ten years, 1915-24, and is the lowest mortality from bronchitis recorded for the Saorstát Éireann area.

PNEUMONIA.—Of 2,338 deaths from pneumonia (all forms), affording a rate of 0·78 per 1,000 of the population, 945 were from broncho-pneumonia, 219 from lobar pneumonia, and 1,174 from pneumonia (not otherwise defined).

The 2,338 deaths include 1,322 deaths of males and 1,016 of females, and are 467 under the average for the ten years, 1915-24.

PLEURISY ; EMPYEMA.—The number of deaths classed to pleurisy, including deaths from empyema regarding which the originating cause other than pleurisy could not be ascertained, was 158, the males numbering 109, and the females 49.

As the result of inquiries into the causes of 23 deaths returned as having been caused by empyema, sufficient information was obtained to enable 7 of these to be classified to other causes viz., 4 to tuberculosis, one to lobar pneumonia and 2 to pneumonia (not otherwise defined).

ULCERS OF THE STOMACH AND DUODENUM.—To these causes 270 deaths were attributed, 171 being those of males and 99 of females. The total number is 36 above the average (234) for the ten years, 1915-24.

APPENDICITIS AND TYPHLITIS.—The deaths so classified numbered 156 (of males 80, and of females 76) being 14 above the average (142) for the ten years preceding.

CIRRHOSIS OF THE LIVER.—Deaths from this cause, viz., 90 (of males 67, and of females 23) are 40 under the average for the ten years 1915-24.

ACUTE AND CHRONIC NEPHRITIS.—The number of deaths from acute nephritis was 133 (71 of males and 62 of females) and from chronic nephritis 995 (561 of males and 434 of females). The total number of deaths from the acute and chronic disease was 1,128, which number is 66 above that for 1924, and 29 above the average for the ten years 1915-24.

PREGNANCY AND CHILDBIRTH.

The mortality of women during pregnancy and childbirth is classified under three headings, namely (1) septic conditions (2) intrinsic accidents and diseases of pregnancy and childbirth, and (3) disease or cause associated with pregnancy and childbirth. To the first group 125 deaths were attributed in the year 1925, to the second, 166, and to the third 21; altogether the deaths in Saorstát Éireann of childbearing women numbered 312. This number, which is 18 below that for the year 1924, represents a rate of 5·03 per 1,000 of the total births registered, as compared with 5·21 in the year 1924, and with 5·68 per 1,000, the average rate for the decade, 1915-24.

Table VII. shows that in the mortality from puerperal septic diseases there was a slight increase, viz., from 123 in the year 1924 to 125 in 1925, but a decrease of 14 in the mortality from accidents of pregnancy and childbirth, which fell from 180 in 1924 to 166 in 1925. The deaths of women from causes associated with pregnancy and childbirth, which were 27 in the year 1924, fell to 21 in the year under review.

Tables XIV. and XV. give the rates per 1,000 births for (1) and (2) by provinces, counties and county boroughs and groups of urban and rural areas.

TABLE VI.—Showing the number of deaths of women in 1925 definitely returned as either caused by or associated with PREGNANCY or CHILDBEARING.*

CAUSES OF DEATH.	ALL AGES.	AGES				
		15—	20—	30—	40—	45 yrs. and up
Total	312	6	98	160	38	10
Scarlet Fever	2	.	2	.	.	.
Influenza	5	.	1	2	2	.
Disseminated Tuberculosis	1	.	1	.	.	.
Anaemia	1	.	1	.	.	.
Myocarditis	1	.	.	.	1	.
Heart Disease (unspecified)	5	2	2	1	.	.
Acute Bronchitis	1	.	.	1	.	.
Broncho-Pneumonia	1	.	.	1	.	.
Lobar Pneumonia	1	.	.	1	.	.
Pneumonia (not otherwise defined)	2	.	.	2	.	.
Disease of Pharynx and Tonsils	1	.	1	.	.	.
Abortion	7	.	1	3	2	1
Other accidents of pregnancy	13	.	4	7	1	1
Puerperal hæmorrhage	57	.	20	27	8	2
Other accidents of childbirth	27	.	7	16	4	.
Puerperal sepsis	105	1	33	60	9	2
Phlegmasia alba dolens; embolism	20	.	4	12	3	1
Puerperal albuminuria, convulsions	50	3	16	21	7	3
Childbirth without other explanation	12	.	5	6	1	.

*These deaths are included in the general tables of Causes of Deaths.

TABLE VII.—Showing the number of deaths of women directly attributable to or associated with PREGNANCY or CHILDBIRTH, during each of the years, 1915-25, and also the rate per 1,000 births registered during each of those years, with the average rate for the ten years 1915-24.

YEARS.	Deaths from Puerperal Septic Diseases.		Deaths from Accidents of Pregnancy or Childbirth.		Total Deaths from Puerperal Septic Diseases and Accidents of Pregnancy or Childbirth.		Deaths from causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by or associated with Pregnancy or Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1915	139	2.06	219	3.24	358	5.30	44	0.65	402	5.95
1916	159	2.45	213	3.29	372	5.74	39	0.60	411	6.34
1917	123	2.00	175	2.85	298	4.85	30	0.49	328	5.34
1918	105	1.72	190	3.11	295	4.83	42	0.69	337	5.52
1919	111	1.80	180	2.91	291	4.71	73	1.18	364	5.89
1920	136	2.03	190	2.84	326	4.87	41	0.61	367	5.48
1921	123	2.02	179	2.93	302	4.95	34	0.56	336	5.51
1922	139	2.36	194	3.30	333	5.66	37	0.63	370	6.29
1923	135	2.19	162	2.63	297	4.82	31	0.50	328	5.32
1924	123	1.94	180	2.84	303	4.78	27	0.43	330	5.21
Average, 1915-24	129	2.06	188	2.99	317	5.05	40	0.63	357	5.68
1925	125	2.01	166	2.68	291	4.69	21	0.34	312	5.03

VIOLENCE.

Deaths caused by violence, as registered in Saorstát Éireann during the year 1925 amounted to 816, a number equivalent to 0·27 per 1,000 of the estimated population, and 113 less than that recorded for 1924, and 512 below the average (1,328) for the ten years 1915-24.

Of the 816 deaths, 88 were classed to suicide, 24 to homicide, and one to execution, leaving 703 to other deaths by violence, the majority of which were definitely stated to have been accidental.

The suicidal cases comprise the deaths of 67 males and 21 females.

Of the 24 homicidal cases, 17 were deaths of males (including 5 infants under one year old) and 7 of females (including 4 infants under one year old).

The deaths other than those classed to homicide, suicide or execution, include 11 (all of males) caused by poisons or poisonous gases, and 149 (65 of males and 84 of females) by burns or scalds. Of the 149 deaths caused by burns or scalds, 88 were those of children under 5 years of age.

There were 126 deaths (of males 107, and of females 19) from accidental drowning, 25 deaths caused by injuries due to firearms, of which 24 were those of males and one of a female, and there were 100 deaths due to injuries caused by crushing (77 of males and 23 of females), including 53 (males 38, and females 15), as compared with 46 in 1924, by motor driven vehicles.

Of the 11 accidental deaths attributed to poisons or poisonous gases, 3 were caused by strychnine; 2 by food; one by ammonia; one by oil of chenopodium; one by carbolic acid; one by carbon monoxide, and in 2 cases the name of the poison was not stated.

Of 2 suicidal deaths by poisoning, one was stated to have been caused by strychnine, and one by lysol.

UNCERTIFIED CAUSES.

Among the 43,650 deaths registered, 11,733 were not certified by medical practitioners, nor were inquests into their causes held. They constitute 26·9 per cent. of the total mortality in 1925, as against an average of 26·6 for the ten years, 1915-24. The number of uncertified deaths in urban areas in 1925 was 4·1 per cent. of the total number of deaths registered therein, the corresponding percentage for rural areas being 37·1.

INQUESTS.

From returns furnished by the registrars it would appear that the number of inquests during the year 1925 was 678, or one inquest for every 64 deaths registered.

AGES AT DEATH.

Of the 43,650 deaths at all ages, 6,356 or 14·6 per cent. were deaths of children under 5 years of age, including 3,474 deaths of males, or 15·7 per cent. of the male mortality at all ages, and 2,882 deaths of females, or 13·4 per cent. of the total number of deaths of females.

The deaths of 19,959 persons aged 65 years or upwards were registered during the year 1925, constituting 45·7 per cent. of the total number of deaths at all ages, and include 9,866 of males, or 44·6 per cent. of the total deaths of males, and 10,093 of females, or 46·9 per cent. of the deaths of females at all ages.

Among the deaths of persons at these ages 16,287, or 37·3 per cent. of the total deaths, were 70 years of age or over.

Deaths of persons aged 95 years or upwards numbered 333 (of males 152, and of females 181) and they include 60 (males 27 and females 33) whose ages at death were returned as 100 years or upwards (one of whom was stated to be aged 115 years).

The ages in detail of the persons whose deaths were registered in the year 1925 are given in the Abstracts commencing with page 8.

INFANT MORTALITY.

The number of deaths of infants under one year of age registered in Saorstát Éireann during the year 1925 was 4,216, equivalent to a rate of 68 per 1,000 births, as compared with 72 per 1,000 in 1924 and an average of 77 for the ten years 1915-24.

The deaths of male infants numbered 2,385, being equal to 75 per 1,000 births of males, and the deaths of female infants, 1,831, or 61 per 1,000 births of females, the corresponding rates for 1924 being 79 and 64 respectively.

For Northern Ireland the infant mortality in 1925 was 86 per 1,000 births; for England and Wales, the rate was 75; and for Scotland 91 per 1,000 births.

From Table IX., which gives the infant mortality rates for Saorstát Éireann, by sexes, ages and causes, it will be seen that atrophy, debility, marasmus (19.48 per 1,000) diarrhoea and enteritis (8.89), convulsions (8.12), premature birth (6.52), pneumonia (5.69), and bronchitis (3.75) in the aggregate, are equivalent to 52.45 per 1,000 births, or about 77 per cent. of the total infant mortality.

Of the deaths of infants, 36.4 per cent. were under one month old, 11.7 per cent. between one and two months; 9.1 per cent. between 2 and 3 months; 20.2 per cent. were aged 3 and under 6 months, and 22.6 in every 100 were 6 and under 12 months old.

Urban and Rural Mortality.

There were 2,070 deaths of infants recorded for urban areas, equivalent to 97 per 1,000 births, and the number of such deaths in rural areas was 2,146, or 53 per 1,000 births.

A reference to Table X. shows that, although the mortality in rural districts is low, the rate for urban areas of 10,000 inhabitants and upwards is high, viz., 102 per 1,000 births. The urban areas which contribute to this result are:—Dublin Registration Area, including Dublin county borough (119), with a rate of 113, Cork county borough (71), Limerick county borough (91), Waterford county borough (104), and the urban districts of Galway (84), Dundalk (87), Drogheda (84), Wexford (60), Sligo (96), Kilkenny (82), and Tralee (73).

Deaths of infants in 1925, in towns of less than 10,000 inhabitants were equivalent to a rate of 80 per 1,000 births.

The following statement gives the infant mortality for each sex for urban and rural areas:—

Statement showing the INFANT MORTALITY per 1,000 Births, by sexes, and at different periods of life in 1925, in relation to urban and rural areas.

AGES.	SAORSTÁT ÉIREANN											
	Urban Areas. 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	31.29	37.84	24.42	29.23	33.98	24.11	30.84	36.99	24.36	21.50	23.21	19.69
1-2 Months ...	10.35	11.99	8.63	10.32	12.43	8.04	10.34	12.09	8.51	6.67	7.08	6.23
2-3 „ ...	9.69	9.29	10.11	8.17	9.53	6.70	9.36	9.34	9.37	4.56	4.88	4.22
3-6 „ ...	22.87	25.50	20.11	15.04	19.07	10.71	21.16	24.08	18.07	9.85	11.25	8.39
6-12 „ ...	28.11	30.43	25.66	16.76	18.65	14.73	25.63	27.83	23.29	10.02	10.05	10.00
Under one year	102.31	115.05	88.93	79.52	93.66	64.29	97.33	110.33	83.60	52.60	56.47	48.53

The rate for deaths of infants under one year old for Belfast in 1925 was 104 per 1,000 births; for Londonderry, 85; for London, 67; for Liverpool, 98; for Edinburgh, 96; and for Glasgow, 102.

-- In connection with the ages at death, as disclosed by Table XI., the marked difference in the mortality in urban and rural areas at each age period, and especially at one month old and upwards, is shown.

DEATHS OF ILLEGITIMATE INFANTS.

The number of deaths of illegitimate infants under one year of age registered in Saorstát Éireann during the year 1925, was 477, consisting of 252 deaths of males and 225 of females. Based on the number of illegitimate births registered, the resulting mortality rate is 287 per 1,000 births for both sexes, 289 per 1,000 for males and 284 per 1,000 births for females, as compared with 315, 330, and 300, respectively, in 1924. These rates must be regarded as excessive.

It may be stated that the illegitimate infant mortality, as derived from the records for 1925, is nearly 5 times the mortality among legitimate infants, which was 62 per 1,000 births for both sexes, 69 per 1,000 for males, and 55 per 1,000 births for females.

In other words, ten out of every 35 illegitimate infants born alive in 1925, died before the completion of its first year of life.

In Northern Ireland in 1925, the illegitimate infant death-rate was 205 per 1,000 births; and in England and Wales, the illegitimate infant death-rate was 136 per 1,000 births, or about one death to every 8 illegitimate infants born alive. This rate is about twice that for legitimate infants, and it may be said that this proportion is maintained for that country yearly from 1906 onwards.

Table XII. shows for the whole of Saorstát Éireann the number of deaths by causes and at different periods of life under one year of age. On account of the smallness of the numbers it was not considered desirable to calculate rates for each age and cause for one year only. Rates are, however, given for all causes at each age period. It would appear from this table that at every period of life, the mortality among illegitimate infants is much in excess of that for all infants, as shown in Table IX.

It will be seen from Table XIII. that 203, or nearly 43 per cent. of the total number of deaths of illegitimate infants occurred in Dublin county and city. Of the 61 deaths in the county, 49 took place in institutions, and 12 elsewhere, and of the 142 city deaths, the corresponding numbers were 102 and 40. Thus, 52 of the 203 deaths in Dublin county and city did not occur in institutions. Of the latter, 21 were described in the registers of deaths as "nurse children," 17 of these occurring in the city, and 4 in the county.

TABLE VIII.—Showing for Saorstát Éireann, by certain causes, the MORTALITY AMONG INFANTS UNDER 12 MONTHS old, per 1,000 Births, registered in the eleven years 1915-25.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
ALL CAUSES	85.27	81.33	84.07	80.24	84.42	77.51	72.61	68.89	66.43	71.65	67.92
Measles (7)	0.81	0.60	1.09	1.37	0.32	0.63	0.48	1.44	0.50	0.75	0.63
Scarlet Fever (8)	0.09	0.11	0.03	0.05	0.03	0.09	0.05	0.10	0.03	0.08	0.03
Whooping Cough (9)	2.96	4.06	2.57	3.00	1.97	5.40	1.57	1.22	3.52	4.12	3.27
Diphtheria (10)	0.25	0.08	0.13	0.15	0.23	0.42	0.35	0.44	0.19	0.18	0.13
Influenza (11)	0.82	0.31	0.59	2.85	5.11	0.57	0.53	1.48	0.65	1.86	0.89
Tuberculosis of Nervous System (32).	0.83	0.56	0.59	0.54	0.41	0.40	0.35	0.37	0.37	0.21	0.48
Tuberculosis of Intestines and Peritoneum (33).	0.59	0.35	0.62	0.31	0.36	0.33	0.36	0.46	0.39	0.24	0.37
Other Tuberculous Diseases (31, 34-7).	0.80	0.91	0.99	0.87	0.83	0.64	0.75	0.82	0.46	0.61	0.50
Syphilis (38)	0.49	0.37	0.33	0.38	0.37	0.63	0.52	0.36	0.28	0.15	0.27
Meningitis (71)	1.16	1.14	0.88	1.01	1.05	0.81	0.93	0.92	0.89	0.70	0.89
Convulsions (80)	12.19	11.35	11.05	10.66	11.03	10.61	8.88	8.75	8.18	8.02	8.12
Bronchitis (99)	8.39	7.03	8.91	6.76	7.50	6.88	4.67	5.30	5.12	4.74	3.75
Pneumonia (100-101)	5.85	5.18	5.08	5.97	7.00	6.85	4.93	7.14	5.15	7.26	5.69
Inflammation of Stomach (112)	2.18	2.21	2.02	1.80	2.20	1.69	2.15	2.21	1.86	1.50	1.34
Diarrhoea and Enteritis (113)	10.01	9.66	9.54	8.41	8.75	7.33	12.52	6.49	7.17	7.03	8.89
Congenital Malformations (159)	1.79	2.27	1.90	1.59	1.52	2.09	1.38	1.80	1.85	2.41	2.24
Atrophy, Debility, Marasmus (160b).	22.92	22.96	25.07	22.77	22.53	19.52	20.90	18.15	18.75	20.27	19.48
Premature Birth (161)	6.83	6.49	6.28	6.22	7.10	7.46	6.38	6.49	5.92	6.59	6.52
Suffocation (Overlying) (180) ...	0.27	0.25	0.16	0.18	0.27	0.07	0.11	0.07	0.13	0.14	0.10
Other Causes	6.04	5.44	6.24	5.35	5.84	5.09	4.80	4.88	5.02	4.79	4.33

TABLE IX.—Showing for Saorstát Éireann area the MORTALITY, by certain causes, and by sexes and age-periods, AMONG INFANTS UNDER 12 MONTHS OLD, per 1,000 Births registered in the year 1925.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.											
MALES AND FEMALES.											
CAUSES OF DEATH.	Under 24 Hours.	1-7 Days	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	7.14	7.14	3.72	2.69	4.01	24.70	7.92	6.20	13.73	15.37	67.92
Measles (7)	0.02	0.03	0.05	0.53	0.63
Scarlet Fever (8)	0.02	0.01	0.03
Whooping Cough (9)	0.03	0.08	0.11	0.29	0.36	0.82	1.69	3.27
Diphtheria (10)	0.02	.	0.11	0.13
Influenza (11)	0.05	0.03	0.08	0.16	0.24	0.10	0.21	0.18	0.89
Tuberculosis of the Nervous System (32)	0.01	0.03	0.10	0.34	0.48
Tuberculosis of Intestines and Peritoneum (33)	0.14	0.23	0.37
Other Tuberculous Diseases (31, 34-7)	0.02	.	.	.	0.02	.	0.03	0.16	0.29	0.50
Syphilis (38)	0.02	.	0.03	0.05	0.05	0.05	0.09	0.03	0.27
Meningitis (71)	0.03	0.03	0.06	0.02	0.15	0.63	0.89
Convulsions (80)	0.43	0.84	0.64	0.42	0.62	2.95	1.22	0.81	1.66	1.48	8.12
Bronchitis (99)	0.03	0.16	0.11	0.36	0.66	0.56	0.48	0.92	1.13	3.75
Pneumonia (100, 101)	0.03	0.03	0.14	0.07	0.13	0.40	0.39	0.40	1.37	3.13	5.69
Inflammation of Stomach (112)	0.02	.	0.02	.	0.09	0.13	0.21	0.16	0.48	0.36	1.34
Diarrhoea and Enteritis (113)	0.02	0.13	0.30	0.27	0.72	1.13	1.31	3.46	2.27	8.89
Congenital Malformations (159)	0.39	0.53	0.19	0.10	0.21	1.42	0.18	0.17	0.21	0.26	2.24
Atrophy, Debility, Marasmus (160b)	3.19	3.30	1.37	1.02	1.43	10.31	2.84	1.82	2.92	1.59	19.48
Premature Birth (161)	2.32	2.08	0.68	0.43	0.47	5.98	0.27	0.09	0.13	0.05	6.52
Suffocation (overlying) (180)	0.02	0.01	0.02	.	0.05	.	0.03	0.02	.	0.10
Other Causes	0.76	0.27	0.31	0.16	0.21	1.71	0.45	0.29	0.82	1.06	4.33
MALES.											
ALL CAUSES	7.98	8.52	4.21	2.89	4.34	27.94	8.80	6.41	15.65	16.16	74.96
Measles (7)	0.03	0.06	.	0.57	0.66
Scarlet Fever (8)
Whooping Cough (9)	0.09	0.09	0.19	0.41	0.72	1.67	3.08
Diphtheria (10)	0.03	.	0.13	0.16
Influenza (11)	0.03	0.06	0.10	0.19	0.25	0.09	0.28	0.13	0.94
Tuberculosis of the Nervous System (32)	0.03	0.03	0.10	0.41	0.57
Tuberculosis of Intestines and Peritoneum (33)	0.22	0.38	0.60
Other Tuberculous Diseases (31, 34-7)	0.03	.	.	.	0.03	.	0.03	0.16	0.28	0.50
Syphilis (38)	0.03	.	0.06	0.09	0.06	0.09	0.19	0.07	0.41
Meningitis (71)	0.06	0.06	0.09	0.03	0.16	0.63	0.97
Convulsions (80)	0.50	0.88	0.69	0.41	0.82	3.30	1.13	0.85	2.11	1.66	9.05
Bronchitis (99)	0.03	0.25	0.10	0.25	0.63	0.72	0.51	1.22	1.13	4.21
Pneumonia (100, 101)	0.06	.	0.16	0.03	0.22	0.47	0.47	0.41	1.73	3.55	6.63
Inflammation of Stomach (112)	0.03	.	0.03	.	0.13	0.19	0.29	0.22	0.47	0.34	1.51
Diarrhoea and Enteritis (113)	0.03	0.22	0.34	0.38	0.97	1.32	1.45	3.71	2.39	9.84
Congenital Malformations (159)	0.47	0.69	0.19	0.03	0.19	1.57	0.16	0.19	0.25	0.22	2.39
Atrophy, Debility, Marasmus, (160b)	3.46	3.59	1.45	1.16	1.44	11.10	3.08	1.61	2.98	1.41	20.18
Premature Birth (161)	2.61	2.89	0.72	0.57	0.38	7.17	0.41	0.12	0.19	0.06	7.95
Suffocation (overlying) (180)	0.03	.	.	.	0.03	.	0.03	0.03	.	0.09
Other Causes	0.85	0.35	0.44	0.19	0.22	2.05	0.57	0.34	1.13	1.13	5.22
FEMALES.											
ALL CAUSES	6.25	5.68	3.21	2.48	3.67	21.29	7.01	5.98	11.70	14.54	60.52
Measles (7)	0.10	0.50	0.60
Scarlet Fever (8)	0.03	0.03	0.06
Whooping Cough (9)	0.07	0.06	0.13	0.40	0.30	0.92	1.72	3.47
Diphtheria (10)	0.10	0.10
Influenza (11)	0.06	.	0.07	0.13	0.23	0.10	0.13	0.24	0.83
Tuberculosis of the Nervous System (32)	0.03	0.10	0.27	0.40
Tuberculosis of Intestines and Peritoneum (33)	0.07	0.06	0.13
Other Tuberculous Diseases, (31, 34-7)	0.03	0.17	0.30	0.50
Syphilis (38)	0.03	0.10	.	.	0.13
Meningitis (71)	0.03	.	0.13	0.63	0.79
Convulsions (80)	0.36	0.79	0.60	0.43	0.40	2.58	1.32	0.76	1.19	1.29	7.14
Bronchitis (99)	0.03	0.07	0.13	0.46	0.69	0.40	0.46	0.60	1.12	3.27
Pneumonia (100, 101)	0.07	0.13	0.10	0.03	0.33	0.30	0.40	0.99	2.68	4.70
Inflammation of Stomach (112)	0.07	0.07	0.13	0.10	0.50	0.36	1.16
Diarrhoea and Enteritis (113)	0.03	0.26	0.17	0.46	0.93	1.16	3.21	2.14	7.90
Congenital Malformations (159)	0.30	0.36	0.20	0.17	0.23	1.26	0.20	0.16	0.16	0.30	2.08
Atrophy, Debility, Marasmus (160b)	2.91	3.01	1.29	0.86	1.42	9.49	2.58	2.05	2.84	1.78	18.74
Premature Birth (161)	2.02	1.22	0.63	0.30	0.56	4.73	0.13	0.06	0.07	0.03	5.02
Suffocation (overlying) (180)	0.03	0.03	.	0.06	.	0.04	.	.	0.10
Other Causes	0.66	0.20	0.17	0.13	0.20	1.36	0.33	0.23	0.49	0.99	3.40

TABLE X.—Showing for the year 1925, the INFANT MORTALITY—DEATHS OF INFANTS UNDER ONE YEAR of age per 1,000 Births registered—for each of the undermentioned areas or group of areas in Saorstát Éireann. (Corrected for Births and Deaths in Institutions).

CAUSES OF DEATH.	DUBLIN REGISTRATION AREA.						COUNTY BOROUGHS.			ALL URBAN AREAS.		Total Urban Areas.	Total Rural Areas.	RURAL DISTRICTS IN PROVINCES.			
	Total.	Dublin Co. Borough.	Blackrock Urban District.	Dún Laoghaire Urban District.	Pembroke Urban District.	Rathmines and Rathgar U. D.	Cork.	Limerick.	Waterford.	10,000 population and upwards.	Under 10,000 population.			Leinster.	Munster.	Connaught.	Ulster (part of).
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)			(12)	(13)	(14)	(15)
ALL CAUSES ...	113.16	118.72	80.81	99.53	96.35	81.08	71.14	90.99	103.67	102.31	79.52	97.33	52.60	62.52	50.90	41.07	56.19
Measles (7) ...	2.03	2.51	1.63	1.07	1.50	0.17	0.34	.	0.10	0.38
Scarlet Fever (8)	0.05	.	0.07	0.10	.
Whooping Cough (9) ...	5.72	6.06	5.05	7.11	.	6.44	1.02	.	.	4.21	4.08	4.19	2.79	3.37	2.17	2.65	3.42
Diphtheria (10) ...	0.37	0.34	.	.	1.46	.	0.51	0.89	.	0.36	.	0.28	0.05	.	0.14	.	.
Influenza (11) ...	0.18	0.23	0.30	0.65	0.38	1.15	1.26	1.08	1.02	1.33
Tuberculosis of the Nervous System (32) ...	0.46	0.57	2.54	.	1.59	0.78	.	0.61	0.42	0.84	0.29	0.20	0.11
Tuberculosis of Intestines and Peritoneum (33) ...	0.74	0.80	.	.	.	1.28	1.02	.	.	0.72	.	0.56	0.27	0.25	0.29	.	0.76
Other Tuberculous Diseases (31, 34-7) ...	0.83	0.91	.	.	.	1.28	1.52	.	.	0.90	0.43	0.80	0.34	0.17	0.65	0.20	0.19
Syphilis (38) ...	0.92	0.91	.	2.36	1.46	0.60	0.43	0.56	0.12	0.25	0.07	0.10	.
Meningitis (71) ...	2.22	2.51	5.05	.	.	1.28	2.03	0.89	.	1.93	.	1.50	0.56	0.67	0.51	0.71	0.19
Convulsions (80) ...	9.05	9.03	15.15	7.11	7.30	10.30	10.67	36.57	6.33	11.44	13.54	11.90	6.15	6.74	6.28	6.53	3.80
Bronchitis (99) ...	4.15	4.68	.	2.37	2.92	1.29	4.07	5.35	12.76	4.39	4.51	4.37	3.43	3.88	3.25	2.96	3.80
Pneumonia (100-101) ...	12.74	13.94	10.10	14.22	7.30	3.86	7.11	2.68	11.17	10.35	5.59	9.31	3.80	4.47	2.96	3.36	5.32
Inflammation of Stomach (112) ...	2.12	2.63	11.60	7.98	2.71	1.07	2.35	0.81	1.26	0.79	0.31	0.76
Diarrhoea and Enteritis (113) ...	23.92	25.48	10.10	18.96	13.14	21.88	17.78	5.35	30.30	20.94	13.54	19.33	3.46	3.37	4.76	1.22	4.36
Congenital Malformations (159) ...	5.17	5.14	5.05	7.11	4.38	5.15	2.54	4.46	4.78	4.33	2.37	3.90	1.37	2.61	0.94	0.71	0.95
Atrophy, Debility, Marasmus (160B) ...	18.18	17.37	25.26	26.07	27.73	12.87	13.72	19.63	11.17	17.70	21.71	18.58	19.96	22.84	20.22	14.88	22.20
Premature Birth (161) ...	17.35	18.06	5.05	14.22	21.90	10.30	3.56	2.68	14.35	13.48	6.23	11.90	3.73	5.48	3.54	2.25	3.04
Suffocation (overlying) (180) ...	0.18	0.23	0.12	.	0.09	0.10	0.17	.	0.10	0.19
Other Causes ...	6.83	7.32	.	.	8.76	5.15	3.05	0.89	3.19	5.48	4.30	5.22	3.87	4.55	2.89	3.67	5.31

TABLE XI.—Showing for the undermentioned Urban and Rural areas of Saorstát Éireann the number of DEATHS OF INFANTS UNDER ONE YEAR of age, sub-divided into ten groups of ages, with the mortality per 1,000 Births in 1925.

(Corrected for Births and Deaths in Institutions).

AREAS.	NUMBER OF DEATHS OF INFANTS AT AGES:—										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total Under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total Under 1 Year.
DUBLIN REGISTRATION AREA	130	91	68	46	50	385	114	113	275	339	1,226
Dublin Co. Borough ...	100	78	56	25	43	312	96	98	235	298	1,039
Blackrock Urban District	2	.	1	2	1	6	2	3	3	2	16
Dún Laoghaire „ „ ...	5	5	1	1	1	13	5	3	12	9	42
Pembroke „ „ ...	15	2	6	5	2	30	7	4	15	10	66
Rathmines and Rathgar ...	8	6	4	3	3	24	4	5	10	20	63
Cork County Borough ...	4	13	7	2	8	34	13	16	38	39	140
Limerick „ „ ...	10	11	3	.	8	32	13	12	21	24	102
Waterford „ „ ...	4	4	2	1	4	15	16	6	12	16	65
Urban Areas 10,000 population and upwards ...	165	137	86	57	75	520	172	161	380	467	1,700
Urban Areas under 10,000 ...	28	47	17	19	25	136	48	38	70	78	370
TOTAL URBAN AREAS ...	193	184	103	76	100	656	220	199	450	545	2,070
TOTAL RURAL DISTRICTS ...	250	259	128	91	149	877	272	186	402	409	2,146
Province of Leinster (Rural)	97	91	49	27	51	315	86	62	130	149	742
„ Munster „ „ ...	74	90	31	30	57	282	85	68	152	118	705
„ Connaught „ „ ...	44	44	32	22	20	162	61	31	64	85	403
„ Ulster „ „ ... (Part of)	35	34	16	12	21	118	40	25	56	57	296
SAORSTÁT ÉIREANN (Urban and Rural).	443	443	231	167	249	1,533	492	385	852	954	4,216
INFANT MORTALITY PER 1,000 BIRTHS.											
DUBLIN REGISTRATION AREA	12.00	8.40	6.28	4.25	4.61	35.54	10.52	10.43	25.38	31.29	113.16
Dublin County Borough ...	11.43	8.91	6.40	4.00	4.91	35.65	10.97	11.20	26.85	34.05	118.72
Blackrock Urban District											80.81
Dún Laoghaire „ „ ...											99.53
Pembroke „ „ ...	14.41	6.24	5.77	5.28	3.36	35.06	8.65	7.21	19.21	19.69	96.35
Rathmines and Rathgar Urban District											81.08
Cork County Borough ...	2.03	6.61	3.56	1.02	4.06	17.28	6.61	8.13	19.31	19.81	71.14
Limerick „ „ ...	8.92	9.81	2.68	.	7.14	28.55	11.60	10.70	18.73	21.41	90.99
Waterford „ „ ...	6.38	6.38	3.19	1.59	6.38	23.92	25.52	9.57	19.14	25.52	103.67
Urban Areas 10,000 population and upwards ...	9.93	8.24	5.18	3.43	4.51	31.29	10.35	9.69	22.87	28.11	102.31
Urban Areas under 10,000 ...	6.02	10.10	3.65	4.09	5.37	29.23	10.32	8.17	15.04	16.76	79.52
TOTAL URBAN AREAS ...	9.08	8.65	4.84	3.57	4.70	30.84	10.34	9.36	21.16	25.63	97.33
TOTAL RURAL DISTRICTS ...	6.13	6.35	3.14	2.23	3.65	21.50	6.67	4.56	9.85	10.02	52.60
Province of Leinster (Rural)	8.17	7.67	4.12	2.28	4.30	26.54	7.25	5.22	10.95	12.56	62.52
„ Munster „ „ ...	5.34	6.50	2.24	2.16	4.12	20.36	6.14	4.91	10.97	8.52	50.90
„ Connaught „ „ ...	4.49	4.48	3.26	2.25	2.04	16.51	6.22	3.16	6.52	8.66	41.07
„ Ulster „ „ ... (Part of)	6.64	6.45	3.04	2.28	3.99	22.40	7.59	4.75	10.63	10.82	56.19
SAORSTÁT ÉIREANN (Urban and Rural).	7.14	7.14	3.72	2.69	4.01	24.70	7.92	6.20	13.73	15.37	67.92

TABLE XII.—Saorstát Éireann—Showing the MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER 12 MONTHS old, in the year 1925.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month.	Total under 1 Month.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.
Measles (7)	1	1
Scarlet Fever (8)
Whooping Cough (9)	1	3	4
Diphtheria (10)	1	.	1	2
Influenza (11)
Tuberculosis of the Nervous System (32)
Tuberculosis of Intestines and Peritoneum (33)
Other Tuberculous Diseases (31, 34-7)	1	7	9	17
Syphilis (38)	1	1	2	1	4	1	9
Meningitis (71)	6	6
Convulsions (80)	4	3	3	2	12	4	4	2	4	26
Bronchitis (99)	2	2	2	2	.	4	10
Pneumonia (100-101)	2	2	1	2	8	10	23
Inflammation of Stomach (112)
Diarrhoea and Enteritis (113)	4	3	7	7	8	15	8	45
Congenital Malformations (159)	1	.	1
Atrophy, Debility, Marasmus, (160B)	6	20	4	11	13	54	35	34	51	24	198
Premature Birth (161)	3	14	2	2	3	24	3	2	.	1	30
Suffocation (overlying) (180)	5	1	1	1	.	8	.	.	.	1	9
Other Causes	34	13	4	3	3	57	2	7	16	14	96
All Causes	48	52	14	24	29	167	56	62	105	87	477
Rate per 1,000 Illegitimate Births registered.											
All Causes	28.88	31.29	8.42	14.44	17.45	100.48	33.69	37.30	63.18	52.35	287.00

TABLE XIII.—Showing by age-periods, the number of DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR of age registered in each county and county borough of Saorstát Éireann during the year 1925, distinguishing deaths in Institutions (public and private).

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year	Place of Occurrence.	
												Institu-tions.	Else-where.
SAORSTAT EIREANN	48	52	14	24	29	167	56	62	105	87	477	342	135
Carlow	1	1	1	.	1
Dublin	2	1	.	3	3	9	14	9	13	16	61	49	12
Dublin Co. Borough ...	15	12	3	4	8	42	18	16	39	27	142	102	40
Kildare	1	.	.	.	1	2	1	2	3	1	9	5	4
Kilkenny	1	4	.	1	.	6	.	1	6	.	13	7	6
Leix	1	1	.	1	1	.	3	1	2
Longford	1	.	1	1	.
Louth	1	.	1	.	1	.	.	2	2	.
Meath	1	.	.	.	2	3	.	.	3	.	6	2	4
Offaly	1	1	.	.	.	2	.	.	.	5	7	7	.
Westmeath	3	2	.	.	5	.	.	1	2	8	5	3
Wexford	4	1	.	1	2	8	1	1	.	1	11	5	6
Wicklow	1	1	.	.	.	2	1	2	1	2	8	4	4
PROVINCE OF LEINSTER ...	28	23	5	10	16	82	35	33	68	54	272	190	82
Clare	1	2	3	3	4	4	2	16	15	1
Cork	4	4	3	6	2	19	6	13	13	14	65	50	15
Cork Co. Borough ...	1	1	1	.	1
Kerry	3	.	3	1	7	2	2	3	3	17	17	.
Limerick	2	3	.	2	1	8	2	4	6	7	27	20	7
Limerick Co. Borough	1	1	1	1	.
Tipperary, North Riding	1	2	1	.	.	4	.	1	.	.	5	2	3
Tipperary, South Riding	2	.	1	1	2	6	3	.	1	.	10	8	2
Waterford	1	3	.	.	1	5	.	.	2	1	8	4	4
Waterford Co. Borough	1	1	.	1	1	1	4	3	1
PROVINCE OF MUNSTER	12	15	5	13	10	55	16	25	30	28	154	120	34
Galway	2	2	1	1	2	3	9	6	3
Leitrim	1	.	1	1	.
Mayo	2	1	.	.	3	1	.	.	.	4	2	2
Roscommon	3	.	.	.	3	3	2	1
Sligo	1	.	.	.	1	1	1	.
PROVINCE OF CONNAUGHT	2	6	1	.	.	9	2	1	3	3	18	12	6
Cavan	1	2	.	.	1	4	1	1	.	.	6	3	3
Donegal	1	4	2	1	1	12	2	2	4	2	22	14	8
Monaghan	1	2	1	.	1	5	5	3	2
PROVINCE OF ULSTER (Part of).	6	8	3	1	3	21	3	3	4	2	33	20	13

TABLE XIV.—Showing by Provinces, Counties, and County Boroughs, the Rates for 1925 per 1,000 of the population represented by MARRIAGES, BIRTHS, DEATHS from ALL CAUSES; Deaths from the PRINCIPAL EPIDEMIC DISEASES, and from TUBERCULOSIS; also the Mortality arising out of the PUERPERAL STATE, and INFANT MORTALITY, per 1,000 Births. (Corrected for Births and Deaths in Institutions).

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Population, 1926 (un-revised).	Number of Marriages per 1,000 of Population.	BIRTHS.		Rate per 1,000 of Population Represented by Deaths from			RATE PER 1,000 BIRTHS.		
			Total (including Illegitimate) per 1,000 of Population.	Illegitimate per cent. of Total Births.	All Causes.	Principal Epidemic Diseases*	Tuberculosis.	Deaths From Puerperal Sepsis	Deaths from other Accidents and Diseases of Pregnancy and Parturition.	Deaths of Infants under One Year of age.
Carlow	34,504	4.17	19.79	4.39	14.90	0.35	1.28	1.46	2.93	63
†Dublin	189,248	5.28	20.14	3.18	13.21	0.74	1.69	1.32	2.10	92
†Dublin Co. Borough ...	316,471	7.44	27.71	3.26	17.25	1.73	2.31	1.83	2.06	119
Kildare	58,035	3.76	20.13	3.34	13.42	0.26	1.53	.	6.85	58
Kilkenny	70,965	3.95	20.01	4.01	15.13	0.25	1.59	0.70	4.93	70
Leix	51,549	3.78	19.28	3.62	13.87	0.04	1.40	6.04	3.02	54
Longford	39,831	6.08	20.41	1.23	15.94	0.65	1.13	3.69	2.46	50
Louth	62,687	4.23	21.87	3.14	15.14	0.56	1.90	0.73	2.92	69
Meath	62,909	3.26	19.42	2.13	15.24	0.16	1.51	3.27	3.27	52
Offaly	52,521	4.30	20.03	2.66	15.16	0.61	1.54	1.90	0.95	43
Westmeath	56,796	4.61	20.74	3.06	15.25	0.44	1.99	1.70	3.40	70
Wexford	95,812	4.34	21.10	3.17	15.73	0.26	1.71	0.49	2.47	63
Wicklow	57,583	4.31	21.05	4.87	14.19	0.38	1.55	3.30	1.65	64
PROVINCE OF LEINSTER ...	1,148,911	5.26	22.36	3.25	15.28	0.79	1.80	1.79	2.65	85
Clare	95,028	3.70	17.61	2.33	13.66	0.16	1.42	0.60	1.79	50
Cork	287,254	3.56	18.05	3.14	13.37	0.38	1.43	3.47	2.31	59
Cork Co. Borough ...	78,468	8.45	25.08	1.63	15.64	0.76	2.22	2.54	2.54	71
Kerry	150,865	4.86	20.38	1.50	11.53	0.46	1.27	2.93	2.28	44
Limerick	100,244	4.21	22.68	3.78	13.54	0.43	1.25	3.08	3.96	63
Limerick Co. Borough ...	39,690	8.67	28.24	1.16	14.94	0.58	1.79	0.89	1.78	91
Tipperary, North Riding...	59,616	4.68	20.78	2.74	14.36	0.27	1.43	3.23	4.04	45
Tipperary, South Riding ...	81,330	3.89	21.31	3.64	14.85	0.43	2.02	2.89	1.73	69
Waterford	51,892	4.10	18.81	4.41	14.38	0.35	1.62	.	6.15	77
Waterford Co. Borough ...	26,646	4.73	23.53	2.39	14.07	0.79	1.80	4.78	1.59	104
PROVINCE OF MUNSTER ...	971,033	4.60	20.46	2.69	13.63	0.42	1.53	2.67	2.67	62
Galway	169,311	3.31	21.86	1.30	13.30	0.32	1.38	0.81	2.70	45
Leitrim	55,888	4.38	17.61	0.91	17.48	0.48	1.25	2.03	5.08	45
Mayo	172,661	4.01	19.30	0.84	13.10	0.20	1.16	2.40	1.80	44
Roscommon	83,504	4.13	18.66	1.22	14.65	0.30	0.78	0.64	1.93	37
Sligo	71,393	4.13	17.24	1.46	15.72	0.48	1.16	1.62	3.25	53
PROVINCE OF CONNAUGHT ...	552,757	3.87	19.55	1.13	14.17	0.32	1.18	1.48	2.59	44
Cavan	82,447	4.67	18.81	2.26	16.73	0.47	1.24	1.93	3.22	54
Donegal	152,511	3.53	19.61	4.18	16.75	0.44	1.78	2.01	2.68	61
Monaghan	65,143	3.67	17.84	1.03	16.75	0.37	1.34	0.56	3.44	52
PROVINCE OF ULSTER (part of)	300,101	3.88	19.00	3.02	16.74	0.43	1.53	1.75	2.98	57
†SAORSTÁT ÉIREANN ...	2,972,802	4.63	20.79	2.68	14.62	0.54	1.57	2.01	2.67	68

* Enteric Fever, Typhus, Small-pox, Measles, Scarlet Fever, Whooping-Cough, Diphtheria, Dysentery, and Diarrhoeal Diseases.

† The rates for Dublin County, Dublin County Borough, and Saorstát Éireann are calculated on the estimated population in the middle of 1925. See note (†) page xxxiii., and page 68.

TABLE XV.—Showing BIRTH, DEATH, and INFANT MORTALITY RATES for Urban and Rural areas, 1925.

(Corrected for Births and Deaths in Institutions).

URBAN AND RURAL AREAS.	Population, 1926 (unrevised).	Total Births including Illegitimate per 1,000 of Population.	RATE PER 1,000 OF POPULATION REPRESENTED BY DEATHS FROM			RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Deaths from Puerperal Sepsis.	Deaths from other Accidents and Diseases of Pregnancy and Parturition.	Deaths of Infants Under one year of Age.
DUBLIN REGISTRATION AREA†	419,156	25.91	16.51	1.49	2.15	1.66	2.22	113
Dublin Co. Borough ...	316,471	27.71	17.25	1.73	2.31	1.83	2.06	119
Blackrock Urban District	9,931	20.02	12.54	0.51	1.92	5.05	5.05	81
Dún Laoghaire Urban District ...	18,992	22.34	15.67	0.69	1.32	2.37	2.37	100
Pembroke Urban District...	33,395	20.64	14.79	0.84	1.63	.	4.38	96
Rathmines and Rathgar Urban District ...	40,367	19.31	13.47	0.82	1.76	.	1.29	81
COUNTY BOROUGH AND URBAN DISTRICTS :					Revised Rates.			
10,000 Population and upwards ...	648,779	25.61	15.93	1.23	2.13 (2.12)	1.87	2.17	102
Under 10,000 Population ...	213,229	21.82	14.74	0.65	1.80	1.93	2.79	80
TOTAL URBAN AREAS ...	862,008	24.67	15.63	1.09	2.04	1.88	2.30	97
TOTAL RURAL DISTRICTS ...	2,110,794	19.33	14.29	0.32	1.37 (1.38)	2.08	2.87	53
Province of Leinster (Rural) ...	602,090	19.71	14.60	0.34	1.55	2.11	3.03	63
Province of Munster (Rural) ...	721,772	19.19	13.07	0.30	1.37	2.53	2.96	51
Province of Connaught (Rural)	509,234	19.27	14.23	0.29	1.11	1.63	2.65	41
Province of Ulster (part of) (Rural) ...	277,698	18.97	16.93	0.43	1.51	1.71	2.66	56

* See Note (*) on page xxxii.

† The Rates for the Dublin Registration Area and its component parts are calculated on the estimated population in the middle of 1925, which was as follows:—

Area	Estimated Population in 1925.
Dublin Co. Borough ...	315,888
Blackrock Urban District ...	9,888
Dún Laoghaire Urban District ...	18,889
Pembroke Urban District ...	33,190
Rathmines and Rathgar Urban District ...	40,241
Total Dublin Registration Area ...	418,096

METEOROLOGY.

The following observations taken at 40 Fitzwilliam Square, Dublin, have been kindly furnished by Sir John W. Moore, M.A., M.D., D.P.H., Dublin; D.Sc., Oxon.; F.R.C.P.I.; F.R.Met.Soc.

Month.	Abs. Max.	Date.	Abs. Min.	Date.	Mean Daily Max.	Mean Daily Min.	Mean Temp.	Rainfall.	Days of Rain.	Mean Height of Barometer.	Highest Pressure.	Date.	Lowest Pressure.	Date.	Prevalent Winds.
January	deg. 57·1	14th	deg. 33·2	24th	deg. 48·6	deg. 40·1	deg. 44·4	ins. 2·388	18	ins. 30·070	ins. 30·617	19th	ins. 28·636	2nd	S.W., W.S.W.
February	54·1	3rd & 8th	30·1	14th	46·4	36·5	41·5	3·964	24	29·544	30·449	1st	28·380	26th	W.S.W., W.
March ...	56·0	31st	29·9	9th	48·3	38·4	43·4	0·642	12	30·254	30·669	4th	29·682	31st	W., N., W.N.W.
April ...	61·0	21st	31·0	3rd	52·7	39·7	46·2	2·463	18	29·820	30·332	20th	29·308	6th	W., W.N.W., W.S.W.
May ...	63·0	15th	37·0	1st	55·0	46·1	50·6	5·150	27	29·708	30·256	14th	29·023	27th	E.S.E., W.N.W.
June ...	78·0	10th	45·0	2nd & 22nd	68·0	51·7	59·9	0·258	4	30·179	30·441	10th	30·023	30th	W.N.W., W., N.W.
July ...	73·0	14th	50·1	23rd	67·4	55·3	61·4	2·649	14	29·918	30·361	11th	29·330	18th	W., N.W.
August ...	72·2	31st	47·0	25th	66·1	54·3	60·2	1·185	19	29·939	30·419	15th	29·480	21st	W., W.S.W.
September	65·2	29th	38·0	13th	59·0	47·5	53·3	2·177	18	29·973	30·406	30th	29·017	22nd	N.W., W.
October	65·4	4th	34·2	14th	56·9	46·4	51·7	2·407	20	29·852	30·603	9th	28·540	22nd	W. and Calm.
November	55·1	2nd	27·1	19th	45·8	35·8	40·8	3·368	15	29·985	30·533	19th	28·993	7th	W.S.W., W.
December	58·1	29th	24·4	23rd	44·8	36·5	40·7	1·811	16	29·701	30·443	4th	28·587	30th	W., W.S.W.
Extremes, Totals & Means	78·0	June 10th	24·4	Dec. 23rd	54·9	44·0	49·3	28·442	205	29·854	30·669	March 4th	28·380	Feb. 26th	W., W.S.W., N.W.

“The striking features of the weather in the year 1925 were as follows:—January, for the third year in succession, was an open month of S.W. winds, and, under the circumstances, of unusually high atmospheric pressure—30·070 inches, or 0·196 inch above the average. February brought an after-winter of some severity and extreme wetness, the mean temperature being 3 degrees below that of January and only 4 days failing to yield a measurable rainfall. March was dry and cold, and the mean atmospheric pressure was abnormally high, namely 30·254 inches. April was cold, a flow of polar air taking the place of the equatorial air-currents of the preceding winter-months. May proved to be a dull, chilly, wet month—the wettest May in Dublin since 1886. For this June compensated, being bright, warm and dry—a summer month of exceptionally high and steady atmospheric pressure in Great Britain and Ireland.

July was a warm and pleasant month, but not so settled as June. August, in fitting character with the summer of 1925, was favourable and warm, though showery. September proved to be cold and showery—characteristics which were largely due to prevalent N.W. winds. October presented two absolutely different types of weather—the earlier period was warm, quiet, hazy and foggy, the rainfall of the first 14 days being only 0·071 inch. The latter half was wet and squally. These conditions persisted during the first week of November, after which a prolonged spell of cold, frosty and foggy weather set in, the mean temperature of the month (40·8 deg.) being 4·7 deg. below the average, and no less than 10·9 deg. below the mean temperature of October. December resembled November in the main, until Christmas Day, when a turbulent equatorial and oceanic air-current swept rapidly north-eastwards over Western and Central Europe, causing a rapid thaw and heavy rainfall, and consequent wide-spread havoc from floods.

The rainfall for the year was 28·442 inches or 1·072 inches above the annual average measurement of the thirty-five years 1881–1915, inclusive, viz., 27·370 inches.

In 1925 there were 205 “rain-days” or days upon which not less than ·005 inch of rain (five-thousandths of an inch) was measured. This was 7 days more than the average number of rain-days in the thirty-five years 1881–1915, inclusive (198). A millimetre of rain—roughly ·04 inch—fell on 140 days in 1925. Only twice in 1925 did more than an inch of rain fall on a given day in Dublin—viz., July 26th, on which day the rainfall was 1·474 inches, and November 6th when 1·022 inches was the measurement.

The rainfall in the first six months of 1925 was 14·865 inches on 103 days. In the second six months it was 13·577 inches on 102 days.”

Particulars, kindly furnished by the Director, Meteorological Office, London, regarding meteorological observations taken at the Ordnance Survey Office, Phoenix Park and at Roche's Point Co. Cork, are published in my Quarterly Returns of Marriages, Births and Deaths.

Mise, le meas,

E. P. McCARRON,

Ard-Chláruidhe.

Oifig um Chlárú Ghenearála,
Tigh Charlemont,
Baile Átha Cliath,
15th November, 1926.

SAORSTAT ÉIREANN.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1925, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions.

PROVINCES, ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS.	Area in Statute Acres (un- revised).	Popula- tion, Census, 1926 (unrevised)	Total Number of Mar- riages Regis- tered.	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS.				DEATHS.				Excess of Births over Deaths.
				Total Number Registered.	Trans- ferred from Area.	Trans- ferred to Area.	Net Number.	Total Number Registered.	Trans- ferred from Area.	Trans- ferred to Area.	Net Number.	Total Number Registered.	Trans- ferred from Area.	Trans- ferred to Area.	Net Number.	
SAORSTAT ÉIREANN ...	17,019,155	2,972,802	13,820	62,069	.	.	62,069	1,662	.	.	1,662	43,650	.	.	43,650	18,419
PROVINCES.																
No. I. LEINSTER ...	4,847,731	1,148,911	6,048	25,840	222	71	25,689	881	52	5	834	17,821	305	36	17,552	8,137
II. MUNSTER ...	5,963,557	971,033	4,471	19,822	56	104	19,871	518	7	23	534	13,132	30	138	13,240	6,631
III. CONNAUGHT ...	4,228,211	552,757	2,138	10,730	31	107	10,806	96	.	26	122	7,731	8	111	7,834	2,972
IV. ULSTER (part of) ...	1,979,656	300,101	1,163	5,676	14	41	5,708	167	1	6	172	4,966	4	62	5,024	679

I.—PROVINCE OF LEINSTER :—MARRIAGES, BIRTHS, AND DEATHS, 1925.—COUNTIES.



1. CARLOW ...	221,485	34,504	144	667	7	23	683	30	4	4	30	511	26	29	514	169
2. DUBLIN ...	218,873	189,248	996	3,033	137	906	3,802	48	6	79	121	2,528	529	494	2,493	1,309
3. DUBLIN CO. BORO'	7,911	316,471	2,351	10,009	1,382	125	8,752	465	182	2	285	5,997	921	372	5,448	3,304
4. KILDARE ...	418,645	58,035	218	1,100	13	81	1,168	30	3	12	39	732	24	71	779	389
5. KILKENNY ...	509,458	70,965	280	1,403	11	28	1,420	52	4	9	57	1,062	16	28	1,074	346
6. LEIX ...	424,838	51,549	195	973	10	31	994	29	1	8	36	709	29	35	715	279
7. LONGFORD ...	257,770	39,831	242	793	2	22	813	6	.	4	10	605	3	33	635	178
8. LOUTH ...	202,181	62,687	265	1,353	16	34	1,371	37	.	6	43	902	3	50	949	422
9. MEATH ...	577,735	62,909	205	1,162	10	70	1,222	24	4	6	26	915	16	60	959	263
10. OFFALY ...	493,263	52,521	226	1,033	13	27	1,052	27	3	4	28	753	5	48	796	256
11. WESTMEATH ...	434,665	56,796	262	1,144	13	47	1,178	34	1	3	36	881	52	37	866	312
12. WEXFORD ...	580,950	95,812	416	2,008	16	30	2,022	56	.	8	64	1,484	5	28	1,507	515
13. WICKLOW ...	499,957	57,583	248	1,157	15	70	1,212	43	.	16	59	742	10	85	817	395

II.—PROVINCE OF MUNSTER :—MARRIAGES, BIRTHS AND DEATHS, 1925.—COUNTIES.



14. CLARE ...	788,337	95,028	352	1,655	6	24	1,673	34	2	7	39	1,273	5	30	1,298	375
15. CORK ...	1,841,035	287,254	1,023	5,088	55	152	5,185	133	23	8	163	4,024	331	148	3,841	1,344
16. CORK CO. BORO'	2,681	78,468	663	2,973	149	44	1,968	12	2	22	32	1,042	144	329	1,227	741
17. KERRY ...	1,161,752	150,865	733	3,054	15	36	3,075	42	1	5	46	1,707	1	33	1,739	1,336
18. LIMERICK ...	661,573	100,244	422	2,160	18	132	2,274	88	10	8	86	1,455	174	76	1,357	917
19. LIMERICK CO. BOROUGH.	2,336	39,690	344	1,225	126	22	1,121	7	2	8	13	501	81	173	593	528
20. TIPPERARY, N.R.	493,266	59,616	279	1,214	10	35	1,239	28	1	7	34	805	6	57	856	383
21. TIPPERARY, S.R.	558,038	81,330	316	1,727	24	30	1,733	57	2	8	63	1,203	30	35	1,208	525
22. WATERFORD ...	453,051	51,892	213	956	17	37	976	37	3	9	43	668	12	90	746	230
23. WATERFORD CO. BOROUGH.	1,438	26,646	126	671	54	10	627	30	16	1	15	454	93	14	375	252

III.—PROVINCE OF CONNAUGHT :—MARRIAGES, BIRTHS AND DEATHS, 1925.—COUNTIES.



24. GALWAY ...	1,467,850	169,311	561	3,091	32	42	3,701	40	1	9	48	2,246	28	33	2,251	1,450
25. LEITRIM ...	376,510	55,888	245	975	8	17	984	6	1	4	9	930	2	49	977	7
26. MAYO ...	1,333,356	172,661	692	3,301	9	40	3,332	22	1	7	23	2,224	1	33	2,261	1,071
27. ROSCOMMON ...	608,290	83,504	345	1,536	4	26	1,558	14	.	5	19	1,187	6	42	1,223	335
28. SLIGO ...	442,205	71,393	295	1,227	10	14	1,231	14	.	4	18	1,144	35	13	1,122	109

IV.—PROVINCE OF ULSTER (Part of)—MARRIAGES, BIRTHS AND DEATHS, 1925.—COUNTIES.



29. CAVAN ...	467,025	82,447	385	1,535	4	20	1,551	33	.	2	35	1,308	2	73	1,379	172
30. DONEGAL ...	1,193,641	152,511	539	2,987	5	8	2,990	123	1	3	125	2,546	2	10	2,554	436
31. MONAGHAN ...	318,990	65,143	239	1,154	6	14	1,162	11	.	1	12	1,112	39	18	1,091	71

Abstract of Marriages, Births, and Deaths, 1925.

I.—PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS AND DEATHS, 1925.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

No.	SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres (un-revised).	Population. Census, 1911.	Total Number of Marriages Registered.	BIRTHS (INCLUDING ILLEGITIMATE).				ILLEGITIMATE BIRTHS.				DEATHS.				Excess of Births over Deaths
					Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
1. Carlow Co.																	
1.	CARLOW	221,485	36,252	144	667	7	23	683	30	4	4	30	511	26	29	514	169
2. Dublin Co.																	
2.	BALROTHERY	84,072	19,232	72	346	2	64	408	5		4	9	259	50	44	253	155
3.	DUBLIN, part of	107,806	106,569	605	1,904	149	621	2,376	26	6	43	63	1,610	462	389	1,546	830
4.	RATHDOWN	26,995	46,593	319	783	11	246	1,018	17	1	33	49	650	70	114	694	324
3. Dublin Co. Borough.																	
5.	DUBLIN, part of	7,911	304,802	2,351	10,009	1,382	125	8,752	465	182	2	285	5,997	921	372	5,448	3,304
4. Kildare Co.																	
6.	ATHY	130,461	17,566	60	314	14	16	316	21	10	4	15	264	25	25	264	52
7.	CELBRIDGE	53,701	8,988	33	116	1	23	138	1		5	6	67	1	29	95	43
8.	NAAS	234,483	40,073	125	670	5	49	714	8		10	18	401	38	57	420	294
5. Kilkenny Co.																	
9.	CALLAN	62,167	7,826	22	136	1	8	143			3	3	78		33	111	32
10.	CASTLECOMER	57,866	9,377	36	196	3	3	196	3		2	5	118		14	132	64
11.	KILKENNY	110,989	23,001	109	426	5	20	441	6		8	14	408	93	25	340	101
12.	THOMASTOWN	225,435	29,112	83	546	13	6	539	40	10	1	31	402	26	52	428	111
13.	URLINGFORD	53,001	5,646	30	99	1	3	101	3		1	4	56		7	63	38
6. Leix.																	
14.	ABBEYLEIX	200,641	23,862	78	403	10	19	412	5		8	13	279	12	40	307	105
15.	MOUNTMELICK	224,197	30,767	117	570	7	19	582	24	5	4	23	430	54	32	408	174
7. Longford Co.																	
16.	BALLYMAHON	69,733	8,684	42	145		7	152	1		3	4	111		15	126	26
17.	GRANARD	77,964	14,012	47	242		11	253	1		3	4	164		28	192	61
18.	LONGFORD	110,073	21,124	153	406	6	8	408	4	3	1	2	330	28	15	317	91
8. Louth Co.																	
19.	ARDEE	65,909	10,924	31	217	4	18	231	4		9	13	150	1	23	172	59
20.	DROGHEDA	41,858	18,812	97	399	18	15	396	18	8	2	12	291	14	12	289	107
21.	DUNDALK	94,414	33,929	137	737	7	14	744	15		3	18	461	2	29	488	256
9. Meath Co.																	
22.	DUNSHAUGHLIN	106,822	8,085	29	117	1	29	145	1		1	2	68		32	100	45
23.	KELLS	103,426	13,271	55	256	1	17	272	2	1	6	7	165		48	213	59
24.	NAVAN	181,931	23,354	66	417	2	25	440	3		4	7	386	62	32	356	84
25.	OLDCASTLE	44,122	5,174	12	95	1	3	97	1			1	78		12	90	7
26.	TRIM	141,434	15,207	43	277	27	18	268	17	10	2	9	218	45	27	200	68
10. Offaly.																	
27.	BIRR	248,809	26,901	105	457	2	21	476	2		7	9	297	2	58	353	123
28.	EDENDERRY	81,061	7,341	18	115		17	132			5	5	85		18	103	29
29.	TULLAMORE	163,393	22,590	103	466	32	10	444	25	12	1	14	371	52	21	340	104
11. Westmeath Co.																	
30.	ATHLONE	98,723	19,891	117	367	3	20	384	7		4	11	236	3	29	262	122
31.	DELVIN	110,791	11,255	32	189	1	22	210	2		5	7	131		48	179	31
32.	MULLINGAR	225,151	28,840	113	588	24	20	584	25	8	1	18	514	100	11	425	159
12. Wexford Co.																	
33.	ENNISCORTHY	193,396	31,304	122	577	13	27	591	32	5	4	31	492	68	22	446	145
34.	GOREY	130,109	16,095	69	265	7	8	266	4		1	5	200		24	224	42
35.	NEW ROSS	124,398	22,183	85	436	4	12	444	6		2	8	308	3	30	335	109
36.	WEXFORD	133,047	32,691	140	730	27	18	721	14	2	8	20	484	24	42	502	219
13. Wicklow Co.																	
37.	BALTINGLASS	154,893	12,040	44	204		25	229	2		8	10	140		26	166	63
38.	RATHDRUM	261,990	40,053	174	813	27	46	832	39	7	10	42	516	32	62	546	286
39.	SHILLELAGH	83,074	8,618	30	140		11	151	2		5	7	86		19	105	46

Abstract of Marriages, Births, and Deaths, 1925.

III.—PROVINCE OF CONNAUGHT.—MARRIAGES, BIRTHS AND DEATHS, 1925.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres (un-revised).	Population. Census, 1911.	Total Number of Marriages Registered.	BIRTHS (INCLUDING ILLEGITIMATE).				ILLEGITIMATE BIRTHS.				DEATHS.				Excess of Births over Deaths
				Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
24. Galway Co.																
No. 90. BALLINASLOE ...	125,570	15,275	67	262	3	17	276	1	.	3	4	194	53	47	188	88
91. CLIFDEN ...	193,782	17,325	39	269	.	11	280	2	.	.	2	183	2	27	208	72
92. GALWAY ...	198,536	35,083	149	926	80	10	856	30	15	1	16	604	142	29	491	365
93. GLENNAMADDY ...	100,271	15,263	28	285	3	5	287	151	5	13	159	128
94. GORT ...	106,326	11,382	21	199	.	10	209	.	.	6	6	87	.	37	124	85
95. LOUGHREA ...	198,927	19,149	60	424	5	31	450	1	.	4	5	307	94	34	247	203
96. MOUNT BELLEW	102,404	14,203	28	228	.	6	234	2	.	1	3	120	.	23	143	91
97. OUGHTERARD ...	173,506	16,736	37	344	3	5	346	.	.	3	3	181	.	23	204	142
98. PORTUMNA ...	77,264	8,681	45	183	3	6	186	.	.	1	1	103	.	11	114	72
99. TUAM ...	191,264	29,127	87	571	5	11	577	4	.	4	8	316	.	57	373	204
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,484	11,786	46	192	1	7	198	2	.	2	4	171	6	25	190	8
101. MANORHAMILTON,	177,282	25,173	82	387	8	7	386	4	2	2	4	440	24	15	431	-45
102. MOHILL ...	135,744	26,623	117	396	2	6	400	.	.	1	1	319	.	37	356	44
26. Mayo Co.																
103. BALLINA ...	255,588	31,337	199	634	1	9	642	5	.	2	7	399	.	37	436	206
104. BALLINROBE ...	147,144	19,928	59	364	2	9	371	.	.	1	1	224	.	34	258	113
105. BELMULLET ...	179,246	14,346	42	284	.	.	284	2	.	.	2	108	.	13	121	163
106. CASTLEBAR ...	141,193	25,805	75	452	11	6	447	9	2	3	10	499	228	5	276	171
107. CLAREMORRIS ...	110,790	24,280	93	349	4	11	356	1	.	1	2	232	.	61	293	63
108. SWINEFORD ...	151,560	42,751	131	610	1	7	616	4	.	1	5	453	3	55	505	111
109. WESTPORT ...	347,835	33,680	93	608	.	8	616	1	.	.	1	309	.	63	372	244
27. Roscommon Co.																
110. BOYLE ...	122,173	21,568	72	349	2	9	356	1	.	2	3	299	1	16	314	42
111. CASTLEREAGH ...	163,663	31,554	117	486	2	10	494	345	.	28	373	121
112. ROSCOMMON ...	322,454	40,834	156	701	4	11	708	13	.	3	16	543	26	19	536	172
28. Sligo Co.																
113. DROMORE WEST	97,063	12,103	34	191	1	3	193	1	.	1	2	169	.	18	187	6
114. SLIGO ...	219,333	48,940	188	792	16	13	789	13	4	4	13	755	85	9	679	110
115. TOBERCURRY ...	125,809	18,002	73	244	1	6	249	.	.	3	3	220	.	36	256	-7

IV.—PROVINCE OF ULSTER (Part of).—MARRIAGES, BIRTHS AND DEATHS, 1925.

SUPERINTENDENT REGISTRARS' DISTRICTS BY COUNTIES.

29. Cavan Co.																
116. BAILIEBOROUGH	113,373	23,837	99	396	1	8	403	3	.	5	8	313	.	60	373	30
117. BAWNBOY ...	102,415	13,857	47	202	1	10	211	1	.	.	1	186	.	27	213	-2
118. CAVAN ...	250,737	53,479	239	937	11	11	937	29	4	1	26	809	51	35	793	144
30. Donegal Co.																
119. BALLYSHANNON	41,627	9,888	22	162	3	5	164	7	1	5	11	160	5	20	175	-11
120. DONEGAL ...	160,445	19,616	73	265	2	5	268	7	1	3	9	317	11	22	328	-60
121. DUNFANAGHY ...	126,165	15,471	48	277	1	2	278	8	.	.	8	202	.	13	215	63
122. GLENTIES ...	258,498	32,800	92	580	6	7	581	8	.	5	13	468	2	31	497	84
123. INISHOWEN ...	160,049	27,576	58	503	.	7	510	10	.	4	14	408	1	14	421	89
124. LETTERKENNY ...	160,380	20,230	111	393	2	5	396	16	.	3	19	339	74	12	277	119
125. MILLFORD ...	112,088	19,393	27	323	1	5	327	9	.	5	14	276	.	30	306	21
126. STRANORLAR ...	174,389	23,503	108	434	24	6	466	58	22	1	37	376	60	19	335	131
31. Monaghan Co.																
127. CARRICKMACROSS	65,687	15,108	52	192	.	4	196	2	.	.	2	178	.	38	216	-20
128. CASTLEBLAYNEY	63,835	15,668	68	270	5	4	269	5	.	.	5	211	.	27	238	31
129. CLONES ...	64,288	13,953	39	226	1	3	228	3	.	.	3	184	1	35	218	10
130. MONAGHAN ...	125,180	26,726	80	466	1	4	469	1	.	1	2	539	120	.	419	50

ABSTRACT OF MARRIAGES.

178

Feb

ABSTRACT OF MARRIAGES.—Marriages registered in Saorstát Éireann

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Total Marriages other than Roman Catholic.	Total Roman Catholic Marriages.	Details of Marriages other than Roman Catholic.						Total Marriages Registered in the Quarter ending the last day of			
				According to the Rites of the Church of Ireland.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
SAORSTAT ÉIREANN ...	13,820	923	12,897	671	112	70	54	2	14	4,111	3,299	3,459	2,951
PROVINCES.													
LEINSTER ...	6,048	473	5,575	345	25	40	49	2	12	1,488	1,392	1,719	1,449
MUNSTER ...	4,471	160	4,311	137	6	14	1	.	2	1,665	981	966	859
CONNAUGHT ...	2,138	52	2,086	40	7	5	.	.	.	636	606	507	389
ULSTER (part of) ...	1,163	238	925	149	74	11	4	.	.	322	320	267	254

I.—PROVINCE OF LEINSTER.—

CARLOW ...	144	9	135	7	.	1	1	.	.	46	38	22	38
DUBLIN ...	996	142	854	108	4	18	10	2	.	232	248	328	188
DUBLIN CO. BOROUGH ...	2,351	202	2,149	125	15	14	36	.	12	525	520	742	564
KILDARE ...	218	7	211	5	2	50	38	58	72
KILKENNY ...	280	6	274	5	.	.	1	.	.	93	56	69	62
LEIX ...	195	14	181	11	.	2	1	.	.	50	35	49	61
LONGFORD ...	242	9	233	9	118	45	33	46
LOUTH ...	265	11	254	8	1	2	.	.	.	61	62	67	75
MEATH ...	205	7	198	6	1	43	43	56	63
OFFALY ...	226	13	213	11	1	1	.	.	.	60	58	58	50
WESTMEATH ...	262	3	259	3	46	80	61	75
WEXFORD ...	416	25	391	24	1	109	114	102	91
WICKLOW ...	248	25	223	23	.	2	.	.	.	55	55	74	64

II.—PROVINCE OF MUNSTER.—

CLARE ...	352	.	352	138	71	77	66
CORK ...	1,023	72	951	61	2	9	.	.	.	347	216	225	235
CORK CO. BOROUGH ...	663	36	627	28	3	2	1	.	2	152	157	198	156
KERRY ...	733	11	722	11	406	128	126	73
LIMERICK ...	422	9	413	6	.	3	.	.	.	195	123	49	55
LIMERICK CO. BOROUGH ...	344	2	342	1	1	129	76	70	69
TIPPERARY, N.R. ...	279	20	259	20	95	66	51	67
TIPPERARY, S.R. ...	316	3	313	3	120	64	62	70
WATERFORD ...	213	4	209	4	61	68	55	29
WATERFORD CO. BOROUGH ...	126	3	123	3	22	12	53	39

III.—PROVINCE OF CONNAUGHT.—

GALWAY ...	561	3	558	1	2	180	145	113	123
LEITRIM ...	245	11	234	9	.	2	.	.	.	78	69	42	56
MAYO ...	692	10	682	8	2	158	215	220	99
ROSCOMMON ...	345	3	342	3	115	93	75	62
SLIGO ...	295	25	270	19	3	3	.	.	.	105	84	57	49

IV.—PROVINCE OF ULSTER (part of).—

CAVAN ...	385	94	291	77	12	1	4	.	.	87	122	96	80
DONEGAL ...	539	105	434	52	46	7	.	.	.	165	136	118	120
MONAGHAN ...	239	39	200	20	16	3	.	.	.	70	62	53	54

in the year ending 31st December, 1925.

MARRIAGES.								Signed the Marriage Register with Marks.				PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age.		Men.	Women.	Cases in which		
Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both signed.	One signed.	
12,525	349	771	175	946	524	145	753	284	126	46	318	SAORSTÁT ÉIREANN.
												PROVINCES.
5,433	188	329	98	427	286	104	457	88	56	17	110	LEINSTER.
4,080	98	248	45	293	143	32	145	61	19	4	72	MUNSTER.
1,967	41	110	20	130	61	7	80	80	33	18	77	CONNAUGHT.
1,045	22	84	12	96	34	2	71	55	18	7	59	ULSTER (part of).

MARRIAGES in the Year 1925—in COUNTIES.

127	2	11	4	15	6	1	4	2	1	.	3	CARLOW.
894	30	60	12	72	42	11	62	5	2	1	5	DUBLIN.
2,084	98	120	49	169	147	61	197	24	29	6	41	DUBLIN CO. BOROUGH.
203	4	6	5	11	9	2	25	.	2	.	2	KILDARE.
255	8	13	4	17	12	3	14	3	.	.	3	KILKENNY.
182	8	5	.	5	8	3	12	2	2	.	4	LEIX.
213	8	16	5	21	13	1	16	7	3	2	6	LONGFORD.
246	4	13	2	15	6	5	20	4	2	1	4	LOUTH.
185	2	15	3	18	5	3	16	3	2	1	3	MEATH.
213	3	9	1	10	4	2	15	7	5	3	6	OFFALY.
234	9	17	2	19	11	3	16	5	2	.	7	WESTMEATH.
375	10	24	7	31	17	4	39	11	4	2	11	WEXFORD.
222	2	20	4	24	6	5	21	15	2	1	15	WICKLOW.

MARRIAGES in the Year 1925—in COUNTIES.

316	16	17	3	20	19	4	20	10	3	2	9	CLARE.
918	25	66	14	80	39	3	26	14	2	2	12	CORK.
590	22	38	13	51	35	4	7	4	5	.	9	CORK CO. BOROUGH.
677	12	39	5	44	17	5	11	11	4	.	15	KERRY.
392	7	20	3	23	10	2	14	5	.	.	5	LIMERICK.
321	3	18	2	20	5	5	13	6	4	.	10	LIMERICK CO. BOROUGH.
264	2	12	1	13	3	2	9	6	.	.	6	TIPPERARY, N.R.
285	6	25	.	25	6	2	25	2	.	.	2	TIPPERARY, S.R.
197	4	8	4	12	8	1	1	3	1	.	4	WATERFORD
120	1	5	.	5	1	4	19	WATERFORD CO. BOROUGH.

MARRIAGES in the Year 1925—in COUNTIES.

510	15	30	6	36	21	.	23	33	16	8	33	GALWAY.
224	3	13	5	18	8	.	3	4	.	.	4	LEITRIM.
642	12	35	3	38	15	4	36	24	12	8	20	MAYO.
317	6	20	2	22	8	1	10	6	3	1	7	ROSCOMMON.
274	5	12	4	16	9	2	8	13	2	1	13	SLIGO.

MARRIAGES in the Year 1925—in COUNTIES.

342	12	26	5	31	17	2	21	12	3	1	13	CAVAN.
483	5	46	5	51	10	.	35	32	13	6	33	DONEGAL.
220	5	12	2	14	7	.	15	11	2	.	13	MONAGHAN.

SAORSTÁT ÉIREANN.—DEATHS at different AGES registered in the year 1925—in the PROVINCES and COUNTIES.

Provinces and Counties.		TOTAL BIRTHS	AGES AT DEATH.																								
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	
					1—	2—	3—	4—		5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—		
SAORSTÁT ÉIREANN	{ Persons Males Females	62,069 31,818 30,251	43,650 22,118 21,532	4,216 2,385 1,831	1,034 589 505	519 239 280	305 147 158	222 114 108	6,356 3,474 2,882	689 342 347	581 276 305	1,044 500 544	1,167 571 596	1,199 543 656	1,102 529 573	1,173 581 592	1,310 661 649	1,619 842 777	2,079 1,092 987	2,310 1,226 1,084	3,062 1,615 1,447	3,672 1,950 1,722	5,028 2,401 2,627	8,111 3,966 4,145	2,815 1,397 1,418	333 152 181	
LEINSTER	{ Persons Males Females	25,689 13,082 12,607	17,552 8,823 8,729	2,186 1,243 943	633 321 312	241 107 134	133 58 75	108 59 49	3,301 1,788 1,513	309 149 160	249 109 140	426 220 206	487 212 275	501 240 261	450 210 240	529 277 252	589 316 273	733 398 335	881 466 415	1,028 548 480	1,310 654 656	1,432 732 700	1,769 852 917	2,664 1,257 1,407	803 360 443	91 35 56	
MUNSTER	{ Persons Males Females	19,871 10,198 9,673	13,240 6,730 6,510	1,226 691 535	245 146 99	123 54 69	79 43 36	66 27 39	1,739 961 778	209 109 100	160 77 83	312 140 172	361 187 174	371 161 210	375 172 203	374 180 194	428 211 217	495 251 244	672 351 321	709 377 332	887 495 392	1,133 618 515	1,533 742 791	2,456 1,204 1,252	940 457 483	86 37 49	
CONNAUGHT	{ Persons Males Females	10,806 5,587 5,219	7,834 4,061 3,773	480 276 204	110 64 46	83 37 46	62 33 29	32 17 15	767 427 340	97 52 45	126 65 61	203 90 113	214 115 99	200 91 109	161 90 71	172 77 95	160 75 85	229 122 107	316 162 154	339 183 156	453 239 214	642 361 281	995 483 512	1,913 961 952	741 408 333	106 60 46	
ULSTER (part of)	{ Persons Males Females	5,703 2,951 2,752	5,024 2,504 2,520	324 175 149	106 58 48	72 41 31	31 13 18	16 11 5	549 298 251	74 32 42	46 25 21	103 50 53	105 57 48	127 51 76	116 57 59	98 47 51	133 59 74	162 71 91	210 113 97	234 118 116	412 227 185	465 239 226	731 324 407	1,078 544 534	331 172 159	50 20 30	
I.—LEINSTER.																											
CARLOW	{ Persons Males Females	683 359 324	514 257 257	43 23 20	8 4 4	4 2 2	3 2 1	1 1 1	59 32 27	6 1 5	7 3 4	11 5 6	17 4 13	12 6 6	16 7 9	15 7 8	15 7 8	20 10 10	17 10 7	23 9 14	45 24 21	46 21 25	66 33 33	109 64 45	24 13 11	6 1 5	
DUBLIN	{ Persons Males Females	3,802 1,922 1,880	2,493 1,139 1,354	350 197 153	61 31 30	28 11 17	29 11 18	11 4 7	479 254 225	47 23 24	35 17 18	81 44 37	90 39 51	81 41 40	53 22 31	86 35 51	79 38 41	89 48 41	135 71 64	152 73 79	176 83 93	189 82 107	213 93 120	361 135 226	138 40 98	9 1 8	
DUBLIN CO. BOROUGH.	{ Persons Males Females	8,752 4,421 4,331	5,448 2,777 2,671	1,039 602 437	376 184 192	123 58 65	53 25 28	57 35 22	1,648 904 744	126 63 63	77 36 41	145 67 78	150 64 86	150 71 79	175 87 88	192 106 86	224 131 93	269 157 112	277 144 133	333 183 150	368 178 190	377 194 183	389 169 220	457 193 264	84 29 55	7 1 6	
KILDARE	{ Persons Males Females	1,168 596 572	779 420 359	68 34 34	17 10 7	10 4 6	1 1 3	5 2 4	101 52 49	14 9 5	19 7 12	20 7 13	23 13 10	32 16 16	15 7 8	29 19 10	22 15 7	26 15 11	43 24 22	48 28 15	55 28 29	90 34 21	90 60 30	141 63 78	41 21 20	5 2 3	
KILKENNY	{ Persons Males Females	1,420 715 705	1,074 517 557	100 52 48	20 6 14	9 4 5	8 2 6	7 3 4	144 67 77	11 6 5	16 7 9	23 13 10	26 9 17	31 14 17	22 6 16	32 15 17	27 14 13	42 24 18	56 27 28	56 28 28	87 44 43	100 48 52	118 51 67	216 110 106	60 31 29	7 3 4	
LEIX	{ Persons Males Females	994 508 486	715 349 366	54 29 25	7 3 4	7 1 6	3 1 2	3 1 2	74 35 39	7 2 5	3 1 2	9 4 5	26 9 17	18 8 10	17 9 8	17 6 11	22 13 9	37 16 21	34 18 16	42 21 21	56 26 30	72 42 30	90 51 39	140 68 72	44 18 26	7 2 5	
LONGFORD	{ Persons Males Females	813 460 353	635 297 338	41 17 24	13 8 5	8 2 8	2 2 2	2 2 2	66 27 39	3 1 2	7 1 6	8 3 5	10 4 6	12 6 6	20 9 11	10 5 5	20 10 10	20 11 9	25 13 12	31 16 15	55 28 27	53 23 30	93 38 55	136 66 70	61 33 28	5 3 2	

SAORSTÁT ÉIREANN.—DEATHS at different AGES registered in the year 1925—in the PROVINCES and COUNTIES—continued.

Provinces and Counties.	TOTAL BIRTHS	AGES AT DEATH.																								
		TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	
WATERFORD CO.	Persons	976	746	75	15	3	5	1	99	11	12	15	22	19	10	22	29	15	32	43	48	64	79	154	67	5
	Males	519	381	48	9		3	1	61	5	8	6	13	9	4	13	12	8	17	19	25	32	35	80	32	2
	Females	457	365	27	6	3	2	.	38	6	4	9	9	10	6	9	17	7	15	24	23	32	44	74	35	3
WATERFORD CO. BOROUGH	Persons	627	375	65	7	3	1	2	78	9	3	13	10	13	10	9	9	18	27	16	31	29	31	58	11	.
	Males	345	180	36	4	1	1	2	44	2	2	4	4	4	3	3	3	11	18	8	19	14	16	20	5	.
	Females	282	195	29	3	2	.	.	34	7	1	9	6	9	7	6	6	7	9	8	12	15	15	38	6	.
III.—CONNAUGHT.																										
GALWAY	Persons	3,701	2,251	168	32	32	14	11	257	32	39	77	67	69	56	52	57	66	85	100	124	159	248	513	216	34
	Males	1,911	1,178	100	24	12	10	6	152	18	18	33	25	36	34	24	26	32	43	56	73	96	122	255	122	13
	Females	1,790	1,073	68	8	20	4	5	105	14	21	44	42	33	22	28	31	34	42	44	51	63	126	258	94	21
LEITRIM	Persons	984	977	44	18	12	5	6	85	12	11	20	20	25	20	19	23	22	43	37	67	85	149	241	90	8
	Males	502	509	25	10	6	3	3	47	7	6	12	13	12	11	7	13	11	27	21	34	47	72	118	45	6
	Females	482	468	19	8	6	2	3	38	5	5	8	7	13	9	12	10	11	16	16	33	38	77	123	45	2
MAYO	Persons	3,332	2,261	146	38	19	24	5	232	34	42	58	80	57	50	51	34	71	89	81	82	170	244	613	232	41
	Males	1,693	1,184	85	22	9	10	3	129	18	22	24	54	24	24	22	11	35	49	38	38	97	122	313	140	24
	Females	1,639	1,077	61	16	10	14	2	103	16	20	34	26	33	26	29	23	36	40	43	44	73	122	300	92	17
ROSCOMMON	Persons	1,558	1,223	57	10	9	12	6	94	10	14	21	23	19	11	19	19	37	58	65	98	131	189	295	104	16
	Males	826	626	28	4	5	7	4	48	5	5	5	15	5	8	7	11	23	26	37	53	70	86	155	55	12
	Females	732	597	29	6	4	5	2	46	5	9	16	8	14	3	12	8	14	32	28	45	61	103	140	49	4
SLIGO	Persons	1,231	1,122	65	12	11	7	4	99	9	20	27	24	30	24	31	27	33	41	56	82	97	165	251	99	7
	Males	655	564	38	4	5	3	1	51	4	14	16	8	14	13	17	14	21	17	31	41	51	81	120	46	5
	Females	576	558	27	8	6	4	3	48	5	6	11	16	16	11	14	13	12	24	25	41	46	84	131	53	2
IV.—ULSTER (part of).																										
CAVAN	Persons	1,551	1,379	83	18	16	8	4	129	14	8	19	22	28	26	20	34	62	60	61	115	126	195	333	104	23
	Males	791	699	44	7	11	4	3	69	7	6	11	13	12	14	8	14	32	36	27	67	62	81	177	55	8
	Females	760	680	39	11	5	4	1	60	7	2	8	9	16	12	12	20	30	24	34	48	64	114	156	49	15
DONEGAL	Persons	2,990	2,554	181	63	44	19	7	314	53	30	63	59	68	64	50	72	66	95	113	178	211	365	549	179	25
	Males	1,521	1,280	97	34	24	8	5	168	21	16	30	30	27	28	22	32	27	52	63	98	115	164	283	94	10
	Females	1,469	1,274	84	29	20	11	2	146	32	14	33	29	41	36	28	40	39	43	50	80	96	201	266	85	15
MONAGHAN	Persons	1,162	1,091	60	25	12	4	5	106	7	8	21	24	31	26	28	27	34	55	60	119	128	171	196	48	2
	Males	639	525	34	17	6	1	3	61	4	3	9	14	12	15	17	13	12	25	28	62	62	79	84	23	2
	Females	523	566	26	8	6	3	2	45	3	5	12	10	19	11	11	14	22	30	32	57	66	92	112	25	.

CAUSES OF DEATH.

SAORSTÁT ÉIREANN.—CAUSES of DEATH at different

NOTE.—In the cases in which International List numbers, representing Causes of Death, are omitted from this Abstract

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	TOTAL DEATHS (All Causes) ...	{M. 22,118 F. 21,532}	889 644	280 212	204 181	498 354	514 440	2,385 1,831	589 505	239 280	147 158	114 108	3,474 2,882
	I. EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES	{M. 3,489 F. 3,606}	15 10	18 24	22 17	58 46	121 100	234 197	191 165	80 103	56 61	64 35	625 561
1a	Enteric Fever ...	{M. 63 F. 39}
1b	Paratyphoid Fever ...	{M. 3 F. .}
2	Typhus ...	{M. 4 F. 5}
5	Malaria ...	{M. 9 F. .}
7	Measles ...	{M. 109 F. 89}	.	1 .	2 .	.	18 15	21 18	38 43	13 14	8 7	8 2	88 84
8	Scarlet Fever ...	{M. 33 F. 37}	.	.	.	1	1	2	6 5	4 4	3 6	5 2	18 19
9	Whooping Cough ...	{M. 200 F. 229}	3 4	6 12	13 9	23 28	53 52	98 105	53 53	16 27	8 16	13 4	188 205
10	Diphtheria ...	{M. 76 F. 82}	.	.	1	.	4 3	5 3	11 8	8 10	7 8	9 5	40 34
11	Influenza—												
	a. With Pulmonary Complications specified ...	{M. 145 F. 145}	.	1 1	.	1 1	1 1	3 4	2 2	.	4 1	1 .	7 11
	b. Without Pulmonary Complications specified	{M. 386 F. 495}	6 4	7 6	3 2	8 3	3 6	27 21	12 6	3 7	.	3 1	43 38
13	Mumps ...	{M. . F. .}
16	Dysentery ...	{M. 8 F. 5}	1 1	1 1	.	.	1	.	2 2
21	Erysipelas ...	{M. 22 F. 17}	1 2	1 3	1 4
22	Acute Poliomyelitis ...	{M. 6 F. 6}	.	1	1	.	1 1	2 2	.	1	.	1	3 4
23	Encephalitis Lethargica ...	{M. 21 F. 30}	.	.	.	1	.	1	.	.	1	1	3
24	Meningococcal Meningitis	{M. 7 F. 5}	.	1	.	.	1 1	1 2	1 1	1 1	2	.	5 4
25	Other Endemic and Epidemic Diseases	{M. 4 F. 6}	1	1	3 2	.	2	1	4 5
29	Tetanus ...	{M. 16 F. 1}	1	1	.	.	.	3	4
30	Mycoses ...	{M. 1 F. .}
31	Tuberculosis of Respiratory System	{M. 1,787 F. 1,880}	.	.	1 1	2 2	4 3	7 6	24 5	8 12	8 6	7 3	54 32
32-7	Tuberculosis other than Respiratory	{M. 520 F. 486}	1	1	1	13 8	30 16	46 25	38 33	26 23	16 11	16 17	142 109
32	Tuberculosis of the Meninges and Central Nervous System generally	{M. 131 F. 139}	.	1	1	3 3	13 8	18 12	17 10	10 9	5 3	5 5	55 39
33	Tuberculosis of the Intestines and Peritoneum	{M. 153 F. 134}	.	.	.	7 2	12 2	19 4	15 12	11 6	9 4	8 6	62 32
34	Tuberculosis of the Vertebral Column	{M. 40 F. 26}	2 1	.	1	2 2

Periods of Life in the Year 1925.

It will be understood that no deaths from such causes have been registered during the year.

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
342	276	500	571	543	529	581	661	842	1,092	1,226	1,615	1,950	2,401	3,966	1,397	152	
347	305	544	596	656	573	592	649	777	987	1,084	1,447	1,722	2,627	4,145	1,418	181	
138	122	255	345	304	253	239	197	227	187	124	147	119	103	89	14	1	
169	171	350	403	382	254	238	190	184	128	96	106	112	121	122	15	4	
4	7	5	9	10	3	2	7	5	2	4	4	.	1	.	.	.	1a
3	6	8	5	4	5	2	1	2	1	1	1	1b
.	1	1	1	2
.	.	1	1	.	.	.	2	5
.	.	1	1	.	.	.	2	2	.	1	1	7
12	6	1	1	.	.	1	8
1	.	.	1	1	.	.	1	1	9
9	4	2	10
8	4	.	2	2	1	.	.	1	11a
10	2	11b
22	2	13
24	6	4	1	1	16
33	8	1	2	1	.	.	.	2	.	1	21
3	2	2	3	4	9	7	6	7	7	5	16	21	23	19	3	1	22
6	1	3	1	3	7	5	8	8	8	6	15	16	19	23	5	.	23
5	4	9	6	8	9	19	5	13	20	22	51	57	50	55	10	.	24
15	10	12	14	15	11	14	13	26	22	27	36	66	82	83	8	3	25
.	29
.	1	1	.	3	1	.	1	.	.	1	.	.	30
.	1	.	1	2	.	3	1	2	1	.	1	2	4	4	.	.	31
.	1	1	1	2	.	1	2	1	2	1	1	.	32-7
1	.	1	1	32
2	33
3	1	6	1	1	1	1	.	2	1	.	2	34
5	1	2	6	1	2	1	4	3	1	1	3	
.	1	.	.	1	1	
.	
1	
4	3	2	.	.	1	2	.	.	.	1	
.	1	
16	37	165	262	244	203	179	145	167	121	84	60	28	17	5	.	.	
20	90	256	319	308	191	195	144	119	78	46	37	22	11	10	1	1	
43	45	54	60	33	22	21	21	19	28	8	10	5	4	4	.	.	
49	45	65	48	42	32	17	17	18	17	9	8	4	3	3	.	.	
20	15	12	15	2	5	3	3	.	1	
24	17	23	13	12	8	8	2	.	1	
14	12	15	10	10	4	3	4	6	7	2	2	.	1	1	.	.	
8	13	20	14	7	11	7	7	6	3	2	3	1	
1	3	10	4	5	1	1	4	4	3	1	1	
3	2	4	4	4	.	1	2	.	2	1	.	.	.	1	.	.	

Periods of Life in the Year 1925.—(continued).

DEATH.																	Inter- national List Nos.	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards.		
3	4	3	5	.	1	2	3	2	3	2	1	1	1	1	.	.	35	
1	1	.	1	1	2	.	1	2	2	1	.	1	1	1	.	.		36a
1	2	1	2	2	1	2	2	1	1	.	1	2	.	1	.	.		
1	2	2	3	.	.	2	.	2	3	1	1	1	1	.	.	.		36c
.	2	1	3	3	3	1	2	.	1	.	1	.	1	.	.	.		
.	.	.	.	1	.	1	.	.	2		36e
8	8	12	17	13	5	6	3	6	7	2	3	1	1	1	1	.	37	
8	5	13	14	14	9	7	3	5	5	2	1	.	1	1	.	.		38
1	.	.	.	1	1	1	2	40a	
.	.	.	1	1	.	.	.	1	1	.	.	.		40b
3	4	2	1	2	1	1	5	4	4	.	2	5	3	1	.	.	41	
4	3	2	3	3	4	1	1	1	1	2	3	3	3	2	.	.		43
7	16	27	17	37	27	52	104	147	219	261	314	295	256	181	30	.	43	
11	19	29	22	30	39	82	126	149	236	208	277	241	215	207	22	.		to
.	.	.	2	5	9	14	40	64	82	104	105	119	101	67	4	.	49	
1	2	4	3	3	4	3	5	8	7	10	8	9	8	5	1	.		50
.	.	.	.	4	1	15	36	48	83	94	137	105	98	67	13	.	51	
.	.	.	1	1	1	2	3	5	4	6	4	5	2	2	.	.		52a
6	9	9	.	4	1	3	2	3	1	1	1	.	52b	
5	7	14	2	3	2	2	3	2	3	2	3	.	1	1	.	.		53
.	1	1	1	2	1	2	4	1	11	16	18	16	23	25	8	.	56	
.	1	1	.	.	.		57
1	.	.	.	1	1	58a	
.	2	8	4	9	3	4	1	5	8	11	9	15	15	8	3	.		58b
.	1	3	5	4	2	4	5	5	7	15	15	16	14	13	3	.	59	
.	2	1	1	1	2	3	6	11	10	12	25	15	2	2	.	.		60a
.	1	3	2	10	4	8	11	11	17	13	14	14	6	3	.	.	60b	
.	1	2	3	2	1	1	1	1	6	3	1	6	2	2	1	.		61
.	1	2	3	2	1	7	8	5	6	5	6	8	3	3	1	.	62	
.	1	1		62
.	.	1	3	1	.	4	1	3	3	1	1	1	.	1	.	.	62	
1	.	2	.	1	1	4	.	1	2	.	3	1	1	.	.	.		62
.	1	62	
.	.	1	.	.	.	1		62
.	62	

SAORSTAT ÉIREANN.—CAUSES of DEATHS at different

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
II. GENERAL DISEASES NOT INCLUDED ABOVE— <i>continued.</i>													
63	Diseases of the Adrenals ... {M. F.	14 7
64	Diseases of the Spleen ... {M. F.	4 2
65a	Leukæmia ... {M. F.	12 10	1	1	.	.	2
65b	Lymphadenoma (Hodgkin's Disease) {M. F.	13 9	1	1
66	Alcoholism (acute or chronic) ... {M. F.	16 2
67	Chronic Poisoning by Mineral Substances ... {M. F.	3
69	Other General Diseases ... {M. F.	15 11	.	.	.	1	.	1	1	1	.	.	2 1
III. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS {M. F.		1,925 1,902	107 78	39 41	28 23	75 41	75 60	324 243	72 64	14 28	16 20	9 10	435 365
70	Encephalitis ... {M. F.	35 24	.	.	.	1	.	1	1	.	.	1	1 2
71	Meningitis ... {M. F.	167 140	2	3 1	1	5 4	20 19	31 24	24 17	5 10	10 11	5 6	75 68
72	Tabes Dorsalis (Locomotor Ataxy) {M. F.	14 3
73	Other Diseases of Spinal Cord ... {M. F.	98 58
74a	Cerebral Hæmorrhage, Apoplexy {M. F.	569 669	.	.	.	1	1	2	1	.	.	.	1 2
74b	Cerebral Thrombosis and Embolism {M. F.	25 49
75a	Hemiplegia ... {M. F.	156 191
75b	Other forms of Paralysis ... {M. F.	188 202	1	1
76	General Paralysis of the Insane ... {M. F.	31 4
77	Other forms of Mental Alienation ... {M. F.	90 85
78	Epilepsy ... {M. F.	85 70	5 2	.	2	1	5 5
79-80	Convulsions (non-Puerperal) ... {M. F.	349 294	105 78	36 40	27 23	67 36	53 39	288 216	40 42	9 18	4 5	4 1	345 282
81	Chorea ... {M. F.	2
82a	Hysteria and Neuralgia ... {M. F.
82b	Neuritis ... {M. F.	10 12
83	Cerebral Softening ... {M. F.	17 15
84	Other Diseases of the Nervous System ... {M. F.	68 68	.	.	.	1	1	2	1	.	1	.	4 2
85	Disease of Eye ... {M. F.	7 8	1 1	1 1	.	.	1	.	2 1
86	Disease of the Ear and of the Mastoid Sinus ... {M. F.	16 8	.	.	.	1	.	1	1 2	.	.	.	2 2

Periods of Life in the Year 1925.—(continued).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards.	
.	.	.	1	1	3	2	.	.	2	1	.	1	1	2	.	.	63
.	.	.	.	1	.	.	1	.	3	1	.	1	
.	1	2	.	.	1	.	.	64
.	1	
.	1	1	2	1	.	2	.	1	1	2	2	.	1	1	1	.	65a
.	
.	1	.	.	2	.	.	1	2	2	.	3	1	1	.	.	.	65b
.	.	2	1	.	.	1	.	1	1	1	.	.	1	.	.	.	
.	.	.	3	1	2	1	6	.	1	1	.	.	.	1	.	.	66
.	1	1	.	.	
.	1	.	.	.	1	.	1	67
.	
1	.	3	2	.	.	1	1	2	.	.	.	1	2	.	.	.	69
1	4	.	.	2	.	.	1	.	1	
43	24	44	30	32	46	53	52	71	112	123	172	204	209	239	34	2	70
47	20	41	23	31	34	32	49	96	136	146	190	198	235	207	51	1	
2	3	4	5	4	2	1	2	2	3	3	1	1	1	1	.	.	71
2	2	5	3	1	1	.	1	.	1	1	1	2	1	1	.	.	
24	11	21	11	8	3	.	2	2	4	1	3	1	.	1	.	.	72
25	8	18	2	7	1	3	4	3	.	.	1	
.	1	1	4	2	2	2	2	73
.	1	1	1	
.	1	5	1	1	6	6	6	11	12	13	14	8	9	6	.	.	74a
1	.	1	1	1	5	3	6	5	5	11	9	4	4	1	1	.	
1	.	1	3	3	3	7	12	15	34	58	70	103	108	133	20	1	74b
1	.	.	.	1	4	13	14	41	65	61	90	100	127	115	30	1	
.	.	1	1	1	1	2	1	1	4	2	1	5	1	1	1	.	75a
.	3	2	9	5	6	13	3	.	
.	.	.	1	2	1	4	3	5	8	12	24	26	27	38	7	1	75b
.	2	2	2	7	12	22	25	31	41	36	10	.	
2	2	2	1	2	7	5	5	5	10	9	16	34	49	36	3	.	76
1	2	1	1	4	4	1	6	11	17	20	24	33	39	32	5	.	
.	.	.	.	1	1	6	9	5	4	2	1	1	1	.	.	.	77
.	.	.	.	1	1	2	.	.	1	
.	.	1	3	2	6	7	6	6	15	10	18	10	3	3	.	.	78
.	.	1	3	1	5	1	7	10	16	12	12	11	5	1	.	.	
7	4	5	4	8	6	10	2	8	8	2	7	2	4	2	1	.	79-80
4	2	7	5	8	6	5	5	6	6	2	3	3	2	.	.	.	
3	1	2	.	.	1	81
9	
.	.	1	1	82a
.	
.	.	.	1	.	1	.	.	2	1	2	4	2	82b
.	2	2	3	1	.	1	.	.	
.	.	.	.	1	.	.	1	1	.	1	1	2	4	5	1	.	83
.	.	.	.	1	1	3	3	4	3	1	.	
2	2	2	2	1	8	6	1	5	7	5	8	6	2	6	1	.	84
2	3	2	1	3	4	2	3	7	6	11	8	4	6	4	.	.	
.	1	1	1	1	1	1	1	1	85
.	
2	1	4	1	.	2	.	2	1	.	.	1	86
1	1	.	2	1	1	

SAORSTAT ÉIREANN.—CAUSES OF DEATH at different

International List Nos.	Causes of Death.	AGES AT											
		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	IV. DISEASES OF THE CIRCULATORY SYSTEM	{ M. 2,653 F. 2,642	.	1	.	1	.	2	1	.	1	1	5
87	Pericarditis ...	{ M. 16 F. 12	2	2	5
88	Acute Endocarditis and Myocarditis	{ M. 87 F. 70	1	1	.	2
89	Angina Pectoris ...	{ M. 55 F. 25
90	Other Diseases of the Heart	{ M. 2,296 F. 2,404	.	.	.	1	.	1	1	.	1	1	3
91a	Aneurysm ...	{ M. 20 F. 4
91b	Arterial Sclerosis ...	{ M. 129 F. 68
91c	Other Diseases of the Arteries	{ M. 21 F. 20
92	Embolism and Thrombosis (not Cerebral) ...	{ M. 10 F. 16
93	Diseases of the Veins (Varices, Hæmorrhoids, Phlebitis, etc.)	{ M. 7 F. 9
94	Diseases of Lymphatic System (Lymphangitis, etc.)	{ M. 5 F. 3	.	1	.	.	.	1	.	.	.	1	2
95	Hæmorrhage (not stated)	{ M. 4 F. 8
96	Other Diseases of the Circulatory System	{ M. 3 F. 3
	V. DISEASES OF THE RESPIRATORY SYSTEM	{ M. 3,034 F. 2,695	40	43	31	101	156	371	170	71	30	22	664
97	Diseases of the Nasal Fossæ ...	{ M. . F.
98	Diseases of the Larynx ...	{ M. 44 F. 25	1	4	.	4	3	12	11	3	4	2	32
99a	Bronchitis, Acute ...	{ M. 140 F. 156	5	2	1	5	7	20	4	3	1	.	28
99b	Bronchitis, Chronic ...	{ M. 283 F. 267	.	.	.	1	.	1	1	1	.	2	5
99c.d.	Bronchitis (not otherwise defined)...	{ M. 843 F. 965	15	21	15	33	29	113	36	15	5	5	174
100	Broncho-Pneumonia (including Capillary Bronchitis)	{ M. 501 F. 444	12	14	8	37	74	145	75	26	13	4	263
101a	Lobar Pneumonia ...	{ M. 127 F. 92	.	.	.	2	2	4	4	1	.	.	9
101b	Pneumonia (not otherwise defined)...	{ M. 694 F. 480	3	1	5	16	37	62	37	21	6	5	131
102	Pleurisy ...	{ M. 109 F. 49	1	1	1	1	1	4	8
103	Congestion and Hæmorrhagic Infarct of the Lung	{ M. 84 F. 68	2	.	2	3	3	10	10
104	Gangrene of the Lung ...	{ M. 6 F.
105	Asthma ...	{ M. 132 F. 89	.	.	1	.	.	1	1	1	.	1	3
106	Pulmonary Emphysema ...	{ M. 24 F. 18
107	Other Diseases of the Respiratory System (Tuberculosis excepted)	{ M. 47 F. 42	2	1	.	.	.	3	.	1	.	.	3

Periods of Life in the Year 1925.—(continued).

DEATH.																	Inter- national List Nos.	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards.		
11	19	32	28	25	41	46	84	108	190	229	327	463	474	492	78	1	87	
5	19	28	28	44	52	52	86	112	194	227	346	411	470	488	70	5		
2	2	3	1	.	1	.	3	1	1	2	1	1	88	
.	.	2	.	.	1	.	1	1	2	.	1	2		
3	5	8	5	5	9	7	9	8	12	10	.	2	.	3	.	.	89	
1	5	3	6	8	6	6	11	4	10	3	.	1	2	1	1	.		
.	1	2	2	2	6	3	11	13	7	8	.	.	90	
.	1	.	.	1	5	4	6	4	4	.	.		
5	13	18	20	19	28	36	67	92	159	194	294	398	442	440	69	.	91a	
4	12	23	21	33	39	37	66	104	171	210	335	387	445	447	63	4		
.	1	5	4	2	5	3	.	.	.	91b	
.	1	1	.	.	.	2	.	.		
.	1	4	6	14	17	33	18	29	6	1	91c	
.	1	.	7	4	4	8	13	25	4	1		
.	1	1	1	.	1	1	5	4	7	3	.	92	
.	3	3	8	2	.		
.	1	.	1	1	4	1	1	.	1	1	.	1	.	2	.	.	93	
.	1	.	.	3	1	1	.	.		
.	1	1	1	2	.	2	1	3	.	1	.	.	94	
.	1	1	1	1	.	.	.		
.	.	1	.	.	1	1	1	.	.	95	
1	.	2	1	2	.	1	1	.	1	1	1	.	1	.	.	.		
.	.	.	1	.	.	.	2	2	.	1	.	.	96	
.		
59	35	32	52	48	64	61	93	116	152	216	264	343	348	424	58	5	97	
49	32	36	34	45	53	48	59	94	113	179	231	298	399	408	69	8		
.	98
6	1	.	.	1	2	.	.	.	1	1		
4	1	1	.	1	99a	
1	2	2	1	.	4	2	5	2	6	13	15	12	17	30	4	.		
2	2	2	1	.	4	2	4	7	4	12	12	19	19	30	8	.	99b	
1	.	1	1	2	1	4	4	8	13	25	34	45	54	70	13	2		
.	2	1	.	1	4	1	4	7	8	26	31	50	59	64	6	.	99c.d	
7	4	4	6	4	3	12	11	18	27	53	82	121	122	172	20	3		
6	6	10	6	6	4	7	11	24	41	55	105	118	184	193	34	3	100	
16	6	.	5	2	14	5	10	12	17	18	21	38	31	38	5	.		
11	6	8	7	1	10	11	2	12	15	20	19	25	39	33	7	1	101a	
1	2	3	4	6	6	6	11	12	14	11	13	12	9	7	1	.		
6	1	1	3	3	5	8	4	3	7	5	5	7	10	7	1	.	101b	
22	15	17	24	19	24	19	35	42	42	60	49	66	58	64	7	.		
15	8	11	13	28	18	12	24	25	23	36	31	44	50	47	6	2	102	
2	1	5	7	6	5	7	9	6	7	6	10	14	11	5	.	.		
2	1	.	3	3	4	3	3	4	3	5	3	3	4	1	.	.	103	
1	.	.	2	3	.	1	1	3	7	6	9	14	12	10	5	.		
2	.	.	.	1	.	.	2	4	1	4	9	10	9	14	3	1	104	
.	1	1	.	.	.	1	.	.	.		
.	.	.	1	.	1	.	.	1	1	105	
1	3	.	.	3	5	3	3	6	10	19	20	16	19	22	1	.		
1	2	2	.	1	2	2	4	7	6	11	12	12	13	8	3	.	106	
.	2	1	.	1	3	1	3	2	6	5	1	.		
.	1	1	.	.	3	1	1	6	4	1	.	.	107	
1	1	1	1	2	1	2	4	5	4	3	7	3	8	1	1	.		
.	3	.	1	1	1	1	1	1	2	4	3	4	8	9	1	.		

Periods of Life in the Year 1925.—(continued).

DEATH.																	International List Nos.	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.		
28	15	32	20	26	31	46	39	49	75	84	89	94	93	71	10		2	108A
37	13	22	20	22	20	31	38	49	59	73	77	78	95	75	9			
.	.	.	1	.	.	1	.	1	.	1	1	2	.	1	.	.	2	108B
.	.	.	.	1	1	2	.	.		
5	1	1	2	1	1	1	1	1	2	.	.	.	1	1	.	.	2	109
5	2	.	.	3	1	.	3	1	1	1	1	.		
.	.	1	1	1	.	1	.	.	2	110
.	1	1	1	.	.		
.	.	1	1	6	5	9	9	12	15	16	18	12	8	4	.	.	2	111a
.	.	3	1	1	3	6	5	5	13	20	9	9	11	4	.	.		
.	.	2	2	2	2	6	6	6	9	6	8	1	3	1	1	.	2	111b
.	.	.	.	1	.	1	.	3	1	1	1	1	.	.	.			
2	2	1	2	4	4	4	5	6	8	9	9	24	21	23	4	.	2	112
3	.	2	2	4	1	6	10	5	11	12	24	21	22	19	3	.		
4	2	3	1	1	1	3	3	2	5	4	8	14	9	7	1	.	2	113-114
9	1	.	6	1	4	7	6	4	6	7	7	8	15	13	1	.		
1	2	116
1		
7	6	14	4	8	7	7	5	1	5	4	3	2	.	2	1	.	2	117
13	4	11	7	3	4	.	2	6	4	5	5	3	1	3	1	.		
1	1	1	4	1	2	7	6	5	7	2	.	.	2	118a
.	3	2	5	10	8	3	3	.	.		
2	.	5	4	3	2	4	7	7	6	14	17	13	19	20	2	.	2	118b
3	.	2	1	3	2	2	1	10	7	8	9	15	27	17	3	.		
3	.	2	1	2	7	2	1	2	4	3	2	3	3	4	.	.	2	119
1	.	1	1	.	.	.	2	5	2	2	2	1	6	3	1	.		
.	.	.	.	1	1	1	2	120
.		
.	2	121
.		
.	.	1	.	.	1	2	6	7	6	12	8	8	13	2	1	.	2	122
.	1	1	1	3	5	5	2	3	2	.	.		
.	1	2	1	1	1	1	2	1	1	2	.	.	2	123
.	3	.	.	.	1	.	.	2	2	2	.	.		
1	.	1	3	1	1	2	2	3	6	3	4	8	6	4	.	.	2	124
.	3	1	1	5	4	4	7	3	5	.	.		
.	1	2	1	1	2	2	125
.	3	2		
2	5	1	2	3	1	1	1	1	4	4	3	1	2	.	.	.	2	126
2	4	2	.	.	.	3	3	.	1	.	.	.	1	.	.	.		
.	.	.	1	2	127
.	1		
11	5	10	11	18	15	24	33	58	64	82	116	115	154	158	26	1	2	128
8	11	13	20	18	22	23	35	35	56	61	76	68	84	41	7	.		
9	.	3	4	2	3	3	4	5	2	6	3	2	8	2	.	.	2	129
5	6	2	4	2	2	3	3	4	2	4	6	3	2	1	.	.		
1	4	6	6	15	9	17	24	49	50	62	78	76	82	74	8	.	2	131
2	4	9	12	12	11	17	22	23	44	44	65	55	73	34	6	.		
1	1	.	1	1	1	3	.	1	3	1	3	2	5	8	2	.	2	132
.	.	.	2	.	3	.	2	1	4	3	2	2	4	1	.	.		
.	2	133
1	1	1	1	1	2	1	5	.	3	6	18	21	14	36	7	.		
.	1	.	.	2	1	4	1	1	3	2	1	.	.	

Periods of Life in the Year 1925.—(continued).

DEATH.																	Inter- national List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards.	
.	1	.	.	.	1	.	.	.	134a
.	1	.	1	134b
.	2	5	6	14	14	44	38	9	1	135
.	136
.	1	.	1	2	1	2	1	.	.	.	137
.	.	1	.	1	1	1	1	138
.	.	.	.	1	2	2	4	3	3	2	1	1	.	1	.	.	139
.	.	.	.	1	2	.	1	1	140
.	1	1	.	.	141a
.	.	1	1	.	.	.	1	1	1	1	.	1	1	1	.	.	141b
.	1	.	2	142
.	.	4	24	66	77	75	35	10	143b
.	.	.	.	1	1	2	2	1	143b
.	.	.	.	4	4	3	1	1	144
.	.	.	4	16	8	19	8	2	145
.	.	.	2	5	6	10	4	146
.	.	1	12	21	35	25	9	2	147
.	.	.	1	3	9	3	3	1	148
.	.	3	5	11	11	10	7	3	149
.	.	.	.	5	3	3	1	149
5	2	1	3	1	.	3	7	7	3	8	12	15	11	32	7	.	151
.	.	2	2	.	5	1	3	5	3	9	11	15	15	18	8	.	151
.	.	1	1	.	.	2	6	8	11	26	5	.	152
.	1	.	8	9	12	16	8	.	152
.	1	1	.	1	.	2	.	3	.	.	153
5	2	1	3	1	.	2	4	3	2	4	3	2	.	2	2	.	153
.	.	1	2	.	2	1	1	3	2	2	3	2	3	1	.	.	154
.	3	.	2	1	1	2	3	3	.	1	.	.	154
.	1	1	.	4	.	4	.	1	.	.	154
4	9	9	2	3	1	2	4	3	3	1	3	3	2	4	.	.	155
3	4	3	2	1	.	1	1	.	5	.	.	.	155
4	7	8	2	2	.	2	3	2	2	1	1	1	1	1	.	.	156
3	4	2	2	156
.	2	1	.	.	1	.	.	1	.	1	1	2	2	3	.	.	156
.	.	.	.	1	.	.	1	.	1	.	1	158
.	158

Periods of Life in the Year 1925.—(continued).

DEATH.																	Inter- national List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards.	
2	1 1	3 2	2	159
.	160b
.	161
.	162
.	163
.	40 38	717 946	2,234 2,542	1,123 1,150	141 160	164
24 12	20 5	43 9	53 5	37 7	33 7	38 2	34 7	35 18	41 14	31 12	33 12	35 14	17 23	21 20	11 14	1	165- 174
.	.	1	2 2	3 2	6 3	5	7 1	11 3	6 6	8 3	7	6 1	3	1	1	.	175
.	177
.	.	.	.	2	2	.	1	1	178
.	179
2 7	1	1 5	1 1	1 2	1	1	1 3	1 3	2	1	1 3	2 4	1 7	4 3	2	.	180
1	1	1	181
.	.	1	1	182
5	6 2	18 1	18 1	7 1	5 2	11	7	6 5	8	4	5 2	5	3	.	.	.	183
.	1	4	5 1	3	4	2	3	.	1	1	184
.	1	185
2 3	5 2	1	1	2	5	5	3	2 1	3	4	4	6 1	3	3 3	1	.	186
.	1	.	1	187
1	.	1	2	1	.	.	1	.	1	.	.	1	1	.	.	.	188
7 1	2	10 2	7	7 1	2	6	5 1	5 2	4 3	5 3	4 3	5 2	2 1	4 1	.	.	189
.	.	.	.	1	.	.	1	2	.	1	.	.	1	1	2	.	

SAORSTÁT EIREANN.—CAUSES of DEATH at different

International List Nos.	Causes of Death.	AGES AT												
		All Ages.	Under 1 Month.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.	
XIV. EXTERNAL CAUSES— <i>continued.</i>														
190	Wounds of War ...	{ M. F.	4	
192a	Fatigue ...	{ M. F.	1	
192b	Hunger or Thirst ...	{ M. F.	
193	Excessive Cold ...	{ M. F.	13 1	
194	Excessive Heat ...	{ M. F.	5 2	
195	Lightning ...	{ M. F.	1	
196	Electricity (Lightning excepted)	{ M. F.	
197-200	Homicide ...	{ M. F.	17 7	5 4	.	.	.	5 4	.	1	.	.	6 4	
201	Fracture (Cause not specified)	{ M. F.	55 42	
202	Other External Violence	{ M. F.	8 2	.	1	.	.	1	.	1	1	.	2 1	
203	Violence (cause unknown)	{ M. F.	45 15	1	.	1	
XV. ILL-DEFINED CAUSES.														
		{ M. F.	730 717	3 1	1 2	1 .	6 3	3 3	14 9	47 37	20 25	7 6	1 5	89 82
204	Sudden Death ...	{ M. F.	21 21	.	.	.	1	.	1	1
205	Cause of Death Unstated or Ill-Defined ...	{ M. F.	709 696	3 1	1 2	1 .	5 3	3 3	13 9	47 37	20 25	7 6	1 5	88 82

Periods of Life in the Year 1925.—(continued).

DEATH.													Inter- national List Nos.				
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—		70—	75—	85—	95 & up- wards.
.	.	.	.	1	1	1	.	.	1	190
.	
.	.	.	1	192a
.	
.	192b
.	
.	.	.	1	1	4	.	2	2	2	1	1	.	193
.	
1	.	.	1	2	1	194
.	
.	1	195
.	
.	196
.	
.	.	1	3	.	1	.	1	1	1	2	1	.	1	.	.	.	197— 200
.	
2	1	.	7	4	2	3	2	1	4	2	5	5	2	7	7	1	201
.	2	2	1	3	5	9	11	9	.	
1	1	.	.	2	.	1	1	202
.	
2	2	6	4	3	5	3	1	4	2	4	4	2	2	2	2	.	203
1	1	.	.	2	3	1	1	2	.	.	.	
10	8	12	10	12	18	17	14	21	46	67	138	224	17	21	6	1	204
6	10	5	11	11	10	8	21	24	48	72	120	249	19	17	3	.	
1	1	.	.	.	1	1	.	1	3	2	1	4	1	5	1	.	205
.	1	1	.	3	.	4	.	5	5	.	.	.	
9	8	12	10	12	17	16	14	20	43	65	137	220	16	16	6	1	205
6	9	5	11	11	9	7	21	21	48	68	120	244	14	17	2	.	

Registration of Marriages, Births, and Deaths, Saorstát Éireann.

CAUSES OF DEATH IN SAORSTÁT ÉIREANN, by Sexes, Ages and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever ...	66	39	105	.	.	20	64	20	1	14	8	59	24	1
2	Typhus ...	4	5	9	.	.	.	6	2	1	.	.	5	4	.
6	Small-pox
7	Measles ...	109	89	198	39	133	19	6	1	.	41	.	1	156	19
8	Scarlet Fever ...	33	37	70	2	35	25	7	1	.	39	.	13	18	2
9	Whooping-Cough ...	200	229	429	203	190	36	.	.	.	21	.	21	387	101
10	Diphtheria ...	76	82	158	8	66	71	8	5	.	51	.	54	53	1
16	Dysentery ...	8	5	13	2	2	.	3	5	1	2	5	3	3	.
11	Influenza ...	531	640	1,171	55	44	46	193	289	544	19	31	110	1,011	362
23	Encephalitis Lethargica	21	30	51	1	2	9	26	13	.	14	2	10	25	.
24	Meningococcal Meningitis	7	5	12	3	6	1	1	1	.	3	.	.	9	.
31	Tuberculosis of Respiratory System ...	1,787	1,880	3,667	13	73	163	2,611	712	95	529	241	676	2,221	285
32-37	Other Tuberculosis ...	520	486	1,006	71	180	182	432	117	24	144	42	240	580	29
43-49	Cancer, Malignant Disease	1,502	1,299	2,801	2	9	5	311	1,399	1,075	371	39	537	1,854	104
51	Rheumatic Fever ...	38	52	90	1	1	27	45	14	2	3	1	5	81	5
57	Diabetes ...	107	115	222	.	3	5	52	75	87	23	2	26	171	20
74	Cerebral Hæmorrhage ...	594	718	1,312	2	1	2	68	458	781	72	32	175	1,033	166
87-90	Heart Disease ...	2,454	2,511	4,965	1	7	52	508	1,647	2,750	238	168	869	3,690	626
91b	Arterial Sclerosis ...	129	68	197	.	.	.	3	56	138	21	11	25	140	2
99	Bronchitis ...	1,266	1,388	2,654	233	157	33	131	628	1,472	57	43	434	2,120	533
100-1	Pneumonia (all forms)	1,322	1,016	2,338	353	370	109	379	512	615	237	79	246	1,776	156
97-8	Other Diseases of Respiratory System ...	446	291	737	39	52	33	115	225	273	77	13	89	558	144
102-7	Ulcer of Stomach or Duodenum ...	171	95	270	1	.	.	72	143	54	67	4	34	165	15
111	Diarrhœa and Enteritis under 2 years ...	360	280	640	552	88	79	.	37	524	29
117	Appendicitis and Typhlitis	80	76	156	1	8	30	72	33	12	82	2	37	35	5
122	Cirrhosis of the Liver ...	67	23	90	.	.	.	12	47	31	13	1	12	64	2
128-9	Acute and Chronic Nephritis ...	632	496	1,128	8	21	31	195	447	426	128	13	220	767	71
146-7	Puerperal Sepsis	125	125	.	.	.	122	3	.	21	.	28	76	2
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	166	166	.	.	.	159	7	.	28	1	22	115	14
159-161	Congenital Debility and Malformation: Premature Birth ...	985	798	1,783	1,753	19	4	7	.	.	241	.	290	1,252	534
165-174	Suicide ...	67	21	88	.	.	.	32	44	12	10	3	3	72	.
175-203	Other Deaths from Violence ...	511	217	728	20	108	61	243	152	144	176	3	107	442	45
—	Other Defined Diseases	7,295	7,529	14,824	830	417	272	963	1,478	10,864	638	464	1,559	12,163	7,490
204- 205a	Causes Ill-defined or Unknown ...	730	717	1,447	23	148	34	149	536	557	19	19	41	1,368	970
	ALL CAUSES ...	22,118	21,532	43,650	4,216	2,140	1,270	6,995	9,070	19,959	3,478	1,227	5,988	32,957	11,733

I. ADMINISTRATIVE COUNTY OF CARLOW.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Indistinct, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever ...	1	.	1	.	.	.	1	1	.
2	Typhus
6	Small-pox
7	Measles ...	3	1	4	1	2	1	.	.	.	1	.	.	3	.
8	Scarlet Fever
9	Whooping-Cough ...	2	4	6	5	.	1	6	.
10	Diphtheria
16	Dysentery
11	Influenza ...	16	15	31	3	1	4	6	6	11	1	.	2	28	5
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System ...	14	21	35	.	.	2	29	4	.	2	6	3	24	1
32-7	Other Tuberculosis ...	5	4	9	.	2	3	3	.	1	2	1	2	4	.
43-9	Cancer, Malignant Disease	14	12	26	.	.	.	6	12	8	3	1	4	18	3
51	Rheumatic Fever	1	1	.	.	.	1	1	.
57	Diabetes ...	3	1	4	.	.	.	2	1	1	.	.	1	3	2
74	Cerebral Hemorrhage ...	8	11	19	4	15	.	.	.	19	5
87-90	Heart Disease ...	43	41	84	.	.	.	5	25	54	3	4	18	59	7
91b	Arterial Sclerosis ...	1	1	2	2	.	.	.	2	.
99	Bronchitis ...	14	16	30	2	1	.	1	9	17	2	.	.	28	4
100-1	Pneumonia (all forms)	8	6	14	2	1	.	3	4	4	.	.	1	13	.
97-8	Other Diseases of Respiratory System ...	3	2	5	.	1	.	.	3	1	2	.	.	3	1
111	Ulcer of Stomach or Duodenum ...	1	1	2	1	1	1	.	.	1	.
113	Diarrhoea and Enteritis under 2 years	1	1	1	1	.
117	Appendicitis and Typhlitis	3	.	3	.	.	1	2	.	.	2	.	1	.	.
122	Cirrhosis of the Liver	1	1	1	1	.
128-9	Acute and Chronic Nephritis ...	4	8	12	.	.	.	3	6	3	4	.	1	7	3
146-7	Puerperal Sepsis	1	1	.	.	.	1	.	.	1
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	2	2	.	.	.	2	2	1
159-161	Congenital Debility and Malformation: Premature Birth ...	8	11	19	19	2	.	2	15	8
165-174	Suicide
175-203	Other Deaths from Violence ...	5	3	8	.	1	.	4	1	2	2	.	.	6	2
—	Other Defined Diseases	93	85	178	10	5	1	17	23	122	9	9	17	143	85
204- 205a	Causes Ill-defined or Unknown ...	8	8	16	.	2	.	.	5	9	.	.	.	16	10
	ALL CAUSES ...	257	257	514	43	16	13	86	105	251	37	21	52	404	137

II. ADMINISTRATIVE COUNTY OF DUBLIN.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

Inter-national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever ...	2	1	3	.	.	1	2	.	.	2	1	.	.	.
2	Typhus
6	Small-pox
7	Measles ...	5	10	15	3	8	1	2	1	.	5	.	.	10	.
8	Scarlet Fever ...	3	10	13	.	6	5	2	.	.	11	.	2	.	.
9	Whooping-Cough ...	14	20	34	15	16	3	.	.	.	1	.	2	31	.
10	Diphtheria ...	7	9	16	1	9	6	.	.	.	13	.	1	2	.
16	Dysentery	1	1	1	1	.	.
11	Influenza ...	27	44	71	2	.	1	9	22	37	2	2	3	64	.
23	Encephalitis Lethargica	2	5	7	.	.	2	2	3	.	5	.	.	2	.
24	Meningococcal Meningitis	.	1	1	.	1	1	.
31	Tuberculosis of Respiratory System ...	106	129	235	.	6	9	183	31	6	79	7	13	136	.
32-7	Other Tuberculosis ...	36	48	84	3	13	17	41	5	5	23	3	11	47	.
43-9	Cancer, Malignant Disease	106	109	215	1	1	1	24	93	95	58	2	11	144	1
51	Rheumatic Fever ...	4	3	7	.	1	3	2	.	1	.	.	.	7	.
57	Diabetes ...	5	6	11	.	.	.	2	5	4	4	.	.	7	.
74	Cerebral Hæmorrhage ...	35	84	119	.	.	.	4	39	76	10	3	12	94	.
87-90	Heart Disease ...	128	185	313	.	1	5	34	93	180	43	9	21	240	2
91b	Arterial Sclerosis ...	11	10	21	4	17	4	1	.	16	.
99	Bronchitis ...	71	76	147	15	5	1	8	30	88	8	2	32	105	2
100-1	Pneumonia (all forms)	76	93	169	35	21	7	28	31	47	32	8	11	118	3
97-8 102-7	Other Diseases of Respiratory System ...	32	16	48	1	.	3	6	23	15	12	.	5	31	.
111	Ulcer of Stomach or Duodenum ...	4	5	9	.	.	.	3	3	3	5	1	.	3	.
113	Diarrhoea and Enteritis under 2 years ...	34	24	58	54	4	8	.	2	48	.
117	Appendicitis and Typhlitis	3	8	11	.	2	1	4	3	1	10	1	.	.	.
122	Cirrhosis of the Liver ...	6	1	7	.	.	.	1	6	.	2	.	1	4	.
128-9	Acute and Chronic Nephritis ...	50	44	94	1	.	.	24	36	33	23	.	9	62	.
146-7	Puerperal Sepsis	5	5	.	.	.	5	.	.	2	.	.	3	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	8	8	.	.	.	8	.	.	2	.	.	6	.
159-161	Congenital Debility and Malformation: Premature Birth ...	86	72	158	156	2	57	.	17	84	19
165-174	Suicide ...	4	3	7	.	.	.	2	5	.	3	1	.	3	.
175-203	Other Deaths from Violence ...	33	20	53	1	7	4	23	9	9	18	.	2	33	.
—	Other Defined Diseases	237	286	523	61	22	12	48	96	284	85	17	53	368	26
204- 205a	Causes ill-defined or Unknown ...	12	18	30	.	4	.	3	14	9	2	2	1	25	4
	ALL CAUSES ...	1,139	1,354	2,493	350	129	82	470	552	910	529	60	210	1,694	57

III. COUNTY BOROUGH OF DUBLIN.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.					DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Elsewhere.
1	Enteric Fever	2	5	7	.	.	1	5	1	.	7
2	Typhus
6	Small-pox
7	Measles	51	55	106	22	81	3	.	.	.	34	.	.	72	.
8	Scarlet Fever	14	8	22	.	12	9	.	1	.	20	.	.	2	.
9	Whooping-Cough	43	58	101	53	38	10	.	.	.	18	.	.	83	.
10	Diphtheria	19	16	35	3	21	11	.	.	.	30	.	1	4	.
16	Dysentery	3	4	7	1	1	.	2	3	.	1	3	2	1	.
11	Influenza	33	44	77	2	2	2	29	22	20	6	10	11	50	.
23	Encephalitis Lethargica	2	4	6	.	.	2	3	1	.	4	.	.	2	.
24	Meningococcal Meningitis	1	2	3	1	1	1	.	.	.	2	.	.	1	.
31	Tuberculosis of Respiratory System	300	269	569	4	27	28	376	116	18	221	19	67	262	.
32-37	Other Tuberculosis	92	69	161	16	49	35	48	8	5	54	2	29	76	.
43-49	Cancer, Malignant Disease	197	156	353	.	.	.	49	203	101	131	3	51	168	.
51	Rheumatic Fever	3	3	6	.	.	2	3	1	.	1	.	.	5	.
57	Diabetes	6	12	18	.	1	.	6	7	4	7	.	2	9	.
74	Cerebral Hæmorrhage	68	92	160	.	1	.	13	69	77	41	1	19	99	1
87-90	Heart Disease	236	311	547	1	1	11	95	203	236	113	18	69	347	8
91b	Arterial Sclerosis	29	11	40	.	.	.	1	15	24	5	2	13	20	.
99	Bronchitis	224	304	528	41	35	6	28	160	258	29	5	165	329	2
100-1	Pneumonia (all forms)	301	237	538	122	145	20	89	89	73	146	7	43	342	.
97-8 102-7	Other Diseases of Respiratory System	68	55	123	5	13	7	20	44	34	35	.	33	55	.
111	Ulcer of Stomach or Duodenum	17	9	26	.	.	.	10	13	3	16	.	1	9	.
113	Diarrhoea and Enteritis under 2 years	147	121	268	223	45	58	.	9	201	1
117	Appendicitis and Typhlitis	6	9	15	.	.	2	8	3	2	12	.	.	3	.
122	Cirrhosis of the Liver	7	1	8	.	.	.	1	5	2	3	.	1	4	.
128-9	Acute and Chronic Nephritis	111	86	197	3	8	7	47	71	61	59	.	59	79	.
146-7	Puerperal Sepsis	16	16	.	.	.	15	1	.	6	.	.	10	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	18	18	.	.	.	18	.	.	11	.	.	7	.
159-161	Congenital Debility and Malformation: Premature Birth	221	136	357	355	2	128	.	39	190	5
165-174	Suicide	3	3	6	.	.	.	4	1	1	3	.	.	3	.
175-203	Other Deaths from Violence	61	36	97	4	26	13	26	14	14	80	.	5	12	.
—	Other Defined Diseases	475	490	965	183	85	31	136	167	363	235	47	201	482	5
204- 205a	Causes Ill-defined or Unknown	37	31	68	.	15	2	4	29	18	8	2	1	57	11
	ALL CAUSES	2,777	2,671	5,448	1,039	609	203	1,036	1,247	1,314	1,524	119	821	2,984	53

IV. ADMINISTRATIVE COUNTY OF KILDARE.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	1	1	.	.	1	1	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever	2	.	2	.	2	2
9	Whooping-Cough	1	4	5	1	4	1	.	.	4	.
10	Diphtheria	1	.	1	.	.	.	1	1	.
16	Dysentery
11	Influenza	8	9	17	3	1	.	1	7	5	1	.	1	15	1
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	34	38	72	.	.	9	52	11	.	11	4	5	52	2
32-37	Other Tuberculosis	7	10	17	2	1	5	8	1	.	4	.	3	10	.
43-49	Cancer, Malignant Disease	41	33	74	.	1	.	9	33	31	9	2	10	53	1
51	Rheumatic Fever	1	1	.	.	1	1	.
57	Diabetes	1	7	8	3	5	1	1	.	6	.
74	Cerebral Hæmorrhage	8	8	16	.	.	.	1	6	9	1	.	3	12	.
87-90	Heart Disease	87	54	141	.	.	2	15	38	86	3	8	43	87	2
91b	Arterial Sclerosis
99	Bronchitis	13	16	29	4	3	.	1	7	14	.	.	7	22	.
100-1	Pneumonia (all forms)	24	11	35	5	2	4	7	7	10	2	1	2	30	.
97-8 102-7	Other Diseases of Respiratory System	8	1	9	1	3	.	1	.	4	.	.	1	8	1
111	Ulcer of Stomach or Duodenum	5	.	5	.	.	.	1	3	1	5
113	Diarrhœa and Enteritis under 2 years	5	1	6	5	1	3	3	.
117	Appendicitis and Typhlitis	1	.	1	1	.	1
122	Cirrhosis of the Liver	2	.	2	2	.	.	.	2	.
128-9	Acute and Chronic Nephritis	14	10	24	.	.	3	6	8	7	5	.	3	16	1
146-7	Puerperal Sepsis
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	8	8	.	.	.	8	.	.	1	.	1	6	.
159-161	Congenital Debility and Malformation: Premature Birth	18	23	41	39	1	1	.	.	.	1	.	9	31	11
165-174	Suicide	2	.	2	.	.	.	2	2	.
175-203	Other Deaths from Violence	12	5	17	1	1	2	8	3	2	4	.	2	11	.
—	Other Defined Diseases	117	111	228	7	9	5	20	35	152	12	6	25	185	47
204-205a	Causes Ill-defined or Unknown	9	8	17	.	4	.	.	9	4	.	1	.	16	5
	ALL CAUSES	420	359	779	68	33	33	141	172	332	64	23	118	574	71

V. ADMINISTRATIVE COUNTY OF KILKENNY.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

Inter-national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.					DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Elsewhere.
1	Enteric Fever	1	1	2	.	.	.	1	1	.	.	.	2	.	.
2	Typhus
6	Small-pox
7	Measles	1	1	.	1	1	1
8	Scarlet Fever
9	Whooping-Cough	3	3	6	3	3	6	3
10	Diphtheria	2	2	.	.	2	2	.	.
16	Dysentery
11	Influenza	11	18	29	1	1	2	9	9	7	2	2	4	21	4
23	Encephalitis Lethargica	4	2	6	.	1	.	3	2	.	1	.	.	5	.
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	34	50	84	.	2	4	60	17	1	12	17	15	40	7
32-37	Other Tuberculosis	14	15	29	2	6	3	12	6	.	3	3	11	12	1
43-49	Cancer, Malignant Disease	24	32	56	.	.	.	8	32	16	2	2	17	35	2
51	Rheumatic Fever	1	2	3	.	.	.	2	1	3	1
57	Diabetes	4	2	6	.	.	.	2	.	4	.	.	1	5	.
74	Cerebral Hæmorrhage	19	17	36	.	.	.	1	16	19	.	3	6	27	8
87-90	Heart Disease	73	73	146	.	.	3	10	52	81	1	2	24	119	29
91b	Arterial Sclerosis	1	2	3	3	.	1	.	2	.
99	Bronchitis	26	26	52	5	4	.	2	16	25	.	.	5	47	13
100-1	Pneumonia (all forms)	18	19	37	2	2	1	8	13	11	1	2	7	27	2
97-8 102-7	Other Diseases of Respiratory System	7	5	12	.	.	3	1	1	7	.	.	1	11	3
111	Ulcer of Stomach or Duodenum	6	3	9	.	.	.	2	6	1	.	.	6	3	1
113	Diarrhœa and Enteritis under 2 years	5	2	7	7	7	1
117	Appendicitis and Typhlitis	2	.	2	.	.	.	2	.	.	1	.	1	.	.
122	Cirrhosis of the Liver	1	1	2	1	1	.	.	.	2	1
128-9	Acute and Chronic Nephritis	10	10	20	.	.	1	6	6	7	.	.	5	15	1
146-7	Puerperal Sepsis	1	1	.	.	.	1	.	.	1
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	7	7	.	.	.	7	7	1
159-161	Congenital Debility and Malformation: Premature Birth	33	26	59	59	1	.	10	48	25
165-174	Suicide	3	1	4	.	.	.	1	1	2	.	.	.	4	.
175-203	Other Deaths from Violence	11	3	14	1	2	.	3	2	6	3	.	6	5	.
—	Other Defined Diseases	182	215	397	20	16	8	17	44	292	7	19	48	323	197
204- 205a	Causes Ill-defined or Unknown	24	18	42	.	6	.	3	15	18	.	.	.	42	31
	ALL CAUSES	517	557	1,074	100	44	27	161	241	501	35	51	171	817	332

VI. ADMINISTRATIVE COUNTY OF LEIX.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.					DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Elsewhere.
1	Enteric Fever
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever	1	.	1	.	.	1	1	.	.
9	Whooping-Cough
10	Diphtheria
16	Dysentery
11	Influenza	8	12	20	.	1	.	2	10	7	.	.	2	18	8
23	Encephalitis Lethargica	.	1	1	1	1	.
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	25	28	53	.	1	1	41	9	1	4	4	7	38	5
32-37	Other Tuberculosis	8	11	19	1	1	.	12	5	.	1	2	6	10	.
43-49	Cancer, Malignant Disease	27	27	54	.	.	.	3	27	24	7	.	8	39	2
51	Rheumatic Fever	1	1	2	.	.	.	2	.	.	1	.	.	1	.
57	Diabetes	4	1	5	3	2	.	.	.	5	.
74	Cerebral Hæmorrhage	9	11	20	.	.	.	2	5	13	1	.	5	14	3
87-90	Heart Disease	44	43	87	.	.	.	7	36	44	3	2	14	68	11
91b	Arterial Sclerosis	1	.	1	1	.	.	.	1	.
99	Bronchitis	10	14	24	1	1	1	2	4	15	.	.	3	21	6
100-1	Pneumonia (all forms)	8	17	25	2	6	1	2	9	5	1	4	1	19	.
97-8 102-7	Other Diseases of Respiratory System	4	6	10	1	3	.	.	3	3	.	2	.	8	1
111	Ulcer of Stomach or Duodenum	2	2	4	.	.	.	1	3	.	1	.	1	2	.
113	Diarrhœa and Enteritis under 2 years	1	.	1	1	1	.
117	Appendicitis and Typhlitis	4	4	8	.	.	.	3	3	2	4	1	2	1	1
122	Cirrhosis of the Liver	2	1	3	2	1	.	.	1	2	.
128-9	Acute and Chronic Nephritis	11	5	16	.	.	.	2	7	7	1	.	2	13	1
146-7	Puerperal Sepsis	6	6	.	.	.	6	6	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	3	3	.	.	.	3	.	.	1	.	.	2	.
159-161	Congenital Debility and Malformation: Premature Birth	13	13	26	26	2	.	2	22	14
165-174	Suicide
175-203	Other Deaths from Violence	6	2	8	1	.	1	2	2	2	.	.	3	5	.
—	Other Defined Diseases	147	140	287	20	4	2	17	28	216	14	6	31	236	149
204- 205a	Causes Ill-defined or Unknown	13	18	31	1	3	1	4	12	10	.	2	.	29	21
	ALL CAUSES	349	366	715	54	20	10	109	169	353	41	23	88	563	222

VII. ADMINISTRATIVE COUNTY OF LONGFORD.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.					Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.		
1	Enteric Fever ...	1	.	1	1	1	.	
2	Typhus	
6	Small-pox	
7	Measles	
8	Scarlet Fever	
9	Whooping-Cough ...	7	16	23	10	13	23	13	
10	Diphtheria ...	1	.	1	.	1	1	.	
16	Dysentery	
11	Influenza ...	23	22	45	.	1	.	4	16	24	.	.	2	43	23	
23	Encephalitis Lethargica	
24	Meningococcal Meningitis	
31	Tuberculosis of Respiratory System ...	15	26	41	.	.	5	30	5	1	3	5	9	24	9	
32-37	Other Tuberculosis ...	2	2	4	.	2	.	1	1	.	.	.	2	2	1	
43-49	Cancer, Malignant Disease	24	15	39	.	.	.	4	19	16	3	.	7	29	5	
51	Rheumatic Fever	
57	Diabetes ...	1	1	2	.	.	.	1	1	.	.	.	1	1	1	
74	Cerebral Haemorrhage ...	3	6	9	9	.	.	1	8	1	
87-90	Heart Disease ...	21	29	50	.	.	1	5	23	21	.	3	4	43	15	
91b	Arterial Sclerosis ...	1	1	2	2	.	.	.	2	.	
99	Bronchitis ...	5	15	20	1	.	1	1	2	15	.	.	1	19	9	
100-1	Pneumonia (all forms)	12	6	18	1	3	.	6	6	2	.	4	.	14	4	
97-8	Other Diseases of Respiratory System ...	1	4	5	.	.	1	.	.	2	2	.	.	5	.	
102-7	Ulcer of Stomach or Duodenum ...	3	.	3	.	.	.	1	2	.	.	.	2	1	.	
111	Diarrhoea and Enteritis under 2 years	1	1	1	1	1	
117	Appendicitis and Typhlitis	
122	Cirrhosis of the Liver	1	1	1	1	.	
128-9	Acute and Chronic Nephritis ...	11	4	15	.	.	.	3	7	5	.	.	2	13	2	
146-7	Puerperal Sepsis	3	3	.	.	.	3	1	2	.	
143b-5	Other Accidents and Diseases of Pregnancy and Parturition	2	2	.	.	.	2	.	.	1	.	1	.	.	
159-161	Congenital Debility and Malformation: Premature Birth ...	10	10	20	20	1	.	4	15	10	
165-174	Suicide	
175-203	Other Deaths from Violence ...	5	3	8	.	1	.	4	2	1	.	.	1	7	.	
—	Other Defined Diseases	136	152	288	8	3	2	12	27	236	2	7	15	264	209	
204-205a	Causes Ill-defined or Unknown ...	15	19	34	.	1	.	3	16	14	.	1	1	32	28	
	ALL CAUSES ...	297	338	635	41	25	10	80	131	348	10	20	54	551	331	

VIII. ADMINISTRATIVE COUNTY OF LOUTH.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

Inter-national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else-where.	
1	Enteric Fever ...	2	2	4	.	.	2	1	1	.	.	.	2	2	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever ...	2	1	3	.	2	.	1	3	.	.
9	Whooping-Cough ...	7	7	14	7	7	14	1
10	Diphtheria	2	2	.	1	1	1	1	.
16	Dysentery
11	Influenza ...	13	7	20	3	.	.	4	4	9	.	.	2	18	1
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System ...	44	45	89	.	.	6	63	18	2	2	4	14	69	1
32-37	Other Tuberculosis ...	11	19	30	4	4	2	17	3	.	2	.	10	18	.
43-49	Cancer, Malignant Disease	41	34	75	.	1	.	8	38	28	8	1	12	54	1
51	Rheumatic Fever
57	Diabetes ...	1	.	1	.	.	.	1	1	.
74	Cerebral Hemorrhage ...	13	19	32	9	23	1	1	6	24	2
87-90	Heart Disease ...	60	66	126	.	.	3	8	50	65	4	5	16	101	9
91b	Arterial Sclerosis ...	6	3	9	2	7	.	1	1	7	.
99	Bronchitis ...	35	37	72	3	3	.	1	15	50	.	.	14	58	5
100-1	Pneumonia (all forms)	17	26	43	3	13	2	5	9	11	.	1	4	38	1
97-8 102-7	Other Diseases of Respiratory System ...	9	9	18	2	2	1	2	8	3	.	.	.	18	4
111	Ulcer of Stomach or Duodenum ...	4	4	8	7	1	3	.	1	4	.
113	Diarrhoea and Enteritis under 2 years ...	8	4	12	10	2	1	11	.
117	Appendicitis and Typhlitis	1	1	2	.	.	.	1	1	.	2
122	Cirrhosis of the Liver ...	2	.	2	1	1	.	.	1	1	.
128-9	Acute and Chronic Nephritis ...	7	10	17	.	2	2	2	5	6	.	1	2	14	.
146-7	Puerperal Sepsis	1	1	.	.	.	1	1	.	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	4	4	.	.	.	3	1	4	.
159-161	Congenital Debility and Malformation: Premature Birth ...	22	21	43	42	.	1	.	.	.	1	.	9	33	5
165-174	Suicide ...	4	.	4	.	.	.	1	2	1	.	1	.	3	.
175-203	Other Deaths from Violence ...	14	7	21	1	.	2	11	2	5	5	.	1	15	1
—	Other Defined Diseases	132	144	276	19	11	7	21	26	192	11	5	47	213	92
204- 205a	Causes Ill-defined or Unknown ...	7	14	21	1	3	1	1	11	4	.	1	2	18	6
	ALL CAUSES ...	462	487	949	95	51	30	152	213	408	39	21	150	739	129

IX.—ADMINISTRATIVE COUNTY OF MEATH.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere	
1	Enteric Fever
2	Typhus
6	Small-pox
7	Measles	1	.	1	.	.	.	1	.	.	1
8	Scarlet Fever
9	Whooping-Cough	2	2	4	4	4	1
10	Diphtheria
16	Dysentery
11	Influenza	13	21	34	.	.	3	1	5	25	.	.	.	34	5
23	Encephalitis Lethargica	.	1	1	1
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	33	39	72	.	.	1	54	15	2	7	4	17	44	4
32-37	Other Tuberculosis	10	13	23	2	2	1	16	1	1	4	1	3	15	.
43-49	Cancer, Malignant Disease	43	39	82	.	.	.	7	41	34	9	3	18	52	1
51	Rheumatic Fever	1	1	2	1	1	.	.	.	2	.
57	Diabetes	4	2	6	.	.	.	1	.	5	1	.	.	5	1
74	Cerebral Hæmorrhage	14	19	33	.	.	.	4	15	14	1	.	4	28	5
87-90	Heart Disease	92	57	149	.	.	.	11	37	101	4	1	32	112	7
91b	Arterial Sclerosis	6	3	9	.	.	.	1	3	5	1	.	1	7	.
99	Bronchitis	32	31	63	2	3	.	1	11	46	.	1	6	56	2
100-1	Pneumonia (all forms)	20	18	38	4	2	3	7	8	14	2	1	6	29	3
97-8 102-7	Other Diseases of Respiratory System	8	1	9	2	.	.	2	4	1	1	.	1	7	.
111	Ulcer of Stomach or Duodenum	10	1	11	.	.	.	2	8	1	2	.	.	9	.
113	Diarrhœa and Enteritis under 2 years	1	4	5	5	2	.	.	3	.
117	Appendicitis and Typhlitis	3	.	3	2	1	3
122	Cirrhosis of the Liver	1	1	2	.	.	.	1	1	.	.	.	1	1	.
128-9	Acute and Chronic Nephritis	20	14	34	.	.	.	3	16	15	3	1	3	27	.
146-7	Puerperal Sepsis	4	4	.	.	.	4	.	.	1	.	.	3	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	4	4	.	.	.	4	4	.
159-161	Congenital Debility and Malformation: Premature Birth	19	15	34	34	1	.	3	30	12
165-174	Suicide	1	.	1	.	.	.	1	1	.
175-203	Other Deaths from Violence	16	5	21	1	1	2	10	3	4	5	.	5	11	.
—	Other Defined Diseases	131	155	286	9	6	5	19	50	197	11	6	37	232	95
204- 205a	Causes Ill-defined or Unknown	15	13	28	.	1	1	5	13	8	.	1	.	27	19
	ALL CAUSES	496	463	959	63	15	16	155	235	475	60	19	137	743	155

X. ADMINISTRATIVE COUNTY OF OFFALY.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.					DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65-years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Elsewhere.
1	Enteric Fever	1	.	1	1	.	.	.	1	.	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever
9	Whooping-Cough	11	5	16	6	10	4	12	3
10	Diphtheria	1	6	7	.	2	4	1	4	3	.
16	Dysentery	1	.	1	.	.	.	1	.	.	1
11	Influenza	6	12	18	.	1	.	2	5	10	.	.	6	12	2
23	Encephalitis Lethargica	.	3	3	.	.	.	3	3	.
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	31	29	60	.	.	6	32	18	4	13	5	2	40	8
32-37	Other Tuberculosis	9	12	21	2	3	4	8	4	.	1	1	11	8	.
43-49	Cancer, Malignant Disease	38	26	64	.	.	.	5	35	24	3	1	13	47	2
51	Rheumatic Fever	1	.	1	.	.	1	1	.
57	Diabetes	6	4	10	.	.	.	2	3	5	1	.	.	9	1
74	Cerebral Hæmorrhage ...	6	3	9	.	.	.	1	3	5	.	.	1	8	.
87-90	Heart Disease	51	40	91	.	.	.	7	30	54	2	5	22	62	8
91b	Arterial Sclerosis	2	.	2	1	1	.	.	.	2	.
99	Bronchitis	16	11	27	1	3	.	1	6	16	.	.	2	25	2
100-1	Pneumonia (all forms)	30	13	43	6	4	3	5	11	14	.	1	10	32	.
97-8 102-7	Other Diseases of Respiratory System ...	2	2	4	.	.	.	2	2	.	1	.	.	3	.
111	Ulcer of Stomach or Duodenum	3	.	3	.	.	.	1	1	1	.	.	.	3	.
113	Diarrhœa and Enteritis under 2 years ...	5	2	7	5	2	7	.
117	Appendicitis and Typhlitis	3	1	4	.	.	.	2	1	1	1	.	1	2	.
122	Cirrhosis of the Liver ...	3	1	4	2	2	.	.	2	2	.
128-9	Acute and Chronic Nephritis	8	11	19	.	.	1	8	7	3	2	.	1	16	2
146-7	Puerperal Sepsis	2	2	.	.	.	2	1	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	1	1	.	.	.	1	1	1
159-161	Congenital Debility and Malformation: Premature Birth ...	10	9	19	19	5	14	9
165-174	Suicide	3	1	4	.	.	.	1	3	4	.
175-203	Other Deaths from Violence	8	2	10	.	.	1	2	6	1	2	.	2	6	1
—	Other Defined Diseases	155	153	308	6	4	6	10	36	246	3	10	62	233	142
204-205a	Causes Ill-defined or Unknown	20	17	37	.	2	1	2	15	17	.	1	4	32	23
	ALL CAUSES	430	366	796	45	31	27	99	190	404	30	24	154	588	204

XI. ADMINISTRATIVE COUNTY OF WESTMEATH.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever
2	Typhus
6	Small-pox
7	Measles	1	2	3	.	2	1	3	.
8	Scarlet Fever
9	Whooping-Cough	10	8	18	10	7	1	4	14	2
10	Diphtheria	1	.	1	.	.	.	1	1	.	.
16	Dysentery
11	Influenza	5	7	12	1	.	.	3	2	6	.	.	.	12	1
23	Encephalitis Lethargica	2	.	2	.	.	.	1	1	.	1	.	1	.	.
24	Meningococcal Meningitis	.	1	1	.	.	.	1	1	.
31	Tuberculosis of Respiratory System	56	36	92	.	4	6	58	19	5	4	10	20	58	10
32-37	Other Tuberculosis	11	10	21	2	1	7	8	2	1	.	2	10	9	1
43-49	Cancer, Malignant Disease	38	30	68	1	1	.	3	31	32	6	1	23	38	4
51	Rheumatic Fever
57	Diabetes	1	2	3	.	.	1	.	2	.	1	.	.	2	1
74	Cerebral Hæmorrhage	6	9	15	.	.	.	2	5	8	1	.	.	14	4
87-90	Heart Disease	53	42	95	.	.	1	9	37	48	1	5	21	68	10
91b	Arterial Sclerosis	1	2	3	3	.	.	.	3	.
99	Bronchitis	15	17	32	5	3	.	2	6	16	1	.	3	28	6
100-1	Pneumonia (all forms)	26	16	42	6	4	3	7	8	14	3	7	3	29	3
97-8 102-7	Other Diseases of Respiratory System	6	3	9	.	1	1	2	2	3	2	.	2	5	1
111	Ulcer of Stomach or Duodenum	4	2	6	.	.	.	2	3	1	1	.	1	4	1
113	Diarrhœa and Enteritis under 2 years	1	2	3	3	3	.
117	Appendicitis and Typhlitis	.	3	3	1	.	2	2	1	1
122	Cirrhosis of the Liver	4	2	6	4	2	.	.	.	6	.
128-9	Acute and Chronic Nephritis	19	16	35	.	2	2	2	17	12	1	.	17	17	3
146-7	Puerperal Sepsis	2	2	.	.	.	2	1	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	4	4	.	.	.	4	.	.	1	.	.	3	.
159-161	Congenital Debility and Malformation: Premature Birth	26	17	43	43	1	.	9	23	13
165-174	Suicide	1	.	1	1	1	.
175-203	Other Deaths from Violence	18	4	22	1	2	2	9	4	4	2	1	3	16	.
—	Other Defined Diseases	157	132	289	10	4	7	15	26	227	8	20	28	233	166
204- 205a	Causes Ill-defined or Unknown	14	21	35	.	2	2	5	11	15	.	1	.	34	27
	ALL CAUSES	476	390	866	83	33	36	136	181	397	34	47	149	636	254

XII.—ADMINISTRATIVE COUNTY OF WEXFORD.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.					Un-certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmeries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.			
1	Enteric Fever
2	Typhus
6	Small-pox
7	Measles	1	1	.	1	1	.	.
8	Scarlet Fever	3	3	.	1	.	2	2	1	.	.	.
9	Whooping-Cough	2	3	5	2	3	5	.	4	.
10	Diphtheria	3	3	.	.	1	.	2	.	.	.	1	2	.	.	.
16	Dysentery
11	Influenza	10	9	19	4	.	1	4	3	7	.	.	3	16	7	.	.
23	Encephalitis Lethargica	1	.	1	.	.	.	1	1
24	Meningococcal Meningitis	1	.	1	1	.	1
31	Tuberculosis of Respiratory System	45	64	109	.	2	5	83	17	2	5	4	12	88	7	.	.
32-37	Other Tuberculosis	29	26	55	4	7	13	22	8	1	.	2	9	44	1	.	.
43-49	Cancer, Malignant Disease	46	47	93	.	.	.	12	42	39	5	1	22	65	7	.	.
51	Rheumatic Fever	2	1	3	.	.	.	3	.	.	.	1	.	2	.	.	.
57	Diabetes	7	1	8	.	.	.	2	2	4	.	.	3	5	2	.	.
74	Cerebral Hæmorrhage	21	23	44	.	.	.	4	14	26	.	1	2	41	5	.	.
87-90	Heart Disease	105	107	212	.	.	1	13	79	119	2	3	26	181	28	.	.
91b	Arterial Sclerosis	4	1	5	2	3	1	.	.	4	.	.	.
99	Bronchitis	50	52	102	17	14	2	4	18	47	4	1	11	86	22	.	.
100-1	Pneumonia (all forms)	39	15	54	7	6	2	3	12	24	3	.	6	45	5	.	.
97-8 102-7	Other Diseases of Respiratory System	15	15	30	1	2	.	7	12	8	.	6	1	23	4	.	.
111	Ulcer of Stomach or Duodenum	2	2	4	.	.	.	2	2	4	.	.	.
113	Diarrhœa and Enteritis under 2 years	5	8	13	12	1	13	.	.	.
117	Appendicitis and Typhlitis	4	1	5	.	.	3	2	.	.	2	.	2	1	.	.	.
122	Cirrhosis of the Liver	4	1	5	.	.	.	1	2	2	.	.	.	5	.	.	.
128-9	Acute and Chronic Nephritis	27	23	50	.	2	1	6	22	19	1	1	13	35	5	.	.
146-7	Puerperal Sepsis	1	1	.	.	.	1	1	.	.	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	5	5	.	.	.	4	1	5	2	.	.
159-161	Congenital Debility and Malformation: Premature Birth	31	19	50	49	.	.	1	.	.	1	.	11	38	27	.	.
165-174	Suicide	4	.	4	.	.	.	1	1	2	.	1	1	2	.	.	.
175-203	Other Deaths from Violence	15	7	22	1	4	3	3	6	5	.	.	6	16	.	.	.
—	Other Defined Diseases	270	278	548	29	13	16	31	59	400	4	16	44	484	250	.	.
204- 205a	Causes Ill-defined or Unknown	32	20	52	1	10	.	1	28	12	2	.	6	44	27	.	.
	ALL CAUSES	771	736	1,507	127	66	48	213	333	720	31	37	182	1,257	403	.	.

XIII. ADMINISTRATIVE COUNTY OF WICKLOW.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	3	.	3	.	.	1	2	1	2	.
2	Typhus
6	Small-pox
7	Measles	7	2	9	2	6	1	9	.
8	Scarlet Fever	1	1	.	.	1	.	.	.	1
9	Whooping-Cough	1	1	2	1	1	2	.
10	Diphtheria	1	.	1	.	1	1	.
16	Dysentery	1	.	1	.	1	1	.
11	Influenza	14	23	37	2	3	.	9	14	9	.	1	2	34	7
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	39	29	68	.	1	4	48	14	1	8	4	4	52	5
32-37	Other Tuberculosis	14	7	21	.	8	5	5	3	.	4	.	1	16	1
43-49	Cancer, Malignant Disease	24	20	44	.	.	.	6	20	18	6	.	6	32	.
51	Rheumatic Fever	1	1	1	1	.
57	Diabetes	3	2	5	.	.	.	3	1	1	.	.	1	4	1
74	Cerebral Hæmorrhage	22	18	40	.	.	.	4	14	22	1	1	.	38	2
87-90	Heart Disease	58	60	118	.	1	.	10	37	70	7	2	14	95	9
91b	Arterial Sclerosis	4	.	4	1	3	.	2	.	2	.
99	Bronchitis	19	21	40	3	1	.	2	9	25	.	2	.	38	5
100-1	Pneumonia (all forms)	33	27	60	9	7	2	5	18	19	3	.	1	56	5
97-8 102-7	Other Diseases of Respiratory System	6	4	10	1	1	.	4	.	4	1	.	.	9	2
111	Ulcer of Stomach or Duodenum	4	1	5	.	.	.	2	3	.	2	.	.	3	1
113	Diarrhoea and Enteritis under 2 years	1	4	5	4	1	5	.
117	Appendicitis and Typhlitis	1	3	4	.	1	2	1	.	.	4
122	Cirrhosis of the Liver
128-9	Acute and Chronic Nephritis	17	7	24	.	.	.	2	10	12	5	.	1	18	1
146-7	Puerperal Sepsis	4	4	.	.	.	4	.	.	2	.	1	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	2	2	.	.	.	2	2	.
159-161	Congenital Debility and Malformation: Premature Birth	21	18	39	39	1	.	4	34	14
165-174	Suicide	1	1	2	.	.	.	1	1	2	.
175-203	Other Deaths from Violence	9	5	14	1	2	3	5	1	2	3	.	1	10	.
—	Other Defined Diseases	119	116	235	16	4	4	28	31	152	20	6	34	175	71
204- 205a	Causes Ill-defined or Unknown	10	8	18	.	4	.	1	5	8	1	.	3	14	10
	ALL CAUSES	432	385	817	78	43	23	144	183	346	69	18	74	656	134

XIV. ADMINISTRATIVE COUNTY OF CLARE.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	4	.	4	.	.	1	2	1	.	.	.	3	1	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever	2	2	1	.	1	.	.	.	1	.	.	1	1
9	Whooping-Cough	3	2	5	3	2	5	5
10	Diphtheria
16	Dysentery
11	Influenza	8	12	20	1	2	2	7	6	2	.	1	3	16	4
23	Encephalitis Lethargica	1	1	2	.	.	1	1	2	.
24	Meningococcal Meningitis	1	.	1	.	1	1	.
31	Tuberculosis of Respiratory System	53	62	115	1	1	5	82	26	.	.	9	53	53	11
32-37	Other Tuberculosis	14	6	20	.	1	6	10	3	.	1	3	4	12	1
43-49	Cancer, Malignant Disease	45	37	82	.	.	.	10	40	32	3	1	26	52	5
51	Rheumatic Fever	2	2	4	.	.	2	1	1	.	.	.	1	3	1
57	Diabetes	9	2	11	.	.	1	3	2	5	1	.	3	7	.
74	Cerebral Hæmorrhage	14	14	28	.	.	.	3	6	19	2	.	6	20	3
87-90	Heart Disease	59	70	129	.	.	.	18	33	78	1	11	27	90	24
91b	Arterial Sclerosis	1	2	3	1	2	.	.	.	3	.
99	Bronchitis	31	31	62	4	5	1	4	8	40	.	1	18	43	12
100-1	Pneumonia (all forms)	29	19	48	3	6	4	4	17	14	.	4	10	34	6
97-8 102-7	Other Diseases of Respiratory System	13	9	22	.	2	.	2	5	13	.	.	5	17	2
111	Ulcer of Stomach or Duodenum	6	4	10	.	.	.	3	3	4	1	.	1	8	.
113	Diarrhoea and Enteritis under 2 years	2	2	4	2	2	2	2	.
117	Appendicitis and Typhlitis	2	1	3	.	.	.	2	1	.	1	.	1	1	.
122	Cirrhosis of the Liver	2	1	3	.	.	.	1	1	1	.	1	.	2	.
128-9	Acute and Chronic Nephritis	21	11	32	.	.	1	8	12	11	.	1	9	22	2
146-7	Puerperal Sepsis	1	1	.	.	.	1	1	.	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	3	3	.	.	.	3	3	.
159-161	Congenital Debility and Malformation: Premature Birth	26	19	45	44	.	.	1	.	.	1	.	18	26	10
165-174	Suicide	1	2	3	.	.	.	1	2	3	.
175-203	Other Deaths from Violence	12	5	17	.	1	.	4	9	3	1	.	7	9	2
—	Other Defined Diseases	290	280	570	23	9	7	33	40	458	9	11	85	465	326
204- 205a	Causes Ill-defined or Unknown	29	20	49	1	5	1	10	15	17	.	.	2	47	30
	ALL CAUSES	678	620	1,298	83	37	33	214	232	690	22	43	285	948	445

XV. ADMINISTRATIVE COUNTY OF CORK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year, 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmarys, Gen. & Spec. Hospitals.	Mental Hospitals.	Country Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	4	2	6	.	.	.	3	3	.	1	1	2	2	.
2	Typhus	1	1	1	.	.	.	1	.	.
6	Small-pox
7.	Measles	5	1	6	3	2	1	6	.
8	Scarlet Fever	1	1	2	.	2	1	.	.	1	.
9	Whooping-Cough	15	23	38	19	16	3	7	31	2
10	Diphtheria	3	8	11	1	5	3	1	1	.	2	.	8	1	.
16	Dysentery	1	.	1	.	7	.	.	1	1	.
11	Influenza	31	47	78	6	4	6	11	16	35	3	.	4	71	12
23	Encephalitis Lethargica	2	4	6	1	.	2	3	5	1	.
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	168	176	344	1	4	12	251	68	8	27	37	68	212	42
32-37	Other Tuberculosis	31	35	66	5	5	15	25	13	3	9	3	13	41	4
43-49	Cancer, Malignant Disease	143	127	270	.	.	1	28	151	90	24	2	52	192	3
51	Rheumatic Fever	3	9	12	1	.	3	6	2	.	.	.	1	11	1
57	Diabetes	4	14	18	.	.	.	2	4	12	4	.	2	12	.
74	Cerebral Hæmorrhage	72	66	138	1	.	.	2	46	89	4	1	14	119	18
87-90	Heart Disease	261	304	565	.	1	4	39	191	330	14	41	97	413	52
91b	Arterial Sclerosis	9	13	22	.	.	.	1	8	13	2	1	1	18	.
99	Bronchitis	94	77	171	16	3	.	12	42	98	5	2	25	139	30
100-1	Pneumonia (all forms)	115	88	203	26	22	7	36	51	61	12	21	31	139	7
97-8 102-7	Other Diseases of Respiratory System	43	23	66	5	2	4	12	16	27	5	2	6	53	12
111	Ulcer of Stomach or Duodenum	17	7	24	.	.	.	6	15	3	5	.	3	16	2
113	Diarrhoea and Enteritis under 2 years	26	17	43	37	6	7	.	6	30	2
117	Appendicitis and Typhlitis	11	12	23	.	1	5	9	6	2	10	.	5	8	.
122	Cirrhosis of the Liver	7	3	10	7	3	5	.	.	5	.
128-9	Acute and Chronic Nephritis	34	34	68	.	1	3	7	31	26	2	2	9	55	3
146-7	Puerperal Sepsis	18	18	.	.	.	17	1	.	2	.	5	11	1
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	12	12	.	.	.	11	1	.	2	.	3	7	1
159-161	Congenital Debility and Malformation: Premature Birth	58	72	130	125	4	.	1	.	.	5	.	20	105	40
165-174	Suicide	5	1	6	.	.	.	1	4	1	.	.	.	6	.
175-203	Other Deaths from Violence	54	15	69	1	10	5	21	19	13	7	.	10	52	3
—	Other Defined Diseases	655	672	1,327	55	31	27	99	122	993	51	38	113	1,125	597
204- 205a	Causes Ill-defined or Unknown	55	32	87	3	4	2	10	26	42	2	2	.	83	55
	ALL CAUSES	1,927	1,914	3,841	306	123	103	614	846	1,849	211	153	511	2,966	887

XVI. COUNTY BOROUGH OF CORK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un- certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	
1	Enteric Fever	4	1	5	.	.	1	2	2	.	2	.	3	.	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever	1	1	2	.	2	1	.	.	1	.
9	Whooping-Cough	1	1	2	2	2	.	.
10	Diphtheria	5	1	6	1	2	3	.	.	.	4	.	2	.	.
16	Dysentery
11	Influenza	3	4	7	.	1	.	1	.	5	.	1	.	6	.
23	Encephalitis Lethargica	2	1	3	.	.	.	3	.	.	.	1	2	.	.
24	Meningococcal Meningitis	1	.	1	.	1	1	.
31	Tuberculosis of Respira- tory System	59	77	136	2	5	7	98	21	3	37	6	31	62	.
32-37	Other Tuberculosis	20	18	38	8	14	3	12	1	.	7	1	10	20	.
43-49	Cancer, Malignant Disease	50	44	94	.	1	.	20	48	25	18	1	26	49	.
51	Rheumatic Fever	2	2	4	.	.	.	3	1	.	1	.	.	3	.
57	Diabetes	1	1	1	1	.
74	Cerebral Hæmorrhage ...	13	30	43	.	.	.	2	14	27	4	2	16	21	.
87-90	Heart Disease	104	131	235	.	.	4	26	89	116	17	14	74	130	3
91b	Arterial Sclerosis	6	4	10	5	5	1	.	1	8	.
99	Bronchitis	45	43	88	8	3	1	10	26	40	6	.	7	75	.
100-1	Pneumonia (all forms)	29	38	67	14	12	1	13	15	12	11	6	14	36	.
97-8 102-7	Other Diseases of Res- piratory System	13	9	22	1	.	.	8	5	8	2	.	1	19	.
111	Ulcer of Stomach or Duodenum	3	2	5	.	.	.	1	2	2	2	.	.	3	.
113	Diarrhœa and Enteritis under 2 years	32	13	45	35	10	2	.	.	43	2
117	Appendicitis and Typhlitis	4	6	10	.	1	3	6	.	.	6	.	4	.	.
122	Cirrhosis of the Liver ...	2	.	2	.	.	.	1	1	.	1	.	.	1	.
128-9	Acute and Chronic Nephritis	13	8	21	1	1	1	6	7	5	3	.	4	14	.
146-7	Puerperal Sepsis	5	5	.	.	.	5	.	.	2	.	2	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	5	5	.	.	.	5	.	.	2	.	.	3	.
159-161	Congenital Debility and Malformation: Pre- mature Birth	19	20	39	39	2	.	13	24	8
165-174	Suicide	3	2	5	.	.	.	3	1	1	2	.	.	3	.
175-203	Other Deaths from Vio- lence	19	6	25	.	3	3	12	4	3	14	.	2	9	.
—	Other Defined Diseases	138	140	278	29	23	7	34	35	150	37	20	43	178	17
204- 205a	Causes Ill-defined or Unknown	11	12	23	.	1	1	3	15	3	1	.	3	19	1
	ALL CAUSES	602	625	1,227	140	80	35	274	293	405	185	52	260	730	31

XVII. ADMINISTRATIVE COUNTY OF KERRY.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	5	8	13	.	.	4	9	11	2	1
2	Typhus	1	.	1	.	.	.	1	1	.	.
6	Small-pox
7	Measles	9	4	13	2	7	3	1	13	3
8	Scarlet Fever
9	Whooping-Cough	3	6	9	5	3	1	9	3
10	Diphtheria	1	3	4	.	1	3	.	.	.	1	.	2	1	.
16	Dysentery
11	Influenza	27	18	45	4	.	2	7	10	22	.	.	13	32	13
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	88	71	159	2	6	3	113	33	2	8	8	56	87	12
32-37	Other Tuberculosis	21	12	33	2	5	3	17	5	1	1	2	9	21	1
43-49	Cancer, Malignant Disease	47	52	99	.	.	.	12	56	31	5	.	25	69	4
51	Rheumatic Fever	2	3	5	.	.	1	4	5	.
57	Diabetes	3	4	7	.	.	1	.	5	1	1	.	3	3	.
74	Cerebral Hæmorrhage	10	16	26	.	.	.	2	8	16	2	1	3	20	3
87-90	Heart Disease	102	85	187	.	1	3	18	68	97	5	4	43	135	42
91b	Arterial Sclerosis	5	.	5	2	3	1	.	2	2	.
99	Bronchitis	56	34	90	7	4	3	3	21	52	.	.	16	74	34
100-1	Pneumonia (all forms)	38	21	59	4	6	2	17	13	17	2	2	1	54	9
97-8 102-7	Other Diseases of Respiratory System	9	11	20	.	.	1	2	7	10	2	.	4	14	9
111	Ulcer of Stomach or Duodenum	6	5	11	1	.	.	5	3	2	3	1	1	6	.
113	Diarrhoea and Enteritis under 2 years	16	14	30	29	1	9	21	3
117	Appendicitis and Typhlitis	2	2	4	.	.	1	2	1	.	2	.	.	2	.
122	Cirrhosis of the Liver	1	1	1	.	.	.	1	.
128-9	Acute and Chronic Nephritis	12	12	24	.	.	2	4	9	9	1	3	5	15	.
146-7	Puerperal Sepsis	9	9	.	.	.	9	.	.	1	.	2	6	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	7	7	.	.	.	7	.	.	1	.	1	5	1
159-161	Congenital Debility and Malformation: Premature Birth	29	37	66	66	2	.	9	55	41
165-174	Suicide	3	1	4	.	.	.	2	2	4	.
175-203	Other Deaths from Violence	14	9	23	.	4	2	8	4	5	1	.	8	14	4
—	Other Defined Diseases	347	368	715	13	8	9	43	53	589	17	13	22	663	518
204- 205a	Causes Ill-defined or Unknown	36	34	70	1	3	2	10	23	31	1	.	3	66	54
	ALL CAUSES	892	847	1,739	136	49	46	296	323	889	57	34	249	1,399	755

XVIII. ADMINISTRATIVE COUNTY OF LIMERICK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925

Inter-national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	2	.	2	.	.	.	2	.	.	1	.	1	.	.
2	Typhus
6	Small-pox
7	Measles	1	.	1	.	1	1	.
8	Scarlet Fever	1	1	2	.	1	1	2	.
9	Whooping-Cough	4	2	6	3	2	1	6	1
10	Diphtheria	13	4	17	.	2	14	1	11	6	.
16	Dysentery	2	.	2	1	1	.	2	.	.	.
11	Influenza	14	8	22	4	.	2	4	3	9	.	.	6	16	2
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	60	39	99	.	.	3	70	21	5	5	10	20	64	7
32-37	Other Tuberculosis	13	13	26	2	7	1	11	4	1	3	3	10	10	.
43-49	Cancer, Malignant Disease	43	34	77	.	.	.	10	37	30	14	.	11	52	3
51	Rheumatic Fever	2	2	.	.	.	2	1	1	.
57	Diabetes	3	3	6	.	.	.	2	2	2	.	.	2	4	.
74	Cerebral Hæmorrhage	20	18	38	.	.	1	1	10	26	.	2	1	35	5
87-90	Heart Disease	75	71	146	.	.	2	15	53	76	2	4	19	121	26
91b	Arterial Sclerosis	4	.	4	2	2	.	.	.	4	.
99	Bronchitis	27	24	51	5	3	1	4	7	31	.	.	5	46	11
100-1	Pneumonia (all forms)	28	27	55	8	11	3	1	17	15	1	1	4	49	6
97-8 102-7	Other Diseases of Respiratory System	19	12	31	2	3	.	1	10	15	2	.	3	26	7
111	Ulcer of Stomach or Duodenum	8	2	10	.	.	.	4	3	3	3	.	.	7	1
113	Diarrhœa and Enteritis under 2 years	10	3	13	12	1	3	10	.
117	Appendicitis and Typhlitis	4	2	6	.	.	3	1	1	1	3	.	.	3	1
122	Cirrhosis of the Liver	1	1	1	1	.
128-9	Acute and Chronic Nephritis	18	17	35	.	1	1	5	15	13	4	1	3	27	1
146-7	Puerperal Sepsis	7	7	.	.	.	7	.	.	1	.	5	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	9	9	.	.	.	8	1	.	.	.	3	6	.
159-161	Congenital Debility and Malformation: Premature Birth	43	36	79	78	1	6	.	22	51	28
165-174	Suicide	3	.	3	3	3	.
175-203	Other Deaths from Violence	18	9	27	2	3	3	3	9	7	3	.	5	19	.
—	Other Defined Diseases	250	279	529	26	10	3	35	56	399	9	13	84	423	262
204- 205a	Causes Ill-defined or Unknown	30	21	51	2	8	2	7	18	14	1	.	5	45	33
	ALL CAUSES	713	644	1,357	144	54	41	194	274	650	58	36	224	1,039	394

XIX. COUNTY BOROUGH OF LIMERICK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever ...	2	2	4	.	.	2	2	4	.	.
2	Typhus ...	1	.	1	.	.	.	1	1	.	.
6	Small-pox
7	Measles ...	2	1	3	.	2	1	3	.
8	Scarlet Fever
9	Whooping-Cough
10	Diphtheria ...	2	5	7	1	4	2	6	1	.	
16	Dysentery
11	Influenza ...	4	4	8	.	1	.	1	3	3	.	.	2	6	.
23	Encephalitis Lethargica	1	.	1	.	.	.	1	.	.	1
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System ...	29	27	56	.	.	1	41	13	1	2	3	25	26	.
32-37	Other Tuberculosis ...	7	8	15	.	3	2	9	1	.	4	.	2	9	.
43-49	Cancer, Malignant Disease	20	13	33	.	1	1	2	18	11	4	1	17	11	.
51	Rheumatic Fever	3	3	.	.	2	1	3	.
57	Diabetes	2	2	1	1	.	.	.	2	.
74	Cerebral Hæmorrhage ...	9	9	18	.	.	.	1	10	7	.	1	4	13	1
87-90	Heart Disease ...	14	29	43	.	1	1	7	22	12	.	.	20	23	4
91b	Arterial Sclerosis ...	1	1	2	2	1	.	.	1	.
99	Bronchitis ...	40	55	95	6	10	3	10	36	30	1	.	21	73	9
100-1	Pneumonia (all forms)	13	15	28	3	4	4	6	8	3	2	.	8	18	1
97-8 102-7	Other Diseases of Respiratory System ...	6	4	10	.	2	1	3	3	1	2	.	1	7	1
111	Ulcer of Stomach or Duodenum ...	1	.	1	1	1
113	Diarrhœa and Enteritis under 2 years	3	5	8	6	2	1	.	.	7	.
117	Appendicitis and Typhlitis	1	1	2	.	1	.	1	.	.	2
122	Cirrhosis of the Liver ...	2	.	2	2	2	.
128-9	Acute and Chronic Nephritis ...	2	7	9	.	.	.	2	6	1	.	.	1	8	.
146-7	Puerperal Sepsis	1	1	.	.	.	1	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	2	2	.	.	.	2	.	.	2
159-161	Congenital Debility and Malformation: Premature Birth ...	14	16	30	30	12	.	6	12	2
165-174	Suicide
175-203	Other Deaths from Violence ...	6	2	8	.	2	1	3	1	1	3	.	.	5	1
—	Other Defined Diseases	81	108	189	56	20	10	14	18	71	5	4	46	134	48
204- 205a	Causes Ill-defined or Unknown ...	7	5	12	.	3	1	1	3	4	.	.	2	10	2
	ALL CAUSES ...	268	325	593	102	56	32	109	145	149	43	9	166	375	69

XX. ADMINISTRATIVE COUNTY OF TIPPERARY (NORTH RIDING).—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever
9	Whooping-Cough	3	4	7	3	4	7	1
10	Diphtheria	1	1	2	.	1	1	1	1	.
16	Dysentery
11	Influenza	11	6	17	.	1	.	2	4	10	1	.	4	12	2
23	Encephalitis Lethargica	.	3	3	.	.	.	2	1	.	.	.	1	2	.
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	35	33	68	.	.	1	54	12	1	9	4	14	41	4
32-37	Other Tuberculosis	11	6	17	2	2	2	7	4	.	2	.	5	10	.
43-49	Cancer, Malignant Disease	27	20	47	.	.	.	5	21	21	2	.	16	29	.
51	Rheumatic Fever	1	.	1	.	.	.	1	1	.
57	Diabetes	1	3	4	.	.	1	2	1	4	1
74	Cerebral Hæmorrhage	12	11	23	.	.	.	1	4	18	.	.	.	23	4
87-90	Heart Disease	56	53	109	.	.	2	7	40	60	1	3	21	84	17
91b	Arterial Sclerosis	1	.	1	1	.	.	.	1	.
99	Bronchitis	25	22	47	5	2	.	1	13	26	.	.	7	40	12
100-1	Pneumonia (all forms)	19	7	26	1	4	1	3	7	10	.	.	7	19	2
97-8 102-7	Other Diseases of Respiratory System	6	2	8	.	1	.	1	4	2	2	.	.	6	.
111	Ulcer of Stomach or Duodenum	5	1	6	.	.	.	4	1	1	2	.	2	2	.
113	Diarrhœa and Enteritis under 2 years	7	.	7	7	7	1
117	Appendicitis and Typhlitis	3	.	3	.	1	.	2	.	.	2	.	1	.	.
122	Cirrhosis of the Liver	1	2	3	3	.	.	2	1	.
128-9	Acute and Chronic Nephritis	14	12	26	1	.	.	6	6	13	2	.	8	16	3
146-7	Puerperal Sepsis	4	4	.	.	.	3	1	.	1	.	2	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	5	5	.	.	.	5	.	.	1	.	.	4	1
159-161	Congenital Debility and Malformation: Premature Birth	20	10	30	29	1	3	.	5	22	10
165-174	Suicide	1	1	.	.	.	1	1	.
175-203	Other Deaths from Violence	10	2	12	1	2	.	3	4	2	.	.	5	7	1
—	Other Defined Diseases	179	171	350	7	7	2	23	41	270	7	13	48	282	180
204-205a	Causes Ill-defined or Unknown	16	13	29	.	3	1	3	8	14	.	1	.	28	18
	ALL CAUSES	464	392	856	56	29	11	136	172	452	35	21	149	651	257

XXI. ADMINISTRATIVE COUNTY OF TIPPERARY (SOUTH RIDING).—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

Inter-national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.					DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Else-where.
1	Enteric Fever	4	2	6	.	.	2	4	3	3	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever	1	.	1	.	.	1	1	.
9	Whooping-Cough	5	2	7	5	2	7	.
10	Diphtheria	1	1	.	.	1	1	.	.
16	Dysentery
11	Influenza	7	4	11	.	.	.	3	2	6	1	3	2	5	.
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	62	63	125	1	2	5	87	26	4	5	8	35	77	4
32-37	Other Tuberculosis	19	20	39	1	8	10	14	5	1	3	1	16	19	2
43-49	Cancer, Malignant Disease	44	38	82	.	.	.	12	41	29	1	4	27	50	5
51	Rheumatic Fever	1	.	1	.	.	.	1	1	.
57	Diabetes	5	4	9	.	1	.	.	3	5	.	.	.	9	.
74	Cerebral Hæmorrhage ...	24	32	56	1	.	.	3	21	31	1	2	18	35	1
87-90	Heart Disease	73	76	149	.	.	1	19	39	90	.	.	40	109	19
91b	Arterial Sclerosis	5	.	5	2	3	.	.	.	5	.
99	Bronchitis	37	40	77	12	5	1	3	14	42	.	2	11	64	8
100-1	Pneumonia (all forms)	40	29	69	6	10	3	16	10	24	3	.	15	51	2
97-8 102-7	Other Diseases of Respiratory System ...	9	4	13	.	.	.	2	4	7	1	.	2	10	.
111	Ulcer of Stomach or Duodenum	3	2	5	.	.	.	1	3	1	.	.	.	5	.
113	Diarrhœa and Enteritis under 2 years ...	12	8	20	20	1	19	2
117	Appendicitis and Typhlitis	2	2	4	.	.	1	3	3	1	.
122	Cirrhosis of the Liver ...	6	.	6	3	3	.	.	1	5	.
128-9	Acute and Chronic Nephritis	18	9	27	.	.	.	2	10	15	.	.	5	22	1
146-7	Puerperal Sepsis	5	5	.	.	.	5	1	4	1
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	3	3	.	.	.	3	3	1
159-161	Congenital Debility and Malformation: Premature Birth ...	24	17	41	39	2	14	27	7
165-174	Suicide
175-203	Other Deaths from Violence	14	7	21	.	7	1	6	5	2	1	.	10	10	2
—	Other Defined Diseases	193	197	390	34	8	7	16	43	282	6	22	57	305	151
204- 205a	Causes Ill-defined or Unknown	17	18	35	.	3	.	3	17	12	.	.	.	35	22
	ALL CAUSES	625	583	1,208	119	48	33	203	248	557	22	42	262	882	228

XXII. ADMINISTRATIVE COUNTY OF WATERFORD.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	1	1	.	.	.	1	1	.	.
2	Typhus	1	1	2	.	.	.	1	.	1	.	.	.	2	.
6	Small-pox
7	Measles
8	Scarlet Fever	2	2	.	1	1	.	.	.	1	.	.	1	.
9	Whooping-Cough
10	Diphtheria	3	3	1	1	1	.	.	.	1	.	.	2	.
16	Dysentery
11	Influenza	3	4	7	1	1	.	3	1	1	.	2	.	5	1
23	Encephalitis Lethargica	1	.	1	.	.	1	1	.
24	Meningococcal Meningitis	1	.	1	.	1	1	.
31	Tuberculosis of Respiratory System	33	35	68	.	.	4	49	15	.	4	3	21	40	4
32-37	Other Tuberculosis	8	8	16	3	4	4	5	.	.	1	.	4	11	1
43-49	Cancer, Malignant Disease	24	36	60	.	.	1	7	26	26	6	.	12	42	2
51	Rheumatic Fever	2	.	2	.	.	2	2	.
57	Diabetes	2	.	2	.	.	.	1	.	1	.	.	.	2	.
74	Cerebral Hæmorrhage	12	10	22	.	.	1	.	10	11	.	2	6	14	.
87-90	Heart Disease	36	31	67	.	.	1	6	20	40	2	.	12	53	10
91b	Arterial Sclerosis
99	Bronchitis	17	17	34	4	1	.	1	4	24	.	1	7	26	6
100-1	Pneumonia (all forms)	13	10	23	5	4	1	5	4	4	1	1	2	19	.
97-8 102-7	Other Diseases of Respiratory System	10	2	12	1	.	.	.	7	4	.	.	1	11	3
111	Ulcer of Stomach or Duodenum	4	3	7	6	1	.	.	.	7	.
113	Diarrhoea and Enteritis under 2 years	7	3	10	7	3	10	1
117	Appendicitis and Typhlitis	2	1	3	.	.	.	2	.	1	1	.	1	1	.
122	Cirrhosis of the Liver	3	1	4	.	.	.	1	.	3	.	.	.	4	.
128-9	Acute and Chronic Nephritis	12	7	19	.	.	1	3	7	8	.	.	3	16	1
146-7	Puerperal Sepsis
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	6	6	.	.	.	6	3	3	.
159-161	Congenital Debility and Malformation: Premature Birth	24	14	38	38	8	30	18
165-174	Suicide	3	.	3	.	.	.	1	2	3	.
175-203	Other Deaths from Violence	14	1	15	.	2	1	7	3	2	2	.	1	12	.
—	Other Defined Diseases	138	152	290	15	3	3	14	22	233	2	12	50	226	136
204- 205a	Causes Ill-defined or Unknown	11	17	28	.	3	1	4	11	9	.	1	.	27	18
	ALL CAUSES	381	365	746	75	24	23	117	138	369	21	22	132	571	201

XXIII. COUNTY BOROUGH OF WATERFORD.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere	
1	Enteric Fever
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever
9	Whooping-Cough
10	Diphtheria	1	.	1	.	1	1	.
16	Dysentery
11	Influenza	2	6	8	1	7	.	1	.	7	2
23	Encephalitis Lethargica
24	Meningococcal Meningitis	.	1	1	.	1	1	.
31	Tuberculosis of Respiratory System	20	21	41	.	1	1	26	12	1	1	.	14	26	.
32-37	Other Tuberculosis	3	4	7	1	2	1	3	.	.	2	.	.	5	.
43-49	Cancer, Malignant Disease	12	8	20	.	.	.	2	14	4	.	.	6	14	.
51	Rheumatic Fever	1	.	1	1	1	.
57	Diabetes	1	1	.	.	.	1	1	.
74	Cerebral Hæmorrhage	13	5	18	8	10	.	.	7	11	.
87-90	Heart Disease	25	32	57	.	.	.	1	21	35	.	2	14	41	.
91b	Arterial Sclerosis	1	1	2	1	1	1	.	.	1	.
99	Bronchitis	17	17	34	8	2	.	.	6	18	.	.	10	24	1
100-1	Pneumonia (all forms)	7	17	24	7	1	3	7	2	4	2	.	7	15	1
97-8 102-7	Other Diseases of Respiratory System	2	4	6	1	.	.	.	2	3	.	.	1	5	1
111	Ulcer of Stomach or Duodenum	3	.	3	3	.	1	.	1	1	.
113	Diarrhoea and Enteritis under 2 years	10	10	20	19	1	20	.
117	Appendicitis and Typhlitis	1	1	2	.	.	1	1	.	.	2
122	Cirrhosis of the Liver
128-9	Acute and Chronic Nephritis	3	6	9	.	.	.	3	5	1	.	.	3	6	.
146-7	Puerperal Sepsis	3	3	.	.	.	3	1	2	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	1	1	.	.	.	1	1	.
159-161	Congenital Debility and Malformation: Premature Birth	12	7	19	19	4	15	4
165-174	Suicide
175-203	Other Deaths from Violence	1	1	2	2	.	.	.	2	.
—	Other Defined Diseases	41	47	88	10	3	6	15	12	42	8	8	19	53	2
204- 205a	Causes Ill-defined or Unknown	5	2	7	.	1	.	1	4	1	.	.	.	7	4
	ALL CAUSES	180	195	375	65	13	12	64	92	129	17	11	87	260	15

XXIV. ADMINISTRATIVE COUNTY OF GALWAY.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	14	8	22	.	.	4	15	3	.	1	3	16	2	.
2	Typhus	1	.	1	.	.	.	1	1	.	.
6	Small-pox
7	Measles	1	.	1	.	1	1	.
8	Scarlet Fever	2	2	4	1	1	2	.	.	.	1	.	1	2	.
9	Whooping-Cough	5	3	8	4	1	3	8	5
10	Diphtheria	8	5	13	.	5	6	1	1	.	.	.	3	10	1
16	Dysentery
11	Influenza	30	38	68	3	5	2	5	8	45	.	1	24	43	24
23	Encephalitis Lethargica	.	2	2	.	.	.	1	1	.	1	.	.	1	.
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	82	109	191	1	1	6	147	32	4	23	14	43	111	23
32-37	Other Tuberculosis	24	19	43	1	5	10	22	5	.	4	.	10	29	3
43-49	Cancer, Malignant Disease	82	41	123	.	1	.	9	58	55	10	2	36	75	4
51	Rheumatic Fever	1	1	2	.	.	1	.	1	.	.	.	1	1	.
57	Diabetes	5	4	9	.	.	.	2	3	4	.	.	.	9	.
74	Cerebral Hæmorrhage	26	30	56	.	.	.	5	18	33	.	2	15	39	14
87-90	Heart Disease	104	80	184	.	.	4	19	42	119	1	1	43	139	52
91b	Arterial Sclerosis	3	3	6	1	5	1	.	.	5	.
99	Bronchitis	62	56	118	11	11	1	4	25	66	.	2	16	100	49
100-1	Pneumonia (all forms)	56	45	101	13	10	5	19	25	29	3	1	5	92	25
97-8 102-7	Other Diseases of Respiratory System	26	21	47	5	6	5	7	10	14	1	.	6	40	19
111	Ulcer of Stomach or Duodenum	6	8	14	.	.	.	4	9	1	2	.	5	7	1
113	Diarrhœa and Enteritis under 2 years	3	2	5	5	1	4	.
117	Appendicitis and Typhlitis	2	2	4	.	.	.	3	1	.	2	.	2	.	.
122	Cirrhosis of the Liver	2	.	2	.	.	.	2	2	.
128-9	Acute and Chronic Nephritis	38	24	62	.	2	.	7	26	27	4	1	15	42	3
146-7	Puerperal Sepsis	3	3	.	.	.	3	1	2	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	10	10	.	.	.	8	2	.	.	.	2	8	.
159-161	Congenital Debility and Malformation: Premature Birth	35	29	64	63	.	.	1	.	.	2	.	10	52	28
165-174	Suicide	6	2	8	.	.	.	3	5	.	.	.	2	6	.
175-203	Other Deaths from Violence	18	17	35	1	7	1	13	7	6	1	.	5	29	7
—	Other Defined Diseases	487	457	944	57	26	19	62	59	721	11	17	71	845	701
204- 205a	Causes Ill-defined or Unknown	49	52	101	3	7	2	15	33	41	.	1	.	100	80
	ALL CAUSES	1,178	1,073	2,251	168	89	71	378	375	1,170	68	45	334	1,804	1,039

XXV. ADMINISTRATIVE COUNTY OF LEITRIM.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever	2	2	4	.	.	.	3	1	.	.	.	2	2	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever	1	1	.	.	1	1	.	1
9	Whooping-Cough	10	11	21	6	13	2	1	20	14
10	Diphtheria
16	Dysentery
11	Influenza	27	40	67	2	5	2	11	11	36	.	.	2	65	49
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	30	24	54	.	.	2	37	10	5	1	4	13	36	10
32-37	Other Tuberculosis	12	4	16	1	2	3	7	2	1	1	.	8	7	.
43-49	Cancer, Malignant Disease	26	19	45	.	.	.	6	23	16	1	2	3	39	4
51	Rheumatic Fever
57	Diabetes	3	3	6	.	.	.	2	2	2	.	.	1	5	1
74	Cerebral Hæmorrhage	13	12	25	.	.	.	2	13	10	.	1	4	20	2
87-90	Heart Disease	33	19	52	.	1	.	8	13	30	.	.	12	40	14
91b	Arterial Sclerosis
99	Bronchitis	33	42	75	2	2	.	2	11	58	.	6	2	67	56
100-1	Pneumonia (all forms)	23	20	43	4	6	.	6	7	20	.	1	5	37	10
97-8 102-7	Other Diseases of Respiratory System	7	6	13	.	.	1	3	4	5	1	.	.	12	7
111	Ulcer of Stomach or Duodenum	3	1	4	2	2	.	1	.	3	.
113	Diarrhœa and Enteritis under 2 years	1	.	1	1	1	1
117	Appendicitis and Typhlitis	3	.	3	.	.	.	2	1	.	.	.	1	2	1
122	Cirrhosis of the Liver	1	.	1	1	.	.	.	1	.
128-9	Acute and Chronic Nephritis	9	11	20	9	11	1	.	4	15	4
146-7	Puerperal Sepsis	2	2	.	.	.	2	1	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	5	5	.	.	.	4	1	.	.	.	2	3	1
159-161	Congenital Debility and Malformation: Premature Birth	14	10	24	22	.	1	1	.	.	2	.	2	20	18
165-174	Suicide	4	.	4	.	.	.	1	3	.	1	.	.	3	.
175-203	Other Deaths from Violence	8	4	12	.	1	3	4	.	4	.	1	4	7	1
—	Other Defined Diseases	212	200	412	6	6	6	20	22	352	5	11	30	366	323
204- 205a	Causes Ill-defined or Unknown	35	32	67	.	5	2	6	34	20	.	.	1	66	57
	ALL CAUSES	509	468	977	44	41	23	127	169	573	13	27	99	838	573

XXVI.—ADMINISTRATIVE COUNTY OF MAYO.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.					DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un- certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Else- where.
1	Enteric Fever	3	1	4	.	.	.	4	2	2	.
2	Typhus	2	2	.	.	.	1	1	2	.
6	Small-pox
7	Measles	6	1	7	1	2	4	1	6	5	.
8	Scarlet Fever
9	Whooping-Cough	4	5	9	6	2	1	9	4	.
10	Diphtheria	4	2	6	.	5	1	2	4	.	.
16	Dysentery
11	Influenza	23	25	48	5	3	7	11	11	11	.	.	2	46	25
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respira- tory System	72	88	160	.	5	7	117	29	2	9	13	26	112	33
32-37	Other Tuberculosis	23	17	40	1	3	8	23	4	1	.	5	12	23	1
43-49	Cancer, Malignant Disease	55	45	100	.	.	.	11	46	43	7	3	11	79	7
51	Rheumatic Fever	6	6	.	.	2	3	1	6	1
57	Diabetes	7	5	12	.	.	.	2	6	4	.	.	1	11	3
74	Cerebral Hæmorrhage ...	10	15	25	8	17	.	1	4	20	7
87-90	Heart Disease	84	77	161	.	.	2	29	45	85	2	8	18	133	45
91b	Arterial Sclerosis	6	2	8	1	7	.	1	1	6	.
99	Bronchitis	51	61	112	9	7	6	4	28	58	.	9	12	91	49
100-1	Pneumonia (all forms)	59	37	96	13	13	11	19	14	26	1	.	20	75	12
97-8 102-7	Other Diseases of Respi- ratory System	21	6	27	4	1	.	5	7	10	1	.	5	21	11
111	Ulcer of Stomach or Duodenum	7	9	16	.	.	.	4	9	3	3	.	3	10	1
113	Diarrhoea and Enteritis under 2 years	2	5	7	7	7	2
117	Appendicitis and Typhliti-	7	2	9	.	.	3	3	3	.	.	.	6	3	1
122	Cirrhosis of the Liver ...	2	2	4	.	.	.	1	2	1	1	.	1	2	.
128-9	Acute and Chronic Nephritis	18	14	32	1	.	1	3	12	15	.	.	9	23	5
146-7	Puerperal Sepsis	8	8	.	.	.	8	1	7	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	6	6	.	.	.	6	2	4	2
159-161	Congenital Debility and Malformation: Pre- mature Birth	37	21	58	57	1	3	.	7	48	32
165-174	Suicide	2	.	2	.	.	.	1	1	2	.
175-203	Other Deaths from Vio- lence	29	7	36	.	5	2	14	7	8	2	.	3	31	7
—	Other Defined Diseases	599	562	1,161	41	25	18	49	68	960	5	31	100	1,025	847
204- 205a	Causes Ill-defined or Unknown	53	46	99	1	14	3	12	20	49	.	.	3	96	78
	ALL CAUSES	1,184	1,077	2,261	146	86	76	330	323	1,300	34	71	252	1,904	1,178

XXVII. ADMINISTRATIVE COUNTY OF ROSCOMMON.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1925.

Inter-national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else-where.	
1	Enteric Fever	1	.	1	.	.	.	1	1	.	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever
9	Whooping-Cough	9	10	19	6	8	5	19	13
10	Diphtheria	2	1	3	.	.	1	2	1	2	.
16	Dysentery
11	Influenza	23	11	34	1	.	.	9	12	12	.	1	2	31	12
23	Encephalitis Lethargica	1	.	1	.	1	1	.
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	29	26	55	.	.	4	40	10	1	3	4	10	38	10
32-37	Other Tuberculosis	5	5	10	.	.	.	6	3	1	1	.	3	6	2
43-49	Cancer, Malignant Disease	32	31	63	.	.	1	.	35	27	5	.	7	51	10
51	Rheumatic Fever	1	1	2	.	.	.	1	1	2	.
57	Diabetes	2	7	9	.	.	1	1	2	5	.	.	1	8	1
74	Cerebral Hæmorrhage	3	6	9	3	6	.	.	1	8	1
87-90	Heart Disease	54	40	94	.	.	.	6	36	52	2	2	10	80	32
91b	Arterial Sclerosis	1	2	3	1	2	1	.	.	2	.
99	Bronchitis	39	44	83	7	2	.	2	32	40	1	2	6	74	46
100-1	Pneumonia (all forms)	31	21	52	3	8	1	8	21	11	1	1	4	46	15
97-8 102-7	Other Diseases of Respiratory System	9	2	11	.	.	.	3	1	7	.	.	1	10	1
111	Ulcer of Stomach or Duodenum	3	3	3	.	1	.	.	2	.
113	Diarrhœa and Enteritis under 2 years	2	.	2	2	2	1
117	Appendicitis and Typhlitis	.	2	2	.	1	.	.	1	2	.
122	Cirrhosis of the Liver	3	1	4	.	.	.	1	2	1	1	.	.	3	.
128-9	Acute and Chronic Nephritis	17	6	23	.	.	1	6	11	5	2	.	7	14	1
146-7	Puerperal Sepsis	1	1	.	.	.	1	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	3	3	.	.	.	3	3	.
159-161	Congenital Debility and Malformation: Premature Birth	13	15	28	27	.	1	4	24	17
165-174	Suicide	4	1	5	.	.	.	1	1	3	1	.	.	4	.
175-203	Other Deaths from Violence	10	3	13	1	1	1	3	2	5	3	1	3	6	2
—	Other Defined Diseases	290	283	573	9	4	6	9	37	508	16	8	19	530	442
204- 205a	Causes Ill-defined or Unknown	45	72	117	1	12	2	9	44	49	.	.	3	114	106
	ALL CAUSES	626	597	1,223	57	37	24	112	258	735	38	19	83	1,083	712

XXVIII.—ADMINISTRATIVE COUNTY OF SLIGO.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.	
1	Enteric Fever
2	Typhus	1	1	.	.	.	1	1	.	.
6	Small-pox
7	Measles ...	8	4	12	3	8	.	1	12	.
8	Scarlet Fever ...	1	1	2	.	1	.	1	2	.
9	Whooping-Cough ...	4	7	11	5	4	2	1	10	6
10	Diphtheria	1	1	.	.	1	1	.	.
16	Dysentery
11	Influenza ...	14	14	28	.	.	1	7	9	11	.	2	.	26	14
23	Encephalitis Lethargica
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System ...	26	34	60	.	.	3	42	11	4	2	2	15	41	9
32-37	Other Tuberculosis ...	16	7	23	1	1	4	14	3	.	2	1	10	10	.
43-49	Cancer, Malignant Disease	31	29	60	.	1	.	6	31	22	9	1	11	39	4
51	Rheumatic Fever ...	1	3	4	.	.	1	2	1	4	.
57	Diabetes ...	4	6	10	.	.	.	3	6	1	.	.	1	9	2
74	Cerebral Hæmorrhage ...	8	11	19	7	12	.	1	.	18	1
87-90	Heart Disease ...	63	56	119	.	.	1	15	35	68	1	.	42	76	25
91b	Arterial Sclerosis	1	1	1	.	.	.	1	1
99	Bronchitis ...	19	22	41	3	.	.	7	11	20	.	2	.	39	13
100-1	Pneumonia (all forms)	30	12	42	8	2	3	7	10	12	1	.	.	41	2
97-8 102-7	Other Diseases of Respiratory System ...	18	27	45	2	2	3	9	7	22	1	1	.	43	36
111	Ulcer of Stomach or Duodenum ...	9	2	11	.	.	.	2	7	2	2	.	1	8	2
113	Diarrhoea and Enteritis under 2 years ...	1	6	7	5	2	7	1
117	Appendicitis and Typhlitis	1	3	4	.	.	1	1	2	.	3	.	.	1	.
122	Cirrhosis of the Liver ...	1	.	1	1	.	.	.	1	.	.
128-9	Acute and Chronic Nephritis ...	13	15	28	.	.	.	4	11	13	1	1	3	23	2
146-7	Puerperal Sepsis	2	2	.	.	.	2	1	1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	4	4	.	.	.	4	.	.	.	1	1	2	1
159-161	Congenital Debility and Malformation: Premature Birth ...	17	12	29	29	1	.	3	25	20
165-174	Suicide ...	2	1	3	3	3	.
175-203	Other Deaths from Violence ...	18	4	22	.	2	2	8	3	7	6	.	.	16	.
—	Other Defined Diseases	234	242	476	7	6	3	22	42	396	4	8	15	449	358
204- 205a	Causes Ill-defined or Unknown ...	25	31	56	2	5	4	5	12	28	.	.	.	56	45
	ALL CAUSES ...	564	558	1,122	65	34	29	163	212	619	33	20	107	962	542

XXIX.—ADMINISTRATIVE COUNTY OF CAVAN.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

Inter-national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.					DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un-certified Deaths.	
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Else-where.
1	Enteric Fever	4	1	5	.	.	.	2	3	.	.	3	1	1	.
2	Typhus
6	Small-pox
7	Measles
8	Scarlet Fever	2	1	3	.	3	3	.	.
9	Whooping-Cough	12	6	18	6	11	1	.	.	.	1	.	.	17	6
10	Diphtheria	1	2	3	.	.	3	2	1	.
16	Dysentery
11	Influenza	22	34	56	3	1	1	4	13	34	2	1	.	53	31
23	Encephalitis Lethargica
24	Meningococcal Meningitis	1	1	2	2	2	.
31	Tuberculosis of Respira-tory System	47	34	81	.	.	1	44	31	5	8	4	16	53	5
32-7	Other Tuberculosis ...	13	8	21	.	1	.	10	9	1	3	1	5	12	1
43-9	Cancer, Malignant Disease	43	52	95	.	1	.	10	43	41	5	1	16	73	2
51	Rheumatic Fever	4	.	4	.	.	.	4	4	1
57	Diabetes	6	4	10	.	1	.	4	1	4	.	1	2	7	.
74	Cerebral Hæmorrhage ...	25	27	52	.	.	.	1	19	32	1	2	5	44	17
87-90	Heart Disease	82	82	164	.	.	.	15	52	97	2	3	37	122	29
91b	Arterial Sclerosis	1	1	2	1	1	1	.	.	1	.
99	Bronchitis	41	44	85	7	4	2	1	12	59	.	3	1	81	40
100-1	Pneumonia (all forms)	50	18	68	7	6	4	8	15	28	2	2	4	60	6
97-8 102-7	Other Diseases of Res-piratory System	16	6	22	1	1	2	2	6	10	.	.	1	21	6
111	Ulcer of Stomach or Duodenum	11	6	17	.	.	.	4	8	5	3	.	.	14	.
113	Diarrhoea and Enteritis under 2 years	3	7	10	8	2	10	4
117	Appendicitis and Typhlitis	1	4	5	.	.	.	5	.	.	3	.	.	2	.
122	Cirrhosis of the Liver
128-9	Acute and Chronic Nephritis	23	20	43	.	.	1	4	19	19	2	.	3	38	9
146-7	Puerperal Sepsis	3	3	.	.	.	3	3	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	5	5	.	.	.	5	.	.	1	.	1	3	.
159-161	Congenital Debility and Malformation: Pre-mature Birth	16	20	36	36	2	.	7	27	11
165-174	Suicide	2	1	3	2	1	.	.	.	3	.
175-203	Other Deaths from Vio-lence	9	4	13	1	3	.	3	2	4	1	.	2	10	4
—	Other Defined Diseases	245	259	504	12	8	6	13	44	421	6	20	27	451	326
204- 205a	Causes Ill-defined or Unknown	19	30	49	.	4	1	7	18	19	.	1	1	47	39
	ALL CAUSES	699	680	1,379	83	46	22	149	298	781	43	42	134	1,160	537

XXX. ADMINISTRATIVE COUNTY OF DONEGAL.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1925.

International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.					Un-certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Elsewhere.		
1	Enteric Fever	3	1	4	.	.	.	2	1	1	.	.	3	1	.	
2	Typhus	
6	Small-pox	
7	Measles	8	4	12	1	7	3	1	12	8	
8	Scarlet Fever	2	2	4	.	1	2	1	1	3	.	
9	Whooping-Cough	12	12	24	10	12	2	24	11	
10	Diphtheria	4	6	10	.	3	6	.	1	.	.	.	2	8	.	
16	Dysentery	
11	Influenza	76	88	164	2	8	8	20	33	93	.	1	3	160	83	
23	Encephalitis Lethargica	.	2	2	2	.	1	.	1	.	
24	Meningococcal Meningitis	
31	Tuberculosis of Respiratory System	90	108	198	.	4	9	146	35	4	5	12	19	162	48	
32-37	Other Tuberculosis	28	45	73	5	16	13	31	8	.	1	5	11	56	7	
43-49	Cancer, Malignant Disease	83	62	145	.	.	.	10	59	76	2	3	24	116	17	
51	Rheumatic Fever	3	4	7	.	.	4	3	7	.	
57	Diabetes	6	7	13	.	.	.	3	8	2	2	.	1	10	2	
74	Cerebral Haemorrhage	39	46	85	.	.	.	5	27	53	1	2	7	75	33	
87-90	Heart Disease	118	108	226	.	.	.	21	61	144	1	5	7	213	65	
91b	Arterial Sclerosis	18	4	22	3	19	1	2	5	14	1	
99	Bronchitis	60	59	119	12	13	3	7	17	67	.	.	16	103	44	
100-1	Pneumonia (all forms)	97	64	161	20	25	7	23	38	48	2	1	8	150	25	
97-8 102-7	Other Diseases of Respiratory System	32	10	42	2	3	.	3	12	22	2	2	5	33	9	
111	Ulcer of Stomach or Duodenum	11	12	23	.	.	.	5	9	9	.	.	5	18	5	
113	Diarrhoea and Enteritis under 2 years	6	7	13	11	2	1	.	.	12	5	
117	Appendicitis and Typhlitis	1	2	3	.	.	.	1	1	1	.	.	3	.	.	
122	Cirrhosis of the Liver	1	.	1	.	.	.	1	1	1	
128-9	Acute and Chronic Nephritis	44	17	61	1	1	2	6	22	29	1	1	8	51	13	
146-7	Puerperal Sepsis	6	6	.	.	.	6	6	.	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	8	8	.	.	.	8	.	.	1	.	2	5	1	
159-161	Congenital Debility and Malformation: Premature Birth	52	44	96	92	4	2	.	11	83	58	
165-174	Suicide	2	.	2	.	.	.	2	2	.	
175-203	Other Deaths from Violence	27	10	37	.	5	1	12	10	9	3	.	4	30	4	
—	Other Defined Diseases	413	487	900	20	23	22	54	72	709	10	30	63	797	570	
204- 205a	Causes Ill-defined or Unknown	44	49	93	5	6	1	5	33	43	1	.	.	92	69	
	ALL CAUSES	1,280	1,274	2,554	181	133	83	376	452	1,329	36	65	208	2,245	1,079	

XXXI. ADMINISTRATIVE COUNTY OF MONAGHAN.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the year 1925.

Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	AGES AT DEATH.						DEATHS IN INSTITUTIONS AND ELSEWHERE.				Un- certified Deaths.
					Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	
1	Enteric Fever	1	.	1	1	.	.	.	1	.	
2	Typhus	
6	Small-pox	
7	Measles	1	2	3	1	2	3	2	
8	Scarlet Fever	
9	Whooping-Cough	7	4	11	3	8	11	3	
10	Diphtheria	1	.	1	.	1	1	.	.	
16	Dysentery	
11	Influenza	19	34	53	2	1	.	4	21	25	.	2	5	46	
23	Encephalitis Lethargica	2	1	3	.	.	1	2	3	.	
24	Meningococcal Meningitis	
31	Tuberculosis of Respira- tory System	28	50	78	1	1	3	58	13	2	9	7	9	53	
32-37	Other Tuberculosis	4	5	9	.	2	2	5	.	.	1	.	.	8	
43-49	Cancer, Malignant Disease	32	31	63	.	.	.	7	26	30	5	1	9	48	
51	Rheumatic Fever	1	2	3	.	.	.	2	1	.	.	.	1	2	
57	Diabetes	1	4	5	.	.	.	2	.	3	.	.	.	5	
74	Cerebral Hæmorrhage ...	39	40	79	.	.	.	4	27	48	.	2	5	72	
87-90	Heart Disease	60	59	119	.	.	.	10	47	62	1	3	9	106	
91b	Arterial Sclerosis	
99	Bronchitis	42	64	106	7	4	.	2	22	71	.	2	5	99	
100-1	Pneumonia (all forms)	33	24	57	4	4	1	6	13	29	.	2	6	49	
97-8 102-7	Other Diseases of Res- piratory System	18	10	28	1	3	.	5	11	8	1	.	3	24	
111	Ulcer of Stomach or Duodenum	3	2	5	.	.	.	2	2	1	2	1	.	2	
113	Diarrhoea and Enteritis under 2 years	4	4	8	8	8	
117	Appendicitis and Typhlitis	2	3	5	.	.	1	3	1	.	3	.	1	1	
122	Cirrhosis of the Liver ...	2	.	2	1	1	.	.	.	2	
128-9	Acute and Chronic Nephritis	14	18	32	.	1	.	5	11	15	1	.	3	28	
146-7	Puerperal Sepsis	1	1	.	.	.	1	.	.	1	.	.	.	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	4	4	.	.	.	4	.	.	1	.	.	3	
159-161	Congenital Debility and Malformation: Pre- mature Birth	14	9	23	20	1	.	2	.	.	1	.	3	19	
165-174	Suicide	1	.	1	.	.	.	1	1	
175-203	Other Deaths from Vio- lence	17	9	26	.	3	2	9	8	4	4	.	1	21	
—	Other Defined Diseases	152	168	320	12	11	5	17	44	231	9	11	25	275	
204- 205a	Causes Ill-defined or Unknown	27	18	45	1	4	.	6	19	15	.	1	.	44	
	ALL CAUSES	525	566	1,091	60	46	15	157	268	545	39	32	86	934	

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925,
DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	CAUSES OF DEATH, ETC.	SAORSTÁT ÉIREANN.*		PROVINCE OF LEINSTER.†		CARLOW COUNTY.		DUBLIN COUNTY.								
		Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Carlow U.D.	Total R.D.'s	Black-rock U.D.	Dalkey U.D.	Dun Laoghaire U.D.	Howth U.D.	Killiney and Ballybrack U.D.	Pembroke U.D.	Rathmines & Rathgar U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES ...	13,477	30,173	8,762	8,790	97	417	124	41	296	43	23	491	542	1,560	983
1	Enteric Fever ...	39	66	13	10	.	1	2	.	2	1
2	Typhus ...	1	8
6	Small-pox
7	Measles ...	137	61	113	27	.	4	4	1	5	10
8	Scarlet Fever ...	38	32	32	13	1	.	1	6	8	5
9	Whooping-Cough ...	164	265	143	91	.	6	2	.	4	2	.	5	6	19	15
10	Diphtheria ...	66	92	49	20	.	.	1	.	1	.	.	5	2	9	7
16	Dysentery ...	8	5	8	2	1
11	Influenza ...	235	936	158	272	8	23	2	.	10	.	.	11	13	36	35
23	Encephalitis Lethargica	21	30	12	15	3	2	5	2
24	Meningococcal Meningitis	7	5	4	2	1	1	.
31	Tuberculosis of Respiratory System ...	1,374	2,293	873	706	7	28	13	3	21	2	5	45	52	141	94
32-7	Other Tuberculosis ...	386	620	264	230	3	6	6	1	4	2	.	9	19	41	43
43-9	Cancer, Malignant Disease	963	1,838	628	615	7	19	11	6	25	6	4	44	53	149	66
51	Rheumatic Fever ...	27	63	11	16	1	1	2	3	4
57	Diabetes ...	48	174	35	52	.	4	2	1	1	.	.	4	2	10	1
74	Cerebral Hæmorrhage ...	467	845	303	249	5	14	5	1	19	2	2	23	29	81	38
87-90	Heart Disease ...	1,747	3,218	1,057	1,102	22	62	27	10	47	1	3	61	76	225	88
91B	Arterial Sclerosis ...	94	103	67	34	1	1	2	.	2	.	.	4	9	17	4
99	Bronchitis ...	1,098	1,561	729	437	2	23	4	2	19	2	.	18	34	79	68
100-1	Pneumonia (all forms) ...	975	1,363	724	392	1	13	6	4	22	1	1	37	36	107	62
97-8 102-7	Other Diseases—Respiratory System ...	264	473	188	104	1	4	1	.	3	1	.	11	13	29	19
111	Ulcer of Stomach or Duodenum ...	67	203	41	54	1	1	.	.	1	.	1	1	1	4	5
113	Diarrhoea and Enteritis under 2 years ...	484	156	343	44	1	.	2	.	8	1	.	11	18	40	18
117	Appendicitis and Typhlitis ...	56	100	31	30	.	3	1	.	.	2	.	2	4	9	2
122	Cirrhosis of the Liver ...	33	57	17	26	1	.	.	.	1	.	.	2	3	6	1
128-9	Acute and Chronic Nephritis ...	434	694	321	236	4	8	5	1	15	1	1	25	21	69	25
146-7	Puerperal Sepsis ...	40	85	21	25	.	1	1	.	1	2	3
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition ...	49	117	32	36	.	2	1	.	1	.	.	3	1	6	2
159-161	Congenital Debility and Malformation: Premature Birth ...	738	1,045	537	371	3	16	7	6	20	4	3	39	22	101	57
165-174	Suicide ...	23	65	13	22	4	1	5	2
175-203	Other Deaths from Violence ...	243	485	166	149	3	5	3	.	4	2	.	11	9	29	24
	Other Defined Diseases ...	2,958	11,866	1,716	3,092	24	154	21	5	64	13	3	99	101	306	217
204- 205A	Causes Ill-defined or Unknown ...	198	1,249	113	316	2	14	1	1	3	.	.	6	5	16	14
	Deaths under one year of age ...	2,070	2,146	1,444	742	10	33	16	6	42	6	3	66	63	202	148
	„ 65 years and upwards	4,158	15,801	2,549	4,210	37	214	53	13	126	15	4	174	225	610	300
	Uncertified Deaths ...	550	11,183	167	2,295	9	128	.	1	5	.	.	5	7	18	29
	Number of Births ...	21,269	40,800	13,821	11,868	171	512	198	78	422	76	30	685	777	2,266	1,536
	Population (Census 1926, unrevised)	862,008	2,110,794	546,821	602,090	7,175	27,329	9,931	4,135	18,992	4,032	2,069	33,395	40,367	112,921	76,327

* Including County Boroughs.

† Including Dublin County Borough (see page 31).

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925,
DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

Inter national List Nos.	CAUSES OF DEATH, ETC.	KILDARE COUNTY.				KILKENNY COUNTY.		LEIX COUNTY.	LONGFORD COUNTY.				LOUTH COUNTY.			
		Athy U.D.	Naas U.D.	Total U.D.'s	Total R.D.'s	Kilkenny U.D.	Total R.D.'s	Total R.D.'s	Granard U.D.	Longford U.D.	Total U.D.'s	Total R.D.'s	Drogheda U.D.	Dundalk U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES ...	55	50	105	674	149	925	715	16	64	80	555	189	194	383	566
1	Enteric Fever	1	.	2	1	.	2	2	2
2	Typhus
6	Small-pox
7	Measles	1
8	Scarlet Fever	2	.	.	1	3
9	Whooping Cough	5	1	5	.	.	3	3	20	.	6	6	8
10	Diphtheria	1	.	2	1	2	.	2	.
16	Dysentery
11	Influenza	17	3	26	20	.	8	8	37	3	3	6	14
23	Encephalitis Lethargica	6	1
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System ...	2	6	8	64	12	72	53	2	8	10	31	19	25	44	45
32-7	Other Tuberculosis	2	2	15	4	25	19	.	1	1	3	3	10	13	17
43-9	Cancer, Malignant Disease ...	2	4	6	68	15	41	54	3	5	8	31	13	12	25	50
51	Rheumatic Fever	1	.	3	2
57	Diabetes	2	2	6	1	5	5	.	.	.	2	1	.	1	.
74	Cerebral Hemorrhage ...	3	.	3	13	5	31	20	.	3	3	6	5	8	13	19
87-90	Heart Disease ...	19	8	27	114	23	123	87	1	2	3	47	23	34	57	69
91B	Arterial Sclerosis	1	2	1	1	.	1	1	1	2	3	6
99	Bronchitis ...	3	3	6	23	11	41	24	.	6	6	14	18	8	26	46
100-1	Pneumonia (all forms) ...	1	2	3	32	4	33	25	1	3	4	14	7	11	18	25
107-8	Other Diseases—Respiratory System	1	1	8	1	11	10	1	3	4	1	8	3	11	7
111	Ulcer of Stomach or Duodenum	5	2	7	4	1	.	1	2	1	4	5	3
113	Diarrhoea and Enteritis under 2 years ...	2	1	3	3	3	4	1	.	.	.	1	2	9	11	1
117	Appendicitis and Typhlitis	1	1	1	8	2	2	.
122	Cirrhosis of the Liver	2	.	2	3	.	.	.	1	.	.	.	2
128-9	Acute and Chronic Nephritis ...	3	1	4	20	2	18	16	.	3	3	12	4	3	7	10
146-7	Puerperal Sepsis	1	6	.	1	1	2	1	.	1	.
143B-5	Other Accidents and Diseases of Pregnancy and Parturition ...	1	1	2	6	.	7	3	.	.	.	2	.	1	1	3
159-161	Congenital Debility and Malformation: Premature Birth	3	3	38	11	48	26	.	4	4	16	14	8	22	21
165-174	Suicide ...	1	.	1	1	.	4	1	1	3
175-203	Other Deaths from Violence ...	1	.	1	16	2	12	8	.	1	1	7	3	4	7	14
—	Other Defined Diseases ...	15	16	31	197	43	354	287	4	13	17	271	55	37	92	184
204-205A	Causes Ill-defined or Unknown ...	2	.	2	15	4	38	31	2	.	2	32	6	1	7	14
	Deaths under one year of age ...	3	6	9	59	20	80	54	1	6	7	34	26	30	56	39
	„ 65 years and upwards ...	27	20	47	285	54	447	353	7	21	28	320	61	51	112	296
	Uncertified Deaths	71	19	313	222	2	9	11	320	7	9	16	113
	Number of Births ...	69	76	145	1,023	243	1,177	994	29	84	113	700	310	343	653	718
	Population (Census 1926, unrevised)	3,459	3,443	6,902	51,133	10,056	60,909	51,549	1,270	3,682	4,952	34,379	12,688	14,007	26,695	35,992

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925,
DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

Inter- national List Nos.	CAUSES OF DEATH, ETC.	MEATH COUNTY.					OFFALY.				WESTMEATH COUNTY.		WEXFORD COUNTY.				
		Cean- nanus Mor U.D.	An Uaimh U.D.	Trim U.D.	Total U.D.'s	Total R.D.'s	Birr U.D.	Tulla- more U.D.	Total U.D.'s	Total R.D.'s	Athlone U.D.	Total R.D.'s	Ennis- corthy U.D.	New Ross U.D.	Wex- ford U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES	22	60	17	99	860	61	98	159	637	93	773	102	88	183	373	1,134
1	Enteric Fever	1
2	Typhus
6	Small-pox
7	Measles	1	3	1
8	Scarlet Fever	1	1	.	.	2	1
9	Whooping-Cough	.	1	.	1	3	.	9	9	7	2	16	5
10	Diphtheria	1	1	2	5	.	1	.	1	.	1	2
16	Dysentery	1	1
11	Influenza	3	4	.	7	27	2	5	7	11	1	11	2	.	2	4	15
23	Encephalitis Lethargica	1	.	.	1	3	.	2	1
24	Meningococcal Meningitis	1	1
31	Tuberculosis of Respiratory System	3	4	.	7	65	7	6	13	47	15	77	6	6	13	25	84
32-7	Other Tuberculosis	1	4	1	6	17	1	3	4	17	2	19	.	.	21	21	34
43-9	Cancer, Malignant Disease	3	3	3	9	73	7	3	10	54	8	60	7	8	13	28	65
51	Rheumatic Fever	2	.	.	.	1	3
57	Diabetes	6	.	1	1	9	.	3	.	1	1	2	6
74	Cerebral Hæmorrhage	1	2	1	4	29	.	2	2	7	.	15	1	2	13	16	28
87-90	Heart Disease	2	7	2	11	138	12	11	23	68	16	79	14	22	23	59	153
91B	Arterial Sclerosis	9	.	.	.	2	2	1	.	.	2	2	3
99	Bronchitis	2	2	4	8	55	2	6	8	19	4	23	10	10	21	41	61
100-1	Pneumonia (all forms)	1	2	.	3	35	5	9	14	29	1	41	2	2	10	14	40
97-3 102-7	Other Diseases—Respiratory System	.	1	2	3	6	1	.	1	3	2	7	6	1	2	9	21
111	Ulcer of Stomach or Duodenum	.	1	.	1	10	.	.	.	3	1	5	4
113	Diarrhoea and Enteritis under 2 years	.	1	.	1	4	1	2	3	4	.	3	5	3	1	9	4
117	Appendicitis and Typhlitis	3	.	.	.	4	.	3	.	1	.	1	4
122	Cirrhosis of the Liver	.	1	.	1	1	.	.	.	4	.	6	1	.	.	1	4
128-9	Acute and Chronic Nephritis	.	8	.	8	26	4	1	5	14	4	31	6	2	4	12	38
146-7	Puerperal Sepsis	4	.	.	.	2	.	2	.	.	1	1	.
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	1	.	.	1	3	.	.	.	1	2	2	.	.	1	1	4
159-161	Congenital Debility and Malformation: Pre-mature Birth	1	2	1	4	30	1	4	5	14	3	40	2	4	6	12	38
165-174	Suicide	1	.	.	.	4	.	1	4
175-203	Other Deaths from Violence	1	2	1	4	17	1	.	1	9	10	12	1	1	3	5	17
—	Other Defined Diseases	2	13	2	17	269	15	33	48	260	19	270	37	23	40	100	448
204- 203A	Causes Ill-defined or Unknown	.	2	.	2	26	1	1	2	35	1	34	1	1	5	7	45
	Deaths under one year of age	2	5	2	9	54	4	12	16	29	12	71	8	13	18	39	88
	„ 65 years and upwards	7	19	3	34	441	25	37	62	342	25	372	42	33	73	148	572
	Uncertified Deaths	2	1	.	3	152	11	5	16	188	6	243	3	9	20	32	371
	Number of Births	54	90	30	174	1,048	89	108	197	855	173	1,005	131	132	301	564	1,458
	Population (Census 1926, unrevised)	2,198	3,649	1,325	7,172	55,737	3,391	4,924	8,315	44,206	7,546	49,250	5,545	5,009	11,870	22,424	73,888

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	CAUSES OF DEATH, ETC.	WICKLOW COUNTY.					PROVINCE OF MUNSTER.*		CLARE COUNTY.				CORK COUNTY.			
		Arklow U.D.	Bri Chualann U.D.	Wicklow U.D.	Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Ennis U.D.	Kilrush U.D.	Total U.D.'s	Total R.D.'s	Clonakilty U.D.	Cobh U.D.	Fermoy U.D.	Kinsale U.D.
	ALL CAUSES ...	46	122	48	216	601	3,806	9,484	85	69	154	1,144	37	132	70	45
1	Enteric Fever ...	1	1	.	2	1	20	21	.	3	3	1
2	Typhus	1	4
6	Small-pox
7	Measles	2	2	7	12	11
8	Scarlet Fever	1	3	8	1	.	1	1
9	Whooping-Cough	1	.	1	1	17	57	.	.	.	5	.	.	2	.
10	Diphtheria	1	17	35	1	.	.
16	Dysentery	1	.	3
11	Influenza ...	1	.	.	1	36	51	172	2	1	3	17	.	3	.	6
23	Encephalitis Lethargica	9	7	.	.	.	2	.	.	2	.
24	Meningococcal Meningitis	2	2	.	.	.	1
31	Tuberculosis of Respiratory System ...	7	11	4	22	46	401	810	5	7	12	108	8	13	11	4
32-37	Other Tuberculosis ...	1	4	1	6	15	95	182	1	.	1	19	.	2	2	1
43-49	Cancer, Malignant Disease ...	4	3	3	10	34	267	597	11	1	12	70	2	12	4	2
51	Rheumatic Fever	1	1	.	12	23	1	.	1	3
57	Diabetes	5	8	53	1	.	1	10
74	Cerebral Haemorrhage ...	3	7	1	11	29	137	273	.	2	2	26	.	9	1	1
87-90	Heart Disease ...	7	28	9	44	74	588	1,099	11	8	19	110	3	29	17	8
91B	Arterial Sclerosis	4	25	29	.	.	.	3	3	1	1	2
99	Bronchitis ...	2	4	4	10	30	315	434	12	3	15	47	1	7	2	2
100-1	Pneumonia (all forms) ...	1	11	5	17	43	195	407	5	6	11	37	2	4	3	1
97-8 102-7	Other Diseases—Respiratory System ...	2	1	.	3	7	52	158	.	1	1	21	.	7	.	.
111	Ulcer of Stomach or Duodenum	5	19	63	.	.	.	10	.	1	.	.
113	Diarrhoea and Enteritis under 2 years	2	2	4	1	126	74	.	1	1	3	.	4	4	1
117	Appendicitis and Typhlitis	3	.	3	1	20	40	.	.	.	3	.	1	.	2
122	Cirrhosis of the Liver	13	19	.	.	.	3	.	1	.	.
128-9	Acute and Chronic Nephritis ...	2	4	.	6	18	80	190	2	2	4	28	1	2	1	4
146-7	Puerperal Sepsis	4	18	35	.	.	.	1	.	.	1	.
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	1	1	1	12	41	.	.	.	3
159-161	Congenital Debility and Malformation: Premature Birth ...	2	7	3	12	27	168	349	2	6	8	37	1	2	1	1
165-174	Suicide	2	9	16	.	.	.	3	1	.	.	.
175-203	Other Deaths from Violence ...	2	4	.	6	8	58	161	1	.	1	16	.	4	.	.
—	Other Defined Diseases ...	11	31	12	54	131	988	3,738	28	25	53	517	15	27	17	8
204- 205A	Causes Ill-defined or Unknown	18	68	323	2	3	5	44	.	2	1	2
	Deaths under one year of age ...	3	15	7	25	53	521	705	6	10	16	67	3	12	9	4
	„ 65 years and upwards ...	18	43	17	78	268	1,233	4,865	38	31	69	630	12	49	25	20
	Uncertified Deaths ...	3	.	1	4	130	258	3,024	3	14	17	428	2	9	3	7
	Number of Births ...	114	180	76	370	842	6,020	13,851	116	69	185	1,488	58	137	114	57
	Population (Census 1926, unrevised)	4,526	8,639	3,027	16,192	41,391	249,261	721,772	5,517	3,346	8,863	86,165	2,771	7,070	4,505	2,881

* Including the County Boroughs of Cork, Limerick, and Waterford (see pp. 44, 47 and 51).

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925,
DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	CAUSES OF DEATH, ETC.	CORK COUNTY—continued.								KERRY COUNTY.					LIMERICK COUNTY.
		Macroom U.D.	Mallow U.D.	Middleton U.D.	Passage West U.D.	Skibbereen U.D.	Youghal U.D.	Total U.D.'s	Total R.D.'s	Killarney U.D.	Listowel U.D.	Tralace U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s
	ALL CAUSES	31	67	57	32	34	79	584	3,257	76	47	137	260	1,479	1,357
1	Enteric Fever	6	.	.	4	4	9	2
2	Typhus	1	1	.
6	Small-pox
7	Measles	.	5	5	1	.	.	4	4	9	1
8	Scarlet Fever	2	2	.
9	Whooping-Cough	.	7	9	29	9	6
10	Diphtheria	1	10	4	17
16	Dysentery	1	2
11	Influenza	2	11	67	2	3	2	7	38	22
23	Encephalitis Lethargica	2	4
24	Meningococcal Meningitis
31	Tuberculosis of Respiratory System	2	2	7	7	2	6	62	282	13	5	13	31	128	99
32-7	Other Tuberculosis	1	2	.	.	.	2	10	56	1	1	5	7	26	26
43-9	Cancer, Malignant Disease	4	4	2	3	6	7	46	224	10	4	9	23	76	77
51	Rheumatic Fever	1	1	11	.	1	1	2	3	2
57	Diabetes	.	1	1	17	7	6
74	Cerebral Hæmorrhage	.	3	3	2	1	2	22	116	2	1	1	4	22	38
87-90	Heart Disease	5	11	10	6	6	16	111	454	14	9	20	43	144	146
91B	Arterial Sclerosis	1	1	9	13	.	.	1	1	4	4
99	Bronchitis	3	4	3	.	2	3	27	144	2	5	7	14	76	51
100-1	Pneumonia (all forms)	1	2	9	1	1	8	32	171	1	.	7	8	51	55
97-8 102-7	Other Diseases—Respiratory System	.	1	1	.	.	1	10	56	20	31
111	Ulcer of Stomach or Duodenum	.	1	1	.	.	.	3	21	2	.	2	4	7	10
113	Diarrhœa and Enteritis under 2 years	1	1	.	1	.	.	12	31	8	4	9	21	9	13
117	Appendicitis and Typhlitis	3	20	1	1	.	2	2	6
122	Cirrhosis of the Liver	3	4	6	1	1
128-9	Acute and Chronic Nephritis	1	5	2	.	.	2	18	50	1	.	5	6	18	35
146-7	Puerperal Sepsis	1	17	1	1	2	4	5	7
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	1	1	11	7	9
159-161	Congenital Debility and Malformation: Premature Birth	1	5	2	2	1	5	21	109	6	1	5	12	54	79
165-174	Suicide	1	.	2	4	.	1	.	1	3	3
175-203	Other Deaths from Violence	.	.	2	1	.	1	8	61	1	1	3	5	18	27
—	Other Defined Diseases	10	12	13	8	14	20	144	1,183	11	8	36	55	660	529
204- 205A	Causes Ill-defined or Unknown	.	.	2	1	.	.	8	79	.	1	1	2	68	51
	Deaths under one year of age	4	17	2	4	3	9	67	239	17	7	18	42	94	144
	„ 65 years and upwards	13	14	23	10	19	34	219	1,630	27	20	44	91	798	650
	Uncertified Deaths	2	8	4	1	5	8	47	840	5	10	16	31	724	394
	Number of Births	46	111	63	59	54	102	801	4,384	66	67	246	379	2,696	2,274
	Population (Census 1926, unrevised.)	2,413	4,562	2,731	3,024	2,620	5,340	37,917	249,337	5,325	2,908	10,536	18,769	132,096	100,244

Deaths from Several Causes, 1925.

SAORSTAT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	CAUSES OF DEATH, ETC.	TIPPERARY NORTH RIDING.					TIPPERARY SOUTH RIDING.					WATERFORD COUNTY.		PROVINCE OF CONNAUGHT.		
		Nenagh U.D.	Templemore U.D.	Thurles U.D.	Total U.D.'s	Total R.D.'s	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Total U.D.'s	Total R.D.'s	Dungarvan U.D.	Total R.D.'s	Total U.D.'s	Total R.D.'s
	ALL CAUSES ...	85	28	68	181	675	83	43	125	92	343	865	89	657	587	7,247
1	Enteric Fever	3	.	1	.	4	2	.	1	6	25
2	Typhus	2	.	4
6	Small-pox
7	Measles	12	8	
8	Scarlet Fever	1	.	2	.	7	
9	Whooping-Cough ...	4	.	.	4	3	.	2	.	2	5	.	.	1	67	
10	Diphtheria ...	1	.	1	2	1	.	3	.	23	
16	Dysentery	
11	Influenza ...	1	.	.	1	16	4	.	1	1	6	5	.	7	14	
23	Encephalitis Lethargica	2	1	.	3	1	3	
24	Meningococcal Meningitis	1	.	
31	Tuberculosis of Respiratory System ...	11	.	8	19	49	17	3	11	4	35	90	9	59	66	
32-7	Other Tuberculosis ...	1	1	1	3	14	3	3	5	1	12	27	2	14	20	
43-9	Cancer, Malignant Disease	4	3	3	10	37	5	4	10	7	26	56	3	57	46	
51	Rheumatic Fever	1	1	.	2	3	
57	Diabetes ...	1	.	.	1	3	.	.	1	.	1	8	.	2	4	
74	Cerebral Hæmorrhage ...	1	2	.	3	20	3	2	10	7	22	34	5	17	9	
87-90	Heart Disease ...	14	5	14	33	76	5	7	16	14	42	107	5	62	65	
91B	Arterial Sclerosis	1	.	.	1	.	1	4	.	.	1	
99	Bronchitis ...	10	.	2	12	35	7	4	7	12	30	47	.	34	27	
100-1	Pneumonia (all forms) ...	1	3	3	7	19	2	1	4	7	14	55	4	19	37	
97-8 102-7	Other Diseases—Respiratory System	8	.	.	2	1	3	10	.	12	15	
111	Ulcer of Stomach or Duodenum	6	.	.	.	1	1	4	2	5	4	
113	Diarrhœa and Enteritis under 2 years	3	.	1	4	3	2	.	2	6	10	10	5	5	10	
117	Appendicitis and Typhlitis	1	.	.	1	2	4	.	3	2	
122	Cirrhosis of the Liver	1	1	2	2	.	1	.	3	3	1	3	2	
123-9	Acute and Chronic Nephritis ...	1	1	3	5	21	.	.	1	3	4	23	4	15	24	
146-7	Puerperal Sepsis ...	1	.	.	1	3	1	.	2	.	3	2	.	.	.	
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	.	1	.	1	4	.	.	.	1	1	2	1	5	2	
159-161	Congenital Debility and Malformation: Premature Birth ...	3	1	5	9	21	1	3	9	4	17	24	13	25	23	
165-174	Suicide ...	1	.	.	1	3	1	
175-203	Other Deaths from Violence	12	2	1	3	3	9	12	.	15	14	
—	Other Defined Diseases ...	22	10	25	57	293	23	13	34	20	90	300	34	256	169	
204-205A	Causes ill defined or Unknown ...	2	.	1	3	26	3	.	4	.	7	28	1	27	10	
	Deaths under one year of age ...	8	3	6	17	39	11	5	19	14	49	70	23	52	77	
	„ 65 years and upwards ...	33	14	26	73	379	29	21	38	31	119	438	23	310	202	
	Uncertified Deaths ...	6	3	8	17	240	11	1	10	2	24	204	7	194	1,041	
	Number of Births ...	144	55	99	298	941	94	68	211	147	520	1,213	121	855	993	
	Population (Census 1926, unrevised)	4,517	2,230	4,796	11,543	48,073	4,675	2,945	8,989	5,554	22,163	59,167	5,202	46,690	43,523	

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925,
DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

Inter-national List Nos.	CAUSES OF DEATH, ETC.	GALWAY COUNTY.				LEITRIM COUNTY.	MAYO COUNTY.					ROS-COMMON COUNTY.	SLIGO COUNTY.		PROVINCE OF ULSTER (pt. of)	
		Ballina-sloe U.D.	Galway U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Ballina U.D.	Castle-bar U.D.	West-port U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Sligo U.D.	Total R.D.'s	Total U.D.'s	Total R.D.'s
	ALL CAUSES ...	44	219	263	1,988	977	80	32	46	158	2,103	1,223	166	956	322	4,702
1	Enteric Fever ...		4	4	18	4	2			2	2	1				10
2	Typhus ...				1						2			1		
6	Small-pox ...															
7	Measles ...	1		1							7		11	1		15
8	Scarlet Fever ...				4	1								2	3	4
9	Whooping-Cough ...				8	21					9	19	1	10	3	50
10	Diphtheria ...				13						6	3		1		14
16	Dysentery ...															
11	Influenza ...	2	6	8	60	67	2		2	4	44	34	2	26	12	261
23	Encephalitis Lethargica ...				2							1				5
24	Meningococcal Meningitis ...														1	1
31	Tuberculosis of Respiratory System ...	3	26	29	162	54	7	7	4	18	142	55	19	41	34	323
32-7	Other Tuberculosis ...	2	4	6	37	16	1	1	1	3	37	10	11	12	7	96
43-9	Cancer, Malignant Disease ...	3	21	24	99	45	3	1	3	7	93	63	15	45	22	281
51	Rheumatic Fever ...				2		1			1	5	2	2	2	1	13
57	Diabetes ...	1	1	2	7	6			1	1	11	9	1	9	1	27
74	Cerebral Hæmorrhage ...	5	1	6	50	25	1			1	24	9	2	17	18	198
87-90	Heart Disease ...	5	21	26	158	52	9	1	7	17	144	94	22	97	37	472
91B	Arterial Sclerosis ...		1	1	5						8	3		1	1	23
99	Bronchitis ...	1	11	12	106	75	5	3	2	10	102	83	5	36	22	288
100-1	Pneumonia (all forms) ...	1	12	13	88	43	5	5	3	13	83	52	11	31	19	267
97-8 102-7	Other Diseases—Respiratory System ...	2	5	7	40	13	5		1	6	21	11	2	43	9	83
111	Ulcer of Stomach or Duodenum ...	1	2	3	11	4	1			1	15	3		11	3	42
113	Diarrhœa and Enteritis under 2 years ...		2	2	3	1	1			1	6	2	7		5	26
117	Appendicitis and Typhlitis ...		2	2	2	3					9	2		4	3	10
122	Cirrhosis of the Liver ...		1	1	1	1					4	4	1		1	2
128-9	Acute and Chronic Nephritis ...	1	12	13	49	20	1		1	2	30	23	9	19	9	127
146-7	Puerperal Sepsis ...				3	2					8	1		2	1	9
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition ...		2	2	8	5					6	3		4	3	14
159-161	Congenital Debility and Malformation: Premature Birth ...	2	11	13	51	24	2	1	1	4	54	28	6	23	10	145
165-174	Suicide ...				8	4					2	5	1	2		6
175-203	Other Deaths from Violence ...	1	6	7	28	12	2	1	1	4	32	13	3	19	5	71
—	Other Defined Diseases ...	12	62	74	870	412	29	12	19	60	1,101	573	35	441	85	1,639
204-205A	Causes Ill-defined or Unknown ...	1	6	7	94	67	3			3	96	117		56	7	180
	Deaths under one year of age ...	5	32	37	131	44	9	4	4	17	129	57	23	42	28	296
	„ 65 years and upwards ...	17	63	80	1,090	573	32	16	20	68	1,232	735	54	565	124	2,531
	Uncertified Deaths ...	8	31	39	1,000	573	15	3	9	27	1,151	712	15	527	44	1,901
	Number of Births ...	83	383	466	3,235	984	118	85	84	287	3,045	1,558	240	991	435	5,268
	Population (Census 1926, unrevised)	5,243	14,223	19,466	149,845	55,888	4,872	4,256	3,490	12,618	160,043	83,504	11,439	59,954	22,403	277,698

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1925,
DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	CAUSES OF DEATH, ETC.	CAVAN COUNTY.					DONEGAL COUNTY.					MONAGHAN COUNTY.					
		Bel-turbet U.D.	Cavan U.D.	Coote-hill U.D.	Total U.D.'s	Total R.D.'s	Bun-crana U.D.	Bun-doran U.D.	Letter-kenny U.D.	Total U.D.'s	Total R.D.'s	Carrick-macross U.D.	Castle-blayne U.D.	Clones U.D.	Monaghan U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES	29	44	27	100	1,279	29	21	29	79	2,475	34	27	39	43	143	948
1	Enteric Fever	5	4	1
2	Typhus
6	Small-pox
7	Measles	12	3
8	Scarlet Fever	.	3	.	3	4
9	Whooping-Cough	18	1	.	.	1	23	.	.	2	.	2	9
10	Diphtheria	3	.	.	.	10	1
16	Dysentery
11	Influenza	1	.	.	1	55	.	.	5	5	159	2	.	1	3	6	47
23	Encephalitis Lethargica	2	3
24	Meningococcal Meningitis	.	.	1	1	1
31	Tuberculosis of Respiratory System	2	5	2	9	72	3	1	4	8	190	3	3	3	8	17	61
32-7	Other Tuberculosis	1	.	.	1	20	8	1	.	4	69	.	.	1	1	2	7
43-9	Cancer, Malignant Disease	3	6	4	13	82	4	.	.	4	141	.	2	2	1	5	58
51	Rheumatic Fever	.	.	1	1	3	.	.	.	7	3
57	Diabetes	1	.	.	1	9	.	.	.	13	5
74	Cerebral Hæmorrhage	2	.	.	2	50	.	.	.	85	7	7	2	.	.	16	63
87-90	Heart Disease	5	9	4	18	146	3	3	1	7	219	3	1	4	4	12	107
91B	Arterial Sclerosis	2	1	.	.	1	21
99	Bronchitis	.	2	1	3	82	.	.	4	4	115	2	1	7	5	15	91
100-1	Pneumonia (all forms)	.	4	1	5	63	3	4	1	8	153	1	2	1	2	6	51
97-8 102-7	Other Diseases—Respiratory System	1	1	1	3	19	42	1	5	.	.	6	22
111	Ulcer of Stomach or Duodenum	17	1	.	.	1	22	1	.	1	.	2	3
113	Diarrhoea and Enteritis under 2 years	.	1	1	2	8	1	.	.	1	12	.	.	.	2	2	6
117	Appendicitis and Typhlitis	.	1	.	1	4	.	.	.	3	2	2	3
122	Cirrhosis of the Liver	1	1	1	1
123-9	Acute and Chronic Nephritis	2	1	.	3	40	.	1	1	2	59	.	1	1	2	4	28
146-7	Puerperal Sepsis	3	.	.	.	6	1	1	.
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	.	.	1	1	4	.	.	.	8	1	.	.	.	1	2	2
159-161	Congenital Debility and Malformation: Premature Birth	.	2	1	3	33	2	3	1	6	90	.	.	1	.	1	22
165-174	Suicide	3	.	.	.	2	1
175-203	Other Deaths from Violence	13	.	1	.	1	36	1	.	2	1	4	22
—	Other Defined Diseases	10	9	9	28	476	7	5	12	24	876	8	5	11	9	33	287
204- 205A	Causes Ill defined or Unknown	1	.	.	1	48	.	2	.	2	91	2	.	.	2	4	41
	Deaths under one year of age	.	5	3	8	75	4	4	2	10	171	.	1	2	7	10	50
	„ 65 years and upwards	16	15	11	42	739	12	6	13	31	1,298	11	12	15	13	51	494
	Uncertified Deaths	7	3	3	13	524	3	7	7	17	1,062	5	1	5	3	14	315
	Number of Births	34	75	34	143	1,408	51	25	38	114	2,876	25	30	58	65	178	984
	Population (Census 1926, unrevised)	1,305	3,056	1,534	5,895	76,552	2,309	1,337	2,308	5,954	146,557	2,000	1,553	2,358	4,643	10,554	54,539

I.—Statement showing, by Sexes, the Population of Saorstát Éireann area at each of the nine Censuses, 1841 to 1926, with the percentage of the Population of Ireland in each Census year.

	1841.	1851.	1861.	1871.	1881.	1891.	1901.	1911.	1926. (Unrevised).
Persons	6,547,652	5,131,761	4,402,111	4,053,187	3,870,020	3,468,694	3,221,823	3,139,688	2,972,802
Males	3,241,338	2,514,681	2,169,042	1,992,468	1,912,438	1,728,601	1,610,085	1,589,509	1,506,916
Females	3,306,314	2,617,080	2,233,069	2,060,719	1,957,582	1,740,093	1,611,738	1,550,179	1,465,886
Percentage of the Population of Ireland.									
Persons	79·9	78·1	75·9	74·9	74·8	73·7	72·3	71·5	70·3
Males	80·2	78·3	76·5	75·5	75·5	74·5	73·2	72·5	71·2
Females	79·6	77·8	75·4	74·3	74·1	72·9	71·4	70·5	69·3

II.—Statement showing, by certain Age-periods, the Population of Saorstát Éireann, according to the Census of 1911.

Ages	Persons	Males	Females	Ages	Persons	Males	Females	Ages	Persons	Males	Females
Under 5 years ...	307,165	155,887	151,278	30 and under 35 ...	217,919	111,381	106,538	60 and under 65 ...	98,264	47,334	50,930
5 and under 10 ...	310,163	157,597	152,566	35 " " 40 ...	204,739	106,205	98,534	65 " " 70 ...	108,639	52,799	55,840
10 " " 15 ...	303,149	154,182	148,967	40 " " 45 ...	175,660	92,166	83,494	70 " " 75 ...	126,899	56,347	70,552
15 " " 20 ...	303,443	155,523	147,920	45 " " 50 ...	141,976	73,690	68,286	75 " " 85 ...	82,580	40,172	42,408
20 " " 25 ...	269,058	141,288	127,770	50 " " 55 ...	137,213	69,189	68,024	85 " " 95 ...	10,767	5,171	5,596
25 " " 30 ...	236,357	117,352	119,005	55 " " 60 ...	104,634	52,776	51,858	95 and upwards ...	1,063	450	613
								TOTAL ...	3,139,688	1,589,509	1,550,179

III.—Statement showing, by sexes, the Estimated Population of Saorstát Éireann, in the middle of each of the years 1911–25.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1911	3,132,000	1,586,000	1,546,000	1916	3,068,000	1,549,000	1,519,000	1921	3,096,000	1,599,000	1,497,000
1912	3,120,000	1,581,000	1,539,000	1917	3,065,000	1,551,000	1,514,000	1922	3,022,000	1,529,000	1,493,000
1913	3,103,000	1,572,000	1,531,000	1918	3,066,000	1,553,000	1,513,000	1923	3,014,000	1,526,000	1,488,000
1914	3,092,000	1,568,000	1,524,000	1919	3,102,000	1,598,000	1,504,000	1924	3,005,000	1,521,000	1,484,000
1915	3,068,000	1,546,000	1,522,000	1920	3,103,000	1,598,000	1,505,000	1925	2,985,000	1,512,000	1,473,000

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the NUMBER or NUMBERS of each Superintendent Registrar's District in the Tables of Abstracts contained in the Report, in which the numbers run consecutively from 1 to 130.]

A.					K.			O.
Abbeyleix	14	Clonmel	83	Kanturk	54	Oldcastle	25	
Ardee	19	Cork	51, 63	Kells	23	Oughterard	97	
Athlone	30	Corofin	41	Kenmare	66	P.		
Athy	6	Croom	70	Kilkenny	11	Portumna	98	
				Killadysert	44			
				Killarney	67	R.		
B.		D.		Kilmacthomas	86	Rathdown	4	
Bailieborough	116	Delvin	31	Kilmallock	71	Rathdrum	38	
Ballina	103	Dingle	65	Kilrush	45	Rathkeale	74	
Ballinasloe	90	Donegal	120	Kinsale	55	Roscommon	112	
Ballinrobe	104	Drogheda	20			Roscrea	78	
Ballymahon	16	Dromore West	113					
Ballyshannon	119	Dublin	3, 5	L.				
Ballyvaghan	40	Dundalk	21	Letterkenny	124	S.		
Balrothery	2	Dunfanaghy	121	Limerick	72, 75	Scarriff	46	
Baltinglass	37	Dungarvan	85	Lismore	87	Shillelagh	39	
Bandon	48	Dunmanway	52	Listowel	68	Skibbereen	60	
Bantry	48	Dunshaughlin	22	Longford	18	Skull	61	
Bawnboy	117			Loughrea	95	Sligo	114	
Belmullet	105					Stranorlar	126	
Birr	27	E.				Swinford	108	
Borrisokane	76	Edenderry	28	M.				
Boyle	110	Ennis	42	Macroon	56	T.		
		Enniscorthy	33	Mallow	57	Thomastown	12	
C.		Ennistymon	43	Manorhamilton	101	Thurles	79	
Cahereiveen	64			Middleton	58	Tipperary	84	
Callan	9	F.		Millford	125	Tobercurry	115	
Carlow	1	Fermoy	53	Millstreet	125	Tralee	69	
Carriekmacross	127			Mohill	59	Trim	26	
Carriek-on-Shannon	100	G.		Monaghan	130	Tuam	99	
Carriek-on-Suir	80	Galway	92	Mount Bellew	96	Tullamore	29	
Cashel	81	Glennamaddy	93	Mountmellick	15			
Castlebar	106	Gleenties	122	Mullingar	32	U.		
Castleblayney	128	Gorey	34			Urlingford	13	
Castlecorner	10	Gort	94			W.		
Castlereagh	111	Granard	17	N.		Waterford	88, 89	
Castletown	49			Naas	8	Westport	109	
Cavan	118			Navan	24	Wexford	36	
Celbridge	7	I.		Nenagh	77	Y.		
Claremorris	107	Inishowen	123	Newcastle	73	Youghal	62	
Clifden	91			New Ross	35			
Clonkeen	32							
Clonkilty	50							
Clones	129							

APPENDIX.

Table showing the number of Searches made, number of Certificates issued, and the total amount received as Fees for same at the General Register Office, Dublin, during the 62 years 1864-1925.

YEARS.	Annual Number of Searches in the Registers.	Annual Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Annual Number of Searches in the Registers.	Annual Number of Certificates.	Amount received as Fees for Searches and Certificates.		
							£	s.	d.
1864	15	3	£ 1 10 6	1895	3,482	2,618	£ 508	8	0
1865	41	20	4 12 0	1896	4,046	3,103	596	10	6
1866	55	34	7 0 0	1897	3,917	2,960	572	3	0
1867	46	26	5 12 0	1898	4,132	3,207	613	1	2
1868	69	42	9 13 0	1899	4,133	3,201	616	13	6
1869	80	34	8 15 0	1900	4,558	3,481	672	7	6
1870	93	54	11 10 0	1901	4,843	3,733	718	18	0
1871	112	67	14 6 6	1902	4,871	3,719	716	16	6
1872	120	76	15 14 0	1903	4,944	3,796	731	12	6
1873	100	106	21 14 0	1904	5,183	3,958	769	19	7
1874	166	107	22 6 6	1905	5,110	3,954	759	8	0
1875	244	166	33 15 0	1906	5,714	4,409	849	6	0
1876	270	185	36 16 0	1907	5,877	4,544	875	0	2
1877	312	202	42 14 0	1908	5,984	4,670	894	19	7
1878	391	286	55 15 0	1909	6,220	4,761	920	8	0
1879	522	399	78 0 0	1910	6,387	4,903	944	18	4
1880	753	596	114 7 0	1911	6,128	4,773	914	9	11
1881	743	583	111 8 6	1912	6,811	5,160	998	7	2
1882	852	688	129 11 0	1913	6,811	4,972	957	9	0
1883	1,036	773	149 1 6	1914	7,552	6,140	1,137	10	0
1884	1,254	966	185 3 0	1915	7,398	5,898	1,118	7	0
1885	1,412	1,116	212 8 0	1916	7,729	6,198	1,172	1	2
1886	1,527	1,173	225 7 4	1917	8,151	6,475	1,225	13	6
1887	1,693	1,307	251 7 0	1918	10,702	8,499	1,611	11	6
1888	1,778	1,404	266 9 0	1919	11,513	8,998	1,712	16	0
1889	1,986	1,561	297 4 6	1920	11,484	8,810	1,688	2	0
1890	2,448	2,042	383 2 9	1921	11,419	8,499	1,646	0	6
1891	2,815	2,297	433 1 6	1922	18,413	7,675	1,892	9	6
1892	3,209	2,534	489 17 0	1923	19,377	8,368	2,076	0	0
1893	3,559	2,733	532 2 2	1924	23,947	14,367	3,003	0	6
1894	3,492	2,678	512 7 0	1925	[Not yet available.]		9,221	5	0*

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

* Subject to revision.