

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



AN ROINN SLAINTE

Tuarascail

AR

Staidreamh Beatha

REPORT

ON

VITAL STATISTICS

1972

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the

GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1

or through any Bookseller

Price: 70p

(Pr. 4523)

July, 1975



AN ROINN SLÁINTE

Tuarascáil

AR

Staidreamh Beatha

REPORT

ON

VITAL STATISTICS

1972

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the

GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1

or through any Bookseller

Price: 70p

CONTENTS

PART I – TEXT

	Page
GENERAL SUMMARY	vii
 MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
 BIRTHS	
Number and rate	xvi
Age at maternity, parity, duration of marriage	xvi
Multiple births	xix
 DEATHS	
Number and rate	xx
Comparison between counties	xx
Causes of death	xxiii
Tuberculosis	xxvi
Cancer	xxviii
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxiv
Pregnancy, childbirth and the puerperium	xxxiv
Infant and late foetal mortality	xxxv
Accidents, poisoning and violence	xli
Uncertified deaths	xliv
Inquests and post-mortems	xliv
 DIAGRAM 1 – Birth, marriage and death rates (per 1,000 population) 1941 to 1971	
" 2 – Standardised death rates (per 1,000 population) from all causes, 1971	xxi
" 3 – Death rates (per 1,000 population) from tuberculosis and cancer, 1944–1971	xxvii
" 4 – Death rates from lung cancer (per 100,000 population), 1961–1971	xxvii
" 5 – Infant and neo-natal mortality (per 1,000 live births), 1943–1971	xxxvii

CONTENTS—PART II—TABLES

Contents	Area	Title	Page
Population	State	Table 1 – Estimated population in thousands in each year 1851-1972.	2
Population by age	State	Table 2 – Estimated population by age 1972.	3
Population	Counties	Table 3 – Population by sex of each county and county borough according to the Census of Population, 1971.	4
Marriages, births and deaths, 1864-1972	State	Table 4 – Marriages, births and deaths and natural increase (excess of births over deaths) 1864-1972.	5
Marriage, birth and death rate, 1864-1972	State	Table 5 – Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1972.	6
Marriages, births and deaths 1961-1972	State	Table 6 – Marriages, births and deaths for the years 1961-1972 with rates per 1,000 of the population.	7
Deaths by principal causes, 1972 with rates	State and Northern Ireland	Table 7 – Deaths from principal causes in Ireland and Northern Ireland, 1972, with rates per 100,000 population.	8
Deaths by age, 1864-1972	State	Table 8 – Average annual number of deaths during the period 1864-1970 and the number of deaths in the year 1971 and 1972 classified by sex and age.	10
Death rates by age, 1864-1972	State	Table 9 – Average annual death rates for the period 1864-1970 and death rates for the year 1971 and 1972 per 1,000 corresponding population classified by sex and age.	11
Births, deaths, infant mortality and illegitimate births showing county transfers, 1972	Counties	Table 10 – Births and deaths in each county and county borough in 1972 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriage, births and deaths by sex, 1972	Counties	Table 11 – Marriages, births and deaths assigned to each county and county borough during 1972 showing separately illegitimate births and deaths from some principal causes	14
Marriage, birth and death rates 1972	Counties	Table 12 – Marriage, birth and death rates and the proportion of illegitimate births in each county and county borough and the death rates for some of the principal diseases in 1972.	15
Deaths by conjugal conditions, 1972	State	Table 13 – Deaths in 1972 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1972	Urban Districts	Table 14 – Births and deaths assigned to each urban district in 1972 classified by sex.	16
Births and deaths, 1972	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 15 – Births and deaths classified by sex in 1972 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1972	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 16 – Birth and death rates in 1972 in the principal towns and in aggregate urban and aggregate rural districts, the proportion of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1972	Agg. Urban and Agg. Rural	Table 17 – Deaths occurring in 1972 at each year of age of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by sex and age, 1972	Counties	Table 18 – Deaths occurring in 1972 classified by sex and age of residents in each county borough and county.	22
Deaths by cause and age, 1972	State	Table 19 – Deaths in 1972, classified by cause (International Detailed List, 8th Revision, 1965) and by sex and age.	26
Deaths by cause and uncertified deaths, 1972	Counties	Table 20 – Deaths of residents of each county and county borough in 1972, classified by cause and showing the number of uncertified deaths.	60

CONTENTS—PART II—TABLES

Contents	Area	Title	Page
Deaths by cause, sex and age, 1972	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21 – Deaths occurring in 1972, classified by cause (International Abbreviated List), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	80
Deaths in hospitals, 1972	Counties	Table 22 – Deaths of residents of each province, county and county borough in 1972 classified by place of occurrence.	86
Deaths not medically certified by age, 1972	Counties	Table 23 – Deaths of residents of each county and county borough in 1972 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1972	Counties	Table 24 – Deaths in 1972 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1972	Principal Towns, U.D.'s and R.D.'s	Table 25 – Infant mortality—deaths at ages under 4 weeks and 4 weeks and under one year in 1972, classified by sex and cause assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1972	State	Table 26 – Infant mortality—deaths under one year in 1972 classified by sex, age and cause (International Detailed List).	108
Infant mortality, 1972 (illegitimate infants)	State	Table 27 – Infant mortality—deaths of illegitimate infants in 1972 classified by sex, age and cause.	112
Infant mortality, 1972	Counties	Table 28 – Infant mortality—deaths at ages under 4 weeks and 4 weeks and under one year in 1972, classified by sex and cause assigned to each county and county borough.	113
Late foetal deaths, 1972	State	Table 29 – Late foetal deaths notified in 1972 classified by cause and age of mother at maternity.	120
Late foetal deaths, 1972	State	Table 30 – Late foetal deaths notified in 1972 classified by cause and period of gestation.	122
Late foetal deaths, 1972	State	Table 31 – Late foetal deaths notified in 1972 classified by cause and number of previous children.	123
Late foetal deaths, 1972	State	Table 32 – Late foetal deaths notified in 1972 classified by sex and period of gestation.	124
Late foetal deaths, 1972	State	Table 33 – Late foetal deaths notified in 1972 classified by age of mother and number of previous children.	124
Deaths occurring in each quarter, 1972	Counties	Table 34 – Deaths showing the numbers occurring in each quarter in 1972 assigned to the counties and county boroughs.	125
Births occurring in each quarter, 1972	Counties	Table 35 – Births showing the numbers in each quarter in 1972 assigned to the counties and county boroughs.	126
Births, hospital and domiciliary, 1972	Counties	Table 36 – Births in 1972 in each county and county borough showing place of occurrence and areas of normal residence.	127
Births by age of mother, 1972	State	Table 37 – Births in 1972 classified by sex and age of mother at maternity and showing the number of illegitimate births.	128
Births by age of mother, 1972	Counties	Table 38 – Births in 1972 classified by age of mother at maternity and county of normal residence.	129
Births, by age of mother and previous children, 1972	State	Table 39 – Total births in 1972 classified by age of mother at maternity and number of previous liveborn children.	134
Legitimate births by age at maternity and year of marriage, 1972	State	Table 40 – Legitimate births in 1972, classified by age of mother at maternity and year of marriage.	136

CONTENTS--PART II--TABLES

Contents	Area	Title	Page
Legitimate first births, by age of mother at maternity and year of marriage, 1972	State	Table 41 -- Legitimate first births in 1972 classified by age of mother at maternity and year of marriage.	138
Marriages, 1972	Counties	Table 42 -- Marriages registered in each county and county borough during 1972.	140
All marriages by ages of groom and bride, 1972	State	Table 43 -- Marriages registered in 1972 classified by age of groom and age of bride in single years. All marriages.	142
First marriages by ages of groom and bride, 1972	State	Table 44 -- Marriages registered in 1972 classified by age of groom and age of bride in single years. First marriages only.	144
Marriages by form of ceremony and age of groom, 1972	State	Table 45 -- Marriages registered in 1972 classified according to form of ceremony and age of groom.	146
Marriages by form of ceremony and age of bride, 1972	State	Table 46 -- Marriages registered in 1972 classified according to form of ceremony and age of bride.	146
Marriages by social group and age of groom, 1972	State	Table 47 -- Marriages registered in 1972 classified by social group and age of groom.	146
Marriages by social group and age of bride, 1972	State	Table 48 -- Marriages registered in 1972 classified by social group and age of bride.	147
Marriages by social group of groom and bride, 1972	State	Table 49 -- Marriages registered in 1972 classified by social group of groom and bride.	147
Marriage by age and area of residence of groom, 1972	Counties	Table 50 -- Marriages registered in 1972 classified by age and area of residence of groom before marriage.	148
Marriages by age and area of residence of bride, 1972	Counties	Table 51 -- Marriages registered in 1972 classified by age and area of residence of bride before marriage.	149
Marriages by areas of residence of groom and bride, 1972	Counties	Table 52 -- Marriages registered in 1972 classified by area of residence of groom and area of residence of bride before marriage.	150
Marriages with intended future residence abroad by age of groom, 1972	State	Table 53 -- Marriages registered in 1972 in which the future permanent residence was stated to be outside the country, classified by age of groom.	152
Marriages with intended future residence abroad by age of bride, 1972	State	Table 54 -- Marriages registered in 1972 in which the future permanent residence was stated to be outside the country classified by age of bride.	152
Marriages with intended future residence abroad by social group of groom, 1972	State	Table 55 -- Marriages registered in 1972 in which the future permanent residence was stated to be outside the country, classified by social group of groom.	152
Marriages with intended future residence abroad by social group of bride, 1972	State	Table 56 -- Marriages registered in 1972 in which the future permanent residence was stated to be outside the country, classified by social group of bride.	153
Marriages with intended future residence abroad by form of ceremony, 1972	State	Table 57 -- Marriages registered in 1972 in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	153
Marriages with intended future residence abroad by area of residence of groom before marriage, 1972	State	Table 58 -- Marriages registered in 1972 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	154
Marriages with intended future residence abroad by area of residence of bride before marriage, 1972	State	Table 59 -- Marriages registered in 1972 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	154
Notification of infectious diseases, 1972	State	Table 60 -- Summary of cases of infectious diseases notified to the Department of Health during the year, 1972.	155

REPORT ON VITAL STATISTICS FOR THE YEAR 1972

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of Northern Ireland.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1972 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1967 is exclusive of non-residents. From 1968 however the number of deaths includes non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

NOTE: Prior to 1970 births and deaths were classified according to year of registration. In order to comply with United Nations regulation it was decided to classify births and deaths by year of occurrence from 1970 onwards.

Because of this change in the basis of classification, those births and deaths which occurred in 1969 but were registered in 1970 have been recorded neither in the 1969 nor in the 1970 Report on Vital Statistics. The number of births excluded on this account was 2,545 and the number of deaths, 2,279. Appendix tables to the 1971 Report show these births classified by age of mother at maternity and number of previous children, while deaths are classified by cause, sex and age group.

GENERAL SUMMARY

Marriages.--There were 22,302 marriages registered during the year 1972 compared with 22,014 in 1971. The marriage rate per 1,000 population was 7.40 compared with 7.39 in 1971.

Births.--The number of births occurring during 1972 was 68,527 and the birth rate was 22.74 per 1,000 population, compared with 22.68 per 1,000 population in 1971. The number of illegitimate births registered in 1972 was 2,005 or 2.93 per cent of all births.

Deaths.--The number of deaths occurring during 1972 was 34,381 and the death rate was 11.41 per 1,000 population. In 1971 deaths numbered 31,890 and the rate was 10.71.

Of the deaths occurring in 1972, 32.54 per cent were stated to be due to ischaemic and other forms of heart disease, 16.76 per cent to malignant neoplasms, 13.69 per cent to cerebrovascular disease and 0.53 per cent to tuberculosis (all forms).

The number of deaths in 1972 from tuberculosis of all forms was 183 and the rate was 0.06 per 1,000 population, thus remaining at the same level as in 1971.

There were 5,547 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1972 was 1.84 per 1,000 population, showing no change compared with 1971.

During 1972 the number of deaths occurring of infants under one year was 1,236 compared with 1,214 in 1971 giving rates of 18.04 and 17.97 respectively per 1,000 live births.

The total number of deaths from accidents and other external causes in 1972 was 1,680 of which road vehicle accidents accounted for 647.

Marriage, birth and death rates per 1,000 population for the years 1941 to 1972 are illustrated in Diagram 1.


Issue of Authority for Registration.--Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir. The number of births registered on the authority of An tArd Chlaraitheoir in 1972 was 803 and the number of deaths registered was 193. Throughout the tables in this Report these births and deaths have been excluded.

Population.--The estimated population in April 1972 was 3,014,000.

Diagram 1

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION)

1941-1972



MARRIAGES

The number of marriages registered in 1972 was 22,302, an increase of 288 on the previous year; the rate was 7.4 per 1,000 population, remaining at the same level as 1971, the highest rate ever recorded. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten-year periods since 1864 and by single years since 1971. The following table compares the marriage rate in Ireland in the years 1941 to 1972 with those in Northern Ireland, England and Wales and Scotland.

TABLE I
NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1960
AND IN EACH YEAR 1963-1972

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	5.6	7.6	8.6	8.5
1951-1960†	5.4	6.8	7.8	8.1
1963	5.5	7.0	7.5	7.6
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1
1967	6.1	7.3	8.0	8.1
1968	6.5	7.5	8.4	8.4
1969	7.0	7.7	8.1	8.3
1970	7.1	8.1	8.5	8.3
1971	7.4	7.9	8.3	8.1
1972	7.4	7.7	8.2	8.1

*Exclusive of Northern Ireland.

†Average annual number of marriages per 1,000 population for decennial periods from 1941-1960.

From this table it will be seen that over the period under review, while the marriage rate in this country has been consistently lower than the rates in the other areas, the difference has been decreasing due to the rate in this country rising faster than in the other areas.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarised in the following table.

TABLE II
PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND
AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1969 TO 1972

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1969	1970	1971	1972	1945-46	1969	1970	1971	1972
	Per cent									
Under 20 years	1.0	3.0	3.3	3.0	4.3	6.6	10.2	11.3	12.0	13.8
20 to 24 "	14.3	37.3	39.4	39.7	40.9	29.5	50.9	52.4	52.2	51.0
25 to 29 "	25.7	33.0	33.5	34.1	33.1	31.1	24.3	23.1	23.2	22.9
30 to 34 "	24.2	13.2	12.0	11.4	10.9	19.9	7.6	6.9	6.5	6.4
35 to 44 "	25.8	9.4	8.2	7.6	7.2	11.1	5.2	4.5	4.4	4.1
45 years and over	9.0	4.0	3.7	3.6	3.5	1.9	1.8	1.9	1.7	1.8
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	28.1	27.7	27.5	27.3	28.0	25.3	25.1	25.0	24.8

Whereas, in 1945-46, 59.0 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 21.6 in 1972; the average age of men at marriage declining from 33.1 years in 1945-46 to 27.3 years in 1972. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over compared with 12.3 per cent in 1972 while the average age at marriage declined from 28.0 years in 1945-46 to 24.8 in 1972. In TABLE 43 the marriages registered in 1972 are shown cross classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1972 were 27.0 and 24.5 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1972 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IN IRELAND* AND ENGLAND AND WALES 1972

Age groups	Bachelors		Spinsters	
	Ireland* 1972	England and Wales 1972	Ireland* 1972	England and Wales 1972
15-19 years†	7.0	25.7	23.8	92.3
20-24 "	97.6	162.3	155.8	233.6
25-29 "	170.3	165.6	140.7	171.0
30-34 "	97.5	91.2	96.3	87.1
35-39 "	46.0	48.2	44.2	45.8
40-44 "	24.4	27.5	19.1	27.6
45-49 "	12.6	18.9	9.6	20.6
50-54 "	6.5	13.8	2.2	15.7
55 and over	1.4	5.3	0.4	3.4
Total, 15 years and over	47.0	81.6	58.3	97.5

*Exclusive of Northern Ireland.

†16-19 years for England and Wales.

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 15-19 age groups the marriage rate in England and Wales was almost four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males was almost double the Irish rate and for females was more than one and a half times the Irish rate. There was very little difference between the rates in the age groups between 30-49 for males and between 25-44 for females. In the age groups above 50 the rate for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1972 amounted to 21,413 (equal to 96 per cent of the total) and other marriages numbered 889, of which 528 were according to the rites and ceremonies of the Church of Ireland, 130 in Presbyterian Churches, 43 in Methodist Churches, 7 according to Jewish Rites, 13 in registered buildings belonging to other religious denominations and 168 by civil contract in Registrar's Office.

The rate for Catholic marriages in 1972 was 7.48 per 1,000 of the Catholic population, a decrease of 0.07 on the corresponding rate for 1971. The rate for all other marriages combined was 5.90 per 1,000 of the population other than Catholic, an increase of 0.99 on the 1971 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1960 AND IN EACH YEAR 1963-1972 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages	Total			Catholic marriages	All other marriages	Total marriages
1941-50†	641	136	51	9	9	53	900	15,685	16,585	5.63	4.94	5.60
1951-60†	507	112	37	18	5	65	744	14,998	15,742	5.48	4.48	5.42
1963	430	112	30	12	6	78	668	14,888	15,556	5.50	4.63	5.46
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53
1969	567	116	36	15	5	124	863	19,441	20,304	6.99	6.09	6.95
1970	518	104	29	7	10	121	789	19,989	20,778	7.14	5.53	7.06
1971	566	111	30	6	13	170	896	21,118	22,014	7.55	4.91	7.39
1972	528	130	43	7	13	168	889	21,413	22,302	7.48	5.90	7.40

† Average annual number of marriages and rates for decennial periods 1941-1960.

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 45 and 46. For Catholic marriages the average age of the groom was 27.3 years compared with 29.0 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 24.8 years and for other marriages, 25.6 years.

SOCIAL GROUP

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation although status (i.e. whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1972 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 47 to 49.

In TABLES 47 and 48 grooms and brides are classified by social group and age at marriage in each group. In the case of grooms and brides the average marriage age in 1972 was higher in the social group "Farmers, relatives assisting and farm managers" than in any other group. The lowest average age was in the group "Other manual workers" for both grooms and brides.

TABLE 49 shows marriages registered in 1972 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 56 per cent were in the "Intermediate and other non-manual workers" group, 25 per cent were other manual workers and 10 per cent were in the lower professional group, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 27 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Four districts may be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 42 figures for marriages according to place of occurrence are given for 1972. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in TABLE V.

In TABLES 50 and 51 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 27 years, whereas in the counties Roscommon, Longford, Cavan and Galway the average age was 29.8, 29.6, 29.2 and 29.1 respectively. The average age of brides was not over 25 years in the four county boroughs. The lowest average age was in Carlow, Limerick County Borough and Waterford Co. Borough being 23.9 and the highest ages were in Leitrim 26.2 and Galway and Longford 26.0.

In TABLE 52 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 929 of the men married in the State in 1972 were returned as residing in England, Wales or Scotland, 375 in Northern Ireland and 244 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 540, the number from Northern Ireland was 186 and the number from other countries was 94. In 693 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1972.

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	236	211	25	89.4
Dublin County Borough	5,850	5,089	761	87.0
Dun Laoghaire	516	414	102	80.2
Dublin County (remainder)	1,227	749	478	61.0
Kildare	596	523	73	87.8
Kilkenny	421	344	77	81.7
Laois	326	268	58	82.2
Longford	172	139	33	80.8
Louth	610	547	63	89.7
Meath	544	457	87	84.0
Offaly	312	277	35	88.8
Westmeath	398	318	80	79.9
Wexford	655	614	41	93.7
Wicklow	532	468	64	88.0
Clare	527	404	123	76.7
Cork County Borough	1,015	849	166	83.6
Cork County	1,372	1,238	134	90.2
Kerry	667	586	81	87.9
Limerick County Borough	629	445	184	70.7
Limerick County	487	405	82	83.2
Tipperary, N.R.	341	284	57	83.3
Tipperary, S.R.	472	386	86	81.8
Waterford County Borough	189	156	33	82.5
Waterford County	355	307	48	86.5
Galway	976	813	163	83.3
Leitrim	153	125	28	81.7
Mayo	513	422	91	82.3
Roscommon	282	219	63	77.7
Sligo	333	272	61	81.7
Cavan	379	308	71	81.3
Donegal	873	724	149	82.9
Monaghan	344	301	43	87.5
TOTAL	22,302	18,662	3,640	83.7

*Includes 52 cases in which residence was not stated and 820 cases in which residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI
MARRIAGE RATES PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH CALCULATED USING
(a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM
THAT AREA, IN 1972.

Area	Rate (a)	Rate (b)
Carlow	6.8	7.4
Dublin County Borough	10.3	9.9
Dun Laoghaire Borough	9.6	7.5
Dublin County (remainder)	5.0	4.2
Kildare	8.1	9.1
Kilkenny	6.8	6.4
Laois	7.2	6.3
Longford	6.1	6.1
Louth	8.0	7.8
Meath	7.4	6.8
Offaly	6.0	6.7
Westmeath	7.4	6.6
Wexford	7.5	7.2
Wicklow	7.8	7.5
LEINSTER	8.1	7.8
Clare	7.0	5.9
Cork County Borough	7.8	6.3
Cork County	6.1	6.5
Kerry	5.9	5.2
Limerick County Borough	10.9	8.2
Limerick County	5.8	6.7
Tipperary, N.R.	6.2	6.7
Tipperary, S.R.	6.8	6.0
Waterford County Borough	5.8	5.3
Waterford County	7.7	7.5
MUNSTER	6.8	6.4
Galway	6.5	5.7
Leitrim	5.5	5.3
Mayo	4.7	4.3
Roscommon	5.3	4.5
Sligo	6.6	4.9
CONNACHT	5.8	5.0
Cavan	7.2	5.9
Donegal	8.0	6.3
Monaghan	7.4	5.8
ULSTER (part of)	7.7	6.1
TOTAL	7.4	6.9

It will be observed that rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rate (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence, the accuracy of many of the entries was not as high as for the other information supplied. There were 630 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a high proportion of cases, the intended future residence was outside the State.

TABLE VII
PERCENTAGE OF MARRIAGES WITH FUTURE INTENDED RESIDENCE
OUTSIDE THE STATE 1963-1972

Year (1)	Total Marriages (2)	Marriages with intended future residence abroad (3)	Col. (3) as percentage of col. (2) (4)
1963	15,556	1,949	12.5
1964	16,128	1,995	12.4
1965	16,946	2,004	11.8
1966	16,849	2,272	13.5
1967	17,788	2,242	12.6
1968	18,993	2,293	12.1
1969	20,304	2,396	11.8
1970	20,778	2,224	10.7
1971	22,014	2,090	9.5
1972	22,302	1,986	8.9

As may be seen from Table VII the proportion of marriages with intended future residence outside the State shows a decline over the years 1963 to 1965 with a big increase in 1966. Since 1966 there has been a continuous decline and it is now below the 1965 level. In the case of 1,164 marriages the future residence was in England and Wales, 328 in Northern Ireland, 49 in Scotland, 99 in other parts of Europe, 170 in the United States of America, 55 in Canada, 71 in Australia and New Zealand and 50 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 53 and 54 respectively. It will be seen that the average age of the men and women marrying and then going abroad was somewhat above the level of that for all marriages in the State. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 55 and 56 respectively. By comparing TABLES 47 and 55 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VII contains the results obtained.

TABLE VIII
PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1971 AND 1972.

Social group of groom	Percentage with intended future residence outside the State	
	1971	1972
	Per cent	
Farmers, relatives assisting and farm managers	2	2
Other agricultural occupations and fishermen	4	3
Higher professionals	24	18
Lower professionals	16	15
Employers and managers	12	14
Salaried employees	12	12
Intermediate non-manual workers	8	9
Other non-manual workers	9	7
Skilled manual workers	11	10
Other manual workers	7	6
TOTAL, ALL GROUPS COMBINED	10	9

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 57. With the aid of this Table it may be calculated that in 1972 in the case of Catholic marriages the percentage with intended future residence outside the State was 8 per cent compared with 9 per cent in 1971. The corresponding figure for all other marriages was 23 per cent in 1972 thus maintaining the same level as in 1971.

Finally, in TABLES 58 and 59 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX
PERCENTAGE OF MARRIAGES IN 1971 AND 1972 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1971	1972
	Per cent	
Dublin County Borough and Dun Laoghaire	4	4
Remainder of Leinster	3	2
Munster	3	2
Connacht	5	4
Ulster (part of)	7	5
Outside the State	90	88

BIRTHS

The number of births during the year 1972 was 68,527 comprised of 35,375 males and 33,152 females. The corresponding figures for 1971 were 67,551, 34,751, and 32,800 respectively. The birth rate in 1972 was 22.74 per 1,000 population compared with 22.68 in 1971.

TABLE X
NUMBER OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1960 AND IN EACH YEAR 1963-1972

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	65.0	21.9	22.4	16.9	18.8
1951-1960†	61.7	21.2	21.3	15.8	18.5
1963	63.2	22.2	23.1	18.2	19.7
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.7	18.6
1967	61.3	21.1	22.4	17.2	18.6
1968	61.0	21.0	22.1	16.9	18.3
1969	62.9	21.5	21.4	16.3	17.4
1970	64.4	21.9	21.1	16.0	16.8
1971	67.6	22.7	20.7	16.0	16.6
1972	68.5	22.7	19.4	14.8	15.1

*Exclusive of Northern Ireland.

†Average annual number of births and birth rates for decennial periods from 1941-1960.

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

In TABLE 39 is shown the total number of births registered in 1972 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 309 or 0.5 per cent of the total. In 1971 the corresponding figures were 295 or 0.4 per cent with seven instances where parity was not stated. The results contained in TABLE 39 are summarised in Table XI.

TABLE XI
BIRTHS OCCURRING IN 1972 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN.

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	2,840	2,278	471	79	9	3	-	-	-	-
20-24 years	16,388	8,887	4,795	1,731	652	235	87	1	-	-
25-29 "	21,397	5,941	6,512	4,592	2,318	1,089	932	13	-	-
30-34 "	14,622	1,798	2,587	3,280	2,812	1,768	2,255	120	2	-
35-39 "	9,398	710	910	1,340	1,540	1,515	2,990	374	19	-
40-44 "	3,306	170	189	282	351	424	1,502	344	44	-
45 years and over	267	12	7	12	21	32	115	60	8	-
Not stated	309	302	3	-	1	-	3	-	-	-
TOTAL	68,527	20,098	15,474	11,316	7,704	5,066	7,884	912	73	-

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

Continuing the trend observed since 1967 and 1968 there is in 1972 a shift towards the younger age groups in the distribution of births according to the age of mother at maternity. As may be calculated from Table XII, in 1972 mothers aged under 30 years at maternity accounted for 59.4 per cent of the births compared with 57.7 per cent in 1971, corresponding figures for England and Wales and Scotland for 1972 being 79.4 per cent and 78.1 per cent respectively, illustrating the striking difference between the countries.

TABLE XII
PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND*
IN 1971 AND 1972 AND IN ENGLAND AND WALES AND SCOTLAND IN 1972.

Age at maternity	Ireland*		England and Wales 1972	Scotland 1972
	1971	1972		
	Per cent			
Under 20 years	3.7	4.2	10.9	11.8
20-24 years	23.4	24.0	34.4	34.6
25-29 "	30.6	31.4	34.1	31.7
30-34 "	22.1	21.4	13.6	14.3
35-39 "	14.4	13.8	5.5	6.0
40-44 "	5.3	4.8	1.4	1.6
45 years and over	0.4	0.4	0.1	0.1
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	29.4	29.1	26.2	25.6

*Exclusive of Northern Ireland.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children, as may be seen from Table XV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference is now less pronounced than in previous years as may be seen from Table XIII.

TABLE XIII
PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY
IN IRELAND* IN 1971 AND 1972 AND IN ENGLAND AND WALES AND SCOTLAND IN 1972.

Age at maternity	Ireland*		England and Wales 1972	Scotland 1972
	1971	1972		
	Per cent			
Under 20 years	8.3	9.0	17.7	20.8
20-24 years	45.4	45.1	44.5	45.1
25-29 "	31.6	31.7	29.8	26.0
30-34 "	9.9	9.5	6.0	5.7
35-39 "	3.8	3.8	1.7	1.9
40-44 "	0.9	0.9	0.3	0.4
45 years and over	0.0	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	25.4	25.3	24.1	23.2

*Exclusive of Northern Ireland.

Fertility rates in Ireland and in England and Wales in 1972 are compared in Table XIV.

TABLE XIV
BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND* AND ENGLAND AND WALES, 1972

Age of mother	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1972	England and Wales 1972	Ireland* 1972	England and Wales 1972	Ireland* 1972	England and Wales 1972
15-19 years	21.3	47.5	779.4	403.3	5.2	14.3
20-24 "	151.6	141.3	475.6	227.5	11.6	26.2
25-29 "	241.3	141.9	360.9	161.9	10.7	39.1
30-34 "	190.1	69.5	243.7	73.6	6.8	36.8
35-39 "	127.1	28.9	155.7	29.9	3.6	20.7
40-44 "	43.6	7.1	54.4	7.3	1.0	5.6
45-49 "	3.3	0.5	4.3	0.5	0.1	0.4
Total 15-49 years	107.2	66.6	197.5	86.0	6.8	19.5

*Exclusive of Northern Ireland.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 93 per cent above that in England and Wales, in the 20-24 year group 109 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed and divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 year group, but at the later ages the Irish rate was considerably higher.

The total number of illegitimate births was 2,005 being 163 more than in 1971. This was equivalent to an annual rate of 6.8 per 1,000 unmarried females and was 2.9 per cent of total births. The number of illegitimate births has shown an increase every year since 1959 when the lowest ever number was recorded.

The percentage distribution of births according to the number of previous children in 1971 and 1972 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales and Scotland in 1972.

TABLE XV
PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1971 AND 1972 AND IN ENGLAND AND WALES AND SCOTLAND IN 1972.

Number of previous children	Ireland*		England and Wales 1972	Scotland 1972
	1971	1972		
	Per cent			
0	28.4	29.3	40.8	39.6
1	21.6	22.5	34.8	32.0
2	16.6	16.5	14.6	15.8
3	11.8	11.2	5.7	7.0
4	7.7	7.3	2.2	3.1
5 to 9	13.0	11.5	1.8	2.4
10 to 14	1.5	1.3	0.1	} 0.1
15 and over	0.1	0.1	0.0	
TOTAL	100.-	100.-	100.-	100.-

*Exclusive of Northern Ireland.

The difference between the years 1972 and 1971 in respect of the percentage distribution according to number of previous children was slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1972 12.9 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 1.9 in England and Wales and 2.5 in Scotland. Since 1967, however, the percentage of mothers in Ireland with 5 or more previous children has been steadily declining.

MULTIPLE BIRTHS

The number of maternities in 1972 which resulted in multiple live births was 862 consisting of 854 sets of twins and 8 of triplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 12.6. Table XVI summarises the number of multiple births and the "twinning rate" for the years 1963-1972.

TABLE XVI
NUMBER OF MULTIPLE BIRTHS AND THE NUMBER OF TWINS PER 1,000 MATERNITIES, 1963-1972.

Year	Live Births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Twinning rate
1963	63,246	62,264	960	11	-	15.4
1964	64,072	63,177	873	11	-	13.8
1965	63,525	62,648	850	12	1	13.6
1966	62,215	61,339	858	9	-	14.0
1967	61,307	60,457	836	7	-	13.8
1968	61,004	60,165	821	9	-	13.6
1969	62,912	62,033	849	15	-	13.7
1970	64,382	63,528	834	10	-	13.1
1971	67,551	66,688	839	12	-	12.6
1972	68,527	67,657	854	8	-	12.6

DEATHS

The number of deaths occurring during the year 1972 was 34,381 of which 18,731 were those of males and 15,650 those of females equivalent to a rate of 11.41 deaths per 1,000 total population, compared with 10.71 in the previous year, and 11.44 in 1970.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1970 and the death rates for each year 1971 and 1972.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941-1972 with those in Northern Ireland, England and Wales and Scotland. The death rate in this country in 1972 was slightly higher than in Northern Ireland and lower than that for England and Wales and Scotland. However, over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

Attention should be drawn to the fact that these comparisons are based on crude death rates, which are to some extent affected by differences in the age-sex structures of the population in the different countries, while comparisons over a period of years are also affected by changes in the age-sex structures of the populations.

TABLE XVII
DEATH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1960
AND IN EACH YEAR 1962-1972.

Period	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	41.5	14.0	12.6	12.3	13.2
1951-1960†	35.4	12.2	11.0	11.6	12.0
1962	33.8	12.0	10.6	11.9	12.2
1963	33.8	11.9	11.0	12.2	12.6
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1
1966	35.1	12.2	11.1	11.7	12.3
1967	31.4	10.8	9.8	11.2	11.5
1968	33.2	11.4	10.6	11.9	12.2
1969	33.7	11.6	10.8	11.9	12.3
1970	33.7	11.4	10.9	11.7	12.2
1971	31.9	10.7	10.6	11.6	11.8
1972	34.4	11.4	11.0	12.1	12.5

*Exclusive of Northern Ireland.

† Average annual number of deaths and death rates for decennial periods from 1941-1960.


COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being in Dublin County (Remainder) which had a crude death rate of 5.38 and a standardised rate of 9.63, reflecting the very young age structure in Dublin County and in Leitrim where standardisation has the effect of lowering the death rate from 16.87 to 11.66, because of the comparatively old age structure in that county. The standardised rates in 1972 were lowest in Mayo and Dublin County and highest in the County Borough of Waterford.

Diagram 2.

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1972



- UNDER 11.0
- 11.0 AND UNDER 11.5
- 11.5 AND UNDER 12.0
- 12.0 AND OVER.




TABLE XVIII
CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1972

Area	Deaths per 1,000 Population	
	Crude	Standardised
TOTAL	11.41	11.41
Carlow	12.27	12.61
Dublin County Borough	10.01	11.88
Dun Laoghaire Borough	12.75	11.96
Dublin County (Remainder)	5.38	9.63
Kildare	9.94	12.84
Kilkenny	11.50	11.17
Laois	11.26	10.82
Longford	13.22	11.53
Louth	9.53	11.16
Meath	10.97	11.93
Offaly	10.85	11.14
Westmeath	11.98	11.23
Wexford	12.26	11.95
Wicklow	10.19	11.35
LEINSTER	9.83	11.49
Clare	14.27	11.96
Cork County Borough	10.04	12.00
Cork County	12.76	11.77
Kerry	13.78	11.66
Limerick County Borough	10.61	13.29
Limerick County	12.30	11.81
Tipperary, N.R.	12.21	11.53
Tipperary, S.R.	11.99	11.66
Waterford County Borough	11.46	13.60
Waterford County	12.14	11.00
MUNSTER	12.26	11.86
Galway	12.11	10.77
Leitrim	16.87	11.66
Mayo	14.38	10.42
Roscommon	15.44	11.11
Sligo	14.93	12.03
CONNACHT	13.90	11.00
Cavan	16.05	12.95
Donegal	14.02	11.17
Monaghan	14.50	13.02
ULSTER (part of)	14.64	12.01

CAUSES OF DEATH

The tables in this Report showing causes of death are based on the Eight Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death prepared by the World Health Organisation. The Eight Revision was used for the first time in classifying deaths by causes in the 1968 Report. The Reports from 1958 to 1967 were based on the Seventh Revision.

TABLE XIX
AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES FROM SOME OF THE PRINCIPAL CAUSES
IN EACH PERIOD 1955-57, 1960-62, 1965-67, AND 1970-1972

I.L. Nos. 8th Revision	Cause of death	1955-57	1960-62	1965-67	1970-1972
		Average annual number			
010-019	Tuberculosis, all forms	758	438	309	196
Rem. 000-136	Other infective and parasitic diseases	335	234	228	178
140-209	Cancer	4,722	4,810	5,117	5,662
393-398, 410-429	Diseases of heart	10,580	10,884	10,690	10,037
Rem. 390-458	Other diseases of circulatory system	5,910	5,918	6,275	6,846
470-474	Influenza	554	554	397	351
Rem. 460-519	Other diseases of respiratory system	2,469	2,880	3,357	4,223
794	Senility	2,680	2,010	1,251	573
	Other diseases	5,997	5,028	4,404	2,728
800-999	Accidents and other external causes	988	998	1,151	1,525
	ALL CAUSES	34,993	33,754	33,179	33,319
		Average annual rates per 100,000 population			
010-019	Tuberculosis, all forms	26.1	15.5	10.7	6.6
Rem. 000-136	Other infective and parasitic diseases	11.5	8.3	7.9	6.0
140-209	Cancer	162.8	170.1	177.3	189.9
393-398, 410-429	Diseases of the heart	364.7	385.0	370.4	336.7
Rem. 390-458	Other diseases of circulatory system	203.7	209.3	217.4	229.7
470-474	Influenza	19.1	19.6	13.8	11.8
Rem. 460-519	Other diseases of respiratory system	85.1	101.9	116.3	141.7
794	Senility	92.4	71.1	43.3	19.2
	Other diseases	206.7	177.9	152.6	125.1
800-999	Accidents and other external causes	34.1	35.3	39.9	51.2
	ALL CAUSES	1,206.2	1,194.0	1,149.7	1,117.7

In Table XIX the number of deaths in the various disease groups in the years prior to 1968 have been adjusted to conform to the structure of the groups under the 8th Revision of the International Classification of Diseases.

From Table XIX it can be seen that the major difference between the periods 1955-57 and the years 1970-1972 has been the drop in deaths from tuberculosis. The rate for 1970-1972 was one-quarter of the rate in 1955-57. In the case of other infective and parasitic diseases the rate dropped to almost one-half of the 1955-57 rate. There were also significant falls in death rates from influenza and senility; in the case of senility the drop can be attributed to a decrease in the number of uncertified deaths and better certification of cause of death. Heart diseases remained the single biggest cause of death, almost twice as many people dying from heart disease as from the next biggest cause of death, i.e. cancer, the rate for which showed an increase of 17 per cent.

TABLE
AGE-SEX SPECIFIC DEATH RATES FOR THE

I.D.L. Nos.	Cause of death	Death rates per 100,000 corresponding population									
		All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All causes	1,238.1	1,042.9	494.5	400.0	51.9	31.0	113.9	53.4	123.6	68.2
008, 009	Enteritis and other diarrhoeal diseases	2.3	1.7	12.7	5.1	0.6	0.3	0.4	-	-	-
010-019	Tuberculosis	8.4	3.7	-	0.6	0.3	-	0.8	0.4	1.8	1.2
000-136 (rem.)	All other infective and parasitic diseases	2.9	3.5	14.6	15.9	0.6	0.5	-	1.7	0.6	-
	Malignant neoplasms of										
150	oesophagus	6.3	6.3	-	-	-	-	-	-	-	1.2
151	stomach	30.3	22.6	-	-	-	-	-	-	1.2	0.6
153	large intestine	19.0	22.5	-	-	-	-	1.2	0.8	1.8	1.2
154	rectum	11.3	7.2	-	-	-	-	-	-	-	0.6
157	pancreas	9.6	9.7	-	-	-	-	-	0.4	-	1.2
161	larynx	2.9	1.9	-	-	-	-	-	-	-	-
162	trachea, bronchus and lung	50.8	16.9	-	-	-	-	-	0.4	1.8	-
174	breast	0.1	31.2	-	-	-	-	-	-	-	1.2
180	cervix uteri	-	5.1	-	-	-	-	-	-	-	3.0
181, 182	Other uterus	-	4.7	-	-	-	-	-	-	-	2.4
183	ovary, fallopian tube and broad ligament	-	7.3	-	-	-	-	-	1.7	-	2.4
185	prostate	21.1	-	-	-	-	-	0.4	-	-	-
188, 189	bladder and other urinary organs	10.2	4.6	0.6	0.6	1.3	0.7	-	-	-	0.6
204-207	leukaemia, aleukaemia	7.1	4.1	3.6	1.9	2.5	0.7	2.0	1.2	4.1	0.6
140-209 (rem.)	all other malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	39.5	30.2	4.2	5.1	3.2	2.3	7.9	4.1	10.0	4.8
210-239	Benign neoplasm and neoplasms of unspecified nature	1.6	2.0	0.6	-	-	0.3	1.2	-	0.6	-
250	Diabetes mellitus	11.4	16.1	-	-	-	-	0.8	-	0.6	-
280-285	Anaemias	3.2	4.1	0.6	-	-	-	0.4	0.4	-	1.2
320	Meningitis	1.5	1.1	7.9	6.4	0.9	-	-	1.2	1.2	-
393-398	Chronic rheumatic heart disease	10.8	12.6	-	-	-	-	-	0.4	1.2	1.2
400-404	Hypertensive disease	17.4	24.9	-	-	0.3	-	-	-	-	-
410-414	Ischaemic heart disease	342.1	224.4	-	-	-	-	0.4	-	7.0	1.2
420-429	Other forms of heart disease	53.8	55.9	-	0.6	0.3	-	0.8	-	1.8	1.8
430-438	Cerebrovascular disease	141.0	171.1	-	2.6	0.6	1.0	4.0	2.5	6.4	1.8
440	Arteriosclerosis	30.5	33.9	-	-	-	-	-	-	-	-
470-474	Influenza	8.4	7.6	1.2	1.9	0.6	-	1.2	0.4	-	1.2
480-486	Pneumonia	65.8	69.2	45.5	52.3	2.2	3.6	4.0	4.6	4.1	3.6
490-493	Bronchitis, emphysema and asthma	84.2	39.9	3.0	1.9	0.9	-	2.8	1.7	2.3	1.2
531-533	Peptic ulcer	10.6	6.0	-	-	-	-	0.4	-	0.6	-
550-553, 560	Intestinal obstruction and hernia	3.6	3.8	-	-	-	-	-	0.4	0.6	-
571	Cirrhosis of liver	4.2	3.2	-	-	0.3	-	-	0.4	-	1.2
580-584	Nephritis and nephrosis	8.3	6.1	-	-	0.3	1.3	1.2	1.2	1.2	-
600	Hyperplasia of prostate	7.7	-	-	-	-	-	-	-	-	-
640-645	Abortion	-	0.1	-	-	-	-	-	-	-	-
630-639 } 650-678 }	Other complications of pregnancy, childbirth and the puerperium	-	1.8	-	-	-	-	-	2.5	-	-
740-759	Congenital anomalies	14.5	13.7	111.6	118.0	4.1	2.3	4.8	1.7	-	-
764-768, } 772, 776, } 760-763, } 769-771, } 773-775, } 777-779 }	Birth injury, difficult labour and other anoxic and hypoxic conditions	14.4	7.0	132.3	67.0	-	-	-	-	-	-
	Other causes of perinatal mortality	7.9	6.3	72.2	60.0	-	-	-	-	-	-
794	Senility without mention of psychosis	16.0	19.7	-	-	-	-	-	-	-	-
780-796 (rem.)	Other symptoms and ill-defined conditions	2.0	-	-	-	-	-	-	-	-	-
240-738 (rem.)	All other diseases	84.2	89.3	45.5	35.7	4.4	5.3	7.9	7.5	10.5	15.1
E810-E823	Motor vehicle accidents	31.5	10.0	12.7	5.7	13.6	8.2	44.8	12.0	29.9	8.5
E800-E807	All other accidents	31.5	26.5	24.3	17.9	14.6	4.3	19.4	4.6	21.7	4.2
E825-E949											
E950-E959	Suicide and self inflicted injuries	4.3	1.7	-	-	-	-	2.4	0.4	7.6	2.4
E960-E999	All other external causes	3.9	2.0	1.2	0.6	-	0.3	4.8	0.8	5.3	2.4

Of the deaths occurring in 1972, 74 per cent were due to four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 395.9 per 100,000 population for males and 280.3 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 208.1 and 174.1 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 141.0 and 171.1 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 years accidents were the greatest single cause.

Some of the principal causes of deaths are considered in greater detail in the following sections.

TUBERCULOSIS

In 1972 there were 183 deaths from tuberculosis, of which 154 were caused by the respiratory form and 29 by other forms of the disease. As can be seen from Table XXI between the period 1941-1950 and the year 1972 death rates from tuberculosis fell to a fraction of their former level.

The mortality from tuberculosis in the counties and county boroughs in 1972 is compared in Table 12 of this Report. The highest death rates from all forms per 1,000 population were in Kerry (0.14), and Waterford County (0.13), while the lowest rate was in County Louth (0.01).

TABLE XXI

NUMBER OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1941-1960 AND IN EACH YEAR 1963-1972

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1941-1950*	2,739	0.92	779	0.26	1.05	1.07
1951-1960*	787	0.27	190	0.06	1.62	1.28
1963	388	0.14	44	0.02	2.18	0.91
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75
1967	213	0.07	38	0.01	2.04	0.90
1968	265	0.09	28	0.01	2.44	1.00
1969	226	0.08	29	0.01	2.77	1.23
1970	199	0.07	22	0.01	2.06	1.75
1971	165	0.06	18	0.01	2.44	1.24
1972	154	0.05	29	0.01	2.58	1.23

*Average annual number of deaths and death rates for decennial periods from 1941-1960.

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1944 — 1972




Diagram 4

DEATH RATES FROM LUNG CANCER PER 100,000 POPULATION



CANCER

Prior to 1950 under the Fifth Revision of the International List of causes of death, cancer deaths were those classified under 045-055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140-205 (Nos. 140-209 in Eight Revision) of the International Statistical classification which now included Hodgkins disease and leukaemia, but for comparability with the years prior to 1950 the total cancer figures less Hodgkins disease and leukaemia should also be shown.

In 1972 there were 5,762 deaths from cancer (Nos. 140 to 209). Of this number, 47 deaths were caused by Hodgkins disease and 168 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1963 to 1972.

TABLE XXII
DEATHS FROM CANCER (Nos. 140-209) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE
SAME AGES, 1963 TO 1972

Year	Age group (years)							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
Males								
1963	6	19	43	164	475	884	1,379	185
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
1966	8	13	49	174	423	997	1,570	195
1967	9	19	43	166	466	912	1,469	189
1968	8	16	46	159	455	1,018	1,472	194
1969	6	17	47	178	481	1,035	1,607	204
1970	7	20	57	173	479	983	1,624	202
1971	8	22	57	196	495	1,036	1,651	207
1972	9	19	53	173	499	1,013	1,817	208
Females								
1963	7	23	81	187	351	636	981	162
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157
1966	6	14	69	182	365	693	988	164
1967	5	21	67	201	376	647	956	162
1968	6	23	78	191	375	641	1,104	170
1969	7	23	76	196	392	685	1,089	175
1970	6	18	71	200	390	691	1,079	174
1971	6	19	59	195	388	683	1,173	174
1972	6	20	67	190	373	702	1,168	174

In the years under review the death rates from cancer showed little difference between males and females in the age groups under 25 years but between the ages 25 and 54 years the female rates were generally greater than those for males. In 1972 the male death rate for all ages was 20 per cent above that for females. The trend in the death rates from cancer since 1943 is shown in Diagram 3 but it should be noted that for reasons given earlier the figures plotted in this diagram exclude deaths from Hodgkin's disease, leukaemia and aleukaemia.

TABLE XXIII
DEATHS FROM CANCER (Nos. 140-209) PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1963 TO 1972.

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1963	1.73	1.63	2.18	2.25
1964	1.73	1.65	2.44	2.26
1965	1.73	1.71	2.23	2.29
1966	1.79	1.71	2.25	2.31
1967	1.76	1.65	2.30	2.34
1968	1.82	1.84	2.32	2.40
1969	1.89	1.86	2.35	2.42
1970	1.88	1.77	2.36	2.43
1971	1.91	1.80	2.39	2.45
1972	1.91	1.69	2.42	2.48

*Exclusive of Northern Ireland.

In the period under review the rates for England and Wales and Scotland were consistently higher than those for this country and Northern Ireland.

The death rates from cancer in 1972 in counties and county boroughs are compared in Table XXIV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXIV
DEATH RATES (CRUDE AND STANDARDISED) FROM CANCER (Nos. 140-209) IN EACH COUNTY AND COUNTY BOROUGH IN 1972.

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	2.06	2.12	Clare	1.79	1.51
Dublin County Borough	2.04	2.37	Cork County Borough	1.96	2.30
Dun Laoghaire Borough	2.53	2.36	Cork County	2.15	1.97
Dublin County (remainder)	1.05	1.90	Kerry	1.75	1.46
Kildare	1.68	2.09	Limerick County Borough	1.70	2.10
Kilkenny	1.82	1.76	Limerick County	1.82	1.73
Laois	1.71	1.65	Tipperary, N.R.	1.92	1.81
Longford	1.91	1.64	Tipperary, S.R.	2.07	1.98
Louth	1.63	1.91	Waterford County Borough	2.10	2.50
Meath	1.74	1.88	Waterford County	1.98	1.79
Offaly	2.00	2.05			
Westmeath	1.74	1.67	MUNSTER	1.95	1.87
Wexford	2.07	2.02	Gálway	1.78	1.60
Wicklow	1.70	1.86	Leitrim	2.32	1.56
LEINSTER	1.80	2.09	Mayo	2.10	1.60
Cavan	2.43	1.97	Roscommon	2.31	1.70
Donegal	2.24	1.83	Sligo	2.66	2.17
Monaghan	2.04	1.82	CONNACHT	2.09	1.69
ULSTER (part of)	2.25	1.86	TOTAL	1.91	1.91

TABLE XXV

MORTALITY IN 1972 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

Detailed International List Nos.	Site	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
140-149	Buccal cavity and pharynx	2	2	1	6	14	22	41	88	-	-	-	3	11	16	10	40
150-159	Digestive organs and peritoneum	4	5	38	105	293	411	410	1,266	7	8	16	77	181	381	451	1,121
160-163	Respiratory system	-	3	15	83	262	330	137	830	1	-	5	33	89	98	63	289
170-174	Bone, connective tissue, skin and breast	4	1	2	5	20	20	33	85	4	4	49	88	126	126	136	533
180-189	Genito-urinary organs	10	3	1	22	50	147	256	489	7	14	16	64	74	82	85	342
190-199	Other and unspecified sites	17	4	10	20	49	36	39	175	15	6	10	20	30	44	40	165
200-209	Lymphatic and haematopoietic tissues	28	14	13	33	44	52	32	216	10	1	4	17	24	41	26	123
	TOTAL	65	32	80	274	732	1,018	948	3,149	44	33	100	302	535	788	811	2,613
		Rates per 100,000 corresponding population															
140-149	Buccal cavity and pharynx	0.3	1.2	0.7	3.8	9.6	21.9	78.6	5.8	-	-	-	1.9	7.7	14.3	14.4	2.7
150-159	Digestive organs and peritoneum	0.5	2.9	25.0	66.4	199.9	409.0	786.0	83.7	1.0	4.8	10.7	48.5	126.1	339.5	649.8	74.7
160-163	Respiratory system	-	1.8	9.9	52.5	178.8	328.4	262.6	54.9	0.1	-	3.3	20.8	62.0	87.3	90.8	19.3
170-174	Bone, connective tissue, skin and breast	0.5	0.6	1.3	3.2	13.6	19.9	63.3	5.6	0.6	2.4	32.7	55.5	87.8	112.3	195.9	35.5
180-189	Genito-urinary organs	1.4	1.8	0.7	13.9	34.1	146.3	490.8	32.3	1.0	8.5	10.7	40.3	51.6	73.1	122.5	22.8
190-199	Other and unspecified sites	2.3	2.3	6.6	12.7	33.4	35.8	74.8	11.6	2.1	3.6	6.7	12.6	20.9	39.2	57.6	11.0
200-209	Lymphatic and haematopoietic tissues	3.8	8.2	8.6	20.9	30.0	51.7	61.3	14.3	1.4	0.6	2.7	10.7	16.7	36.5	37.5	8.2
	TOTAL	8.9	18.7	52.6	173.3	499.4	1,013.1	1,817.3	208.1	6.3	19.9	66.8	190.4	372.8	702.1	1,168.5	174.1

The crude death rate from cancer in 1972 varied from 2.66 per 1,000 population in Sligo to 1.05 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.50 per 1,000 population in Waterford County Borough to 1.46 in Kerry. The proportion of deaths not medically certified varies widely between the different areas (see Table 23), thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer occurring in 1972 classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate for males being 11 per cent higher than that for females. The death rate from malignant neoplasms of the respiratory system was nearly three times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1963 to 1972 classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1963 TO 1972 FROM
CANCER OF THE BRONCHUS, TRACHEA AND LUNG, CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
	Number of deaths											
1963	1	20	76	176	216	489	-	4	25	30	62	121
1964	-	17	66	196	245	524	2	5	22	42	52	123
1965	-	14	67	216	273	570	1	8	23	38	76	146
1966	1	22	92	205	311	631	-	2	24	44	76	146
1967	1	16	79	221	325	642	1	5	33	54	72	165
1968	6	8	86	250	371	721	3	7	20	64	93	187
1969	3	12	94	223	342	674	2	6	27	48	95	178
1970	5	21	100	259	370	755	-	8	27	57	110	202
1971	3	16	96	246	406	767	-	4	31	67	135	237
1972	3	15	79	246	426	769	1	5	31	76	140	253
	Death rates per 100,000 corresponding population											
1963	0.1	12.4	44.7	129.8	144.5	34.1	-	2.4	15.3	22.3	36.9	8.5
1964	-	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	-	9.0	40.5	155.3	180.6	39.4	0.1	5.0	14.1	28.0	44.3	10.2
1966	0.1	14.1	54.8	149.1	207.4	43.5	-	1.2	14.7	33.0	43.9	10.2
1967	0.1	10.3	47.6	158.2	216.0	44.1	0.1	3.2	20.2	40.0	41.4	11.4
1968	0.7	5.2	52.2	177.2	245.9	49.3	0.4	4.5	12.4	46.7	52.8	12.9
1969	0.4	7.8	57.7	156.4	226.2	46.0	0.2	3.9	16.8	34.6	53.5	12.2
1970	0.6	13.7	61.7	178.4	242.8	51.1	-	5.3	16.9	40.5	61.3	13.8
1971	0.3	10.5	60.2	167.9	269.5	51.3	-	2.7	19.4	47.1	75.3	16.0
1972	0.3	9.9	50.0	167.8	279.1	50.8	0.1	3.3	19.5	53.0	77.1	16.9

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1963 the death rate in the case of males was 34.1 compared with 8.5 in the case of females. In 1972 the corresponding rates were 50.8 and 16.9 respectively. In 1963 females accounted for 19.8 per cent of the deaths, by 1972 their percentage share had risen to 24.8.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1967 to 1972.

TABLE XXVII
DEATHS AND DEATH RATES IN IRELAND* AND NEIGHBOURING COUNTRIES FROM CANCER OF THE
BRONCHUS, TRACHEA AND LUNG IN EACH YEAR 1967 TO 1972.

Area	1967	1968	1969	1970	1971	1972
	Number of deaths					
Ireland*	807	908	852	957	1,004	1,022
Northern Ireland	474	525	544	524	582	542
Scotland	3,150	3,209	3,273	3,443	3,416	3,573
England and Wales	28,250	28,836	29,763	30,284	30,754	31,659
	Rates per 100,000 population					
Ireland*	28	31	29	33	34	34
Northern Ireland	32	35	36	34	38	35
Scotland	61	62	63	66	65	69
England and Wales	58	59	61	62	63	65

*Exclusive of Northern Ireland.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales were, in some years, more than double the Irish rates.

DISEASES OF THE CIRCULATORY SYSTEM

There were 17,530 deaths ascribed to diseases of the circulatory system (Nos. 390-458) in 1972 of which 9,362 were deaths of males and 8,168 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from ischaemic heart disease (5,176 males compared with 3,368 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

TABLE XXVIII
DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1972 SHOWING THE
NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED.

Cause of death	Males			Females		
	Total	Uncertified	Per cent	Total	uncertified	Per cent
Active rheumatic fever	4	-	-	2	-	-
Chronic rheumatic heart disease	164	-	-	189	-	-
Hypertensive disease	263	3	1.1	374	2	0.5
Ischaemic heart disease	5,176	46	0.9	3,368	31	0.9
Other forms of heart disease	814	29	3.6	839	23	2.7
Cerebrovascular disease	2,133	6	0.3	2,568	12	0.5
Disease of arteries, arterioles and capillaries	692	2	0.3	677	3	0.4
Disease of veins and lymphatics and other diseases of the circulatory system	116	-	-	151	-	-
TOTAL	9,362	83	0.9	8,168	71	0.9

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1972, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION.

Detailed 1965 Inter- national List Nos.	Cause of death	Males							Females								
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
390-392	Active rheumatic fever	-	1	1	-	2	-	-	4	1	-	-	-	1	-	-	2
393-398	Chronic rheumatic heart disease	-	2	11	24	42	42	43	164	1	2	7	20	42	48	69	189
400-404	Hypertensive disease	1	-	1	18	38	77	128	263	-	-	3	11	27	82	251	374
410-414	Ischaemic heart disease	1	12	96	411	1,070	1,644	1,942	5,176	-	2	18	127	387	888	1,946	3,368
420-429	Other forms of heart disease	3	3	13	8	49	162	576	814	1	3	5	12	28	97	693	839
430-438	Cerebrovascular disease	12	11	26	79	247	609	1,149	2,133	13	3	19	86	199	613	1,635	2,568
440-448	Diseases of arteries, arterioles and capillaries	2	2	1	14	51	133	489	692	-	-	3	6	26	99	543	677
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	-	1	13	21	36	45	116	1	2	5	10	18	44	71	151
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	19	31	150	567	1,520	2,703	4,372	9,362	17	12	60	272	728	1,871	5,208	8,168
		Rates per 100,000 corresponding population															
390-392	Active rheumatic fever	-	0.6	0.7	-	1.4	-	-	0.3	0.1	-	-	-	0.7	-	-	0.1
393-398	Chronic rheumatic heart disease	-	1.2	7.2	15.2	28.7	41.8	82.4	10.8	0.1	1.2	4.7	12.6	29.3	42.8	99.4	12.6
400-404	Hypertensive disease	0.1	-	0.7	11.4	25.9	76.6	245.4	17.4	-	-	2.0	6.9	18.8	73.1	361.6	24.9
410-414	Ischaemic heart disease	0.1	7.0	63.2	260.0	730.0	1,636.1	3,722.9	342.1	-	1.2	12.0	80.1	269.7	791.2	2,803.8	224.4
420-429	Other forms of heart disease	0.4	1.8	8.6	5.1	33.4	161.2	1,104.2	53.8	0.1	1.8	3.3	7.6	19.5	86.4	998.5	55.9
430-438	Cerebrovascular disease	1.6	6.4	17.1	50.0	168.5	606.1	2,202.7	141.0	1.9	1.8	12.7	54.2	138.7	546.2	2,355.7	171.1
440-448	Diseases of arteries, arterioles and capillaries	0.3	1.2	0.7	8.9	34.8	132.4	937.4	45.7	-	-	2.0	3.8	18.1	88.2	782.4	45.1
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	-	0.7	8.2	14.3	35.8	86.3	7.7	0.1	1.2	3.3	6.3	12.5	39.2	102.3	10.1
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	2.6	18.2	98.7	358.7	1,037.1	2,690.0	8,381.3	618.8	2.4	7.2	40.1	171.5	507.3	1,667.0	7,503.7	544.3

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 460-519 in the International List) in 1972 numbered 4,668. These included 241 deaths caused by influenza, 2,034 by pneumonia, 1,558 by bronchitis and 835 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUERPERIUM

The number of maternal deaths in 1972 was 28 compared with 17 in 1971. The death rate was 0.41 per thousand maternities. TABLE XXX shows the maternal deaths in 1972 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX
MATERNAL DEATHS IN 1972 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE.

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and over
Infections of genital tract during pregnancy	1	-	-	-	-	-	-	1
Other complications of pregnancy	1	-	-	-	-	1	-	-
Urinary infection arising during pregnancy and the puerperium	1	-	-	-	1	-	-	-
Pre-eclampsia, eclampsia and toxæmia unspecified	2	1	-	1	-	-	-	-
Other toxæmias of pregnancy and the puerperium	1	-	-	-	-	1	-	-
Spontaneous abortion	1	-	-	-	-	-	1	-
Delivery complicated by placenta prævia or antepartum hæmorrhage	2	-	1	-	1	-	-	-
Delivery complicated by other postpartum hæmorrhage	1	-	-	1	-	-	-	-
Delivery complicated by prolonged labour of other origin	3	-	2	-	-	-	1	-
Delivery with rupture of uterus	2	-	-	1	-	-	1	-
Sepsis of childbirth and the puerperium	2	-	-	1	-	1	-	-
Puerperal pulmonary embolism	7	-	1	2	1	2	-	1
Cerebral hæmorrhage in the puerperium	4	1	-	1	1	-	1	-
TOTAL	28	2	4	7	4	5	4	2

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1972.

Influenzal pneumonia	1	-	-	1	-	-	-	-
Adrenal cortical carcinoma	1	-	-	-	-	1	-	-
Atheroma of coronary artery	1	-	-	-	-	-	1	-
Rupture of aorta with hæmorrhage into left pleural cavity	1	-	-	-	-	1	-	-
Accidental fall on stairs	1	-	1	-	-	-	-	-
TOTAL	5	-	1	1	-	2	1	-

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1963 to 1972.

TABLE XXXI

MATERNAL DEATHS PER 100,000 TOTAL LIVE AND STILL BIRTHS IN IRELAND* AND NEIGHBOURING COUNTRIES, 1963-1972.

Year	Number of deaths	Deaths per 100,000 live and still births			
		Ireland*	Northern Ireland	England and Wales	Scotland
1963	22	34	41	28	37
1964	30	46	17	25	23
1965	18	28	32	25	37
1966	18	28	18	26	24
1967	14	22	24	20	23
1968	22	36	27	24	15
1969	20	31	15	19	14
1970	20	31	-	18	19
1971	17	25	19	17	16
1972	28	40	10	15	16

*Exclusive of Northern Ireland.

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:—

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Early neo-natal mortality rate: Early neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated.

It will be seen from Table XXXII that the highest individual rate for infant mortality was in Leitrim and the lowest in Mayo. The rate for perinatal mortality was highest in Monaghan and lowest in Wexford while for late foetal mortality the highest rate was in Monaghan and the lowest in Wexford.

TABLE XXXII
 INFANT AND LATE FOETAL MORTALITY*, 1972.

Area	Infant mortality		Neo-natal mortality		Late foetal mortality		Perinatal mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,236	18.0	827	12.1	901	13.0	1,608	23.2
Carlow	18	20.0	13	14.4	9	9.9	21	23.1
Dublin Co. Borough and County	378	17.8	243	11.5	306	14.2	512	23.8
Kildare	34	15.7	21	9.7	28	12.8	46	21.0
Kilkenny	26	19.5	18	13.5	18	13.3	35	25.9
Laois	18	17.7	12	11.8	18	17.4	29	28.0
Longford	11	18.1	9	14.8	5	8.2	11	18.0
Louth	30	15.3	21	10.7	27	13.6	45	22.7
Meath	33	18.2	22	12.1	28	15.2	45	24.4
Offaly	17	14.3	12	10.1	21	17.3	31	25.5
Westmeath	19	15.5	13	10.6	15	12.1	25	20.2
Wexford	48	23.2	37	17.9	2	1.0	35	16.9
Wicklow	22	13.0	19	11.2	26	15.1	42	24.4
LEINSTER	654	17.6	440	11.8	503	13.3	877	23.3
Clare	33	20.1	27	16.4	15	9.1	41	24.4
Cork Co. Borough and County	159	19.8	104	13.0	82	10.1	177	21.8
Kerry	48	21.1	33	14.5	26	11.3	55	23.9
Limerick Co. Borough and County	76	22.1	52	15.1	50	14.4	94	27.0
Tipperary, N.R.	17	13.9	11	9.0	19	15.3	27	21.8
Tipperary, S.R.	23	15.1	18	11.8	22	14.2	34	21.9
Waterford Co. Borough and County	22	13.1	13	7.8	24	14.1	34	20.0
MUNSTER	378	19.1	258	13.0	238	11.9	462	23.1
Galway	51	15.8	33	10.2	45	13.7	72	22.0
Leitrim	14	29.3	9	18.8	7	14.4	15	30.9
Mayo	22	11.5	12	6.3	24	12.4	34	17.5
Roscommon	15	18.1	6	7.3	12	14.3	17	20.3
Sligo	22	23.8	18	19.4	4	4.3	20	21.5
CONNACHT	124	16.8	78	10.6	92	12.3	158	21.1
Cavan	18	18.0	12	12.0	11	10.9	21	20.8
Donegal	45	20.0	28	12.5	35	15.3	58	25.4
Monaghan	17	18.4	11	11.9	22	23.3	32	33.9
ULSTER (part of)	80	19.2	51	12.2	68	16.1	111	26.2

*For definition—see page xxxv.

INFANT MORTALITY

During the year 1972 there were 1,236 deaths of infants under one year, an increase of 22 on 1971. The 1972 rate of 18.0 per 1,000 live births is the same as that for 1971 which was the lowest ever recorded.

TABLE XXXIII
INFANT MORTALITY BY AGE, 1941-1960 AND 1963-1972

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1962	6.9	8.1	2.0	1.3	0.7	19.0	2.6	1.8	3.7	2.1	10.1	29.1
1963	7.6	6.5	1.5	1.1	1.1	17.8	2.3	1.6	2.9	2.0	8.8	26.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.9
1967	7.3	5.4	1.4	1.1	0.8	16.0	2.0	1.7	2.8	1.9	8.4	24.4
1968	6.6	5.1	1.1	0.6	0.5	13.9	1.4	1.1	2.4	2.2	7.1	21.0
1969	5.9	6.0	1.0	0.8	0.6	14.3	1.4	0.9	2.1	1.8	6.2	20.6
1970	6.1	4.4	1.1	0.5	0.5	12.8	1.5	0.9	2.5	1.8	6.7	19.5
1971	5.8	4.2	1.1	0.7	0.4	12.2	1.4	1.0	1.8	1.6	5.8	18.0
1972	5.7	4.6	1.0	0.4	0.4	12.1	1.4	1.2	1.7	1.6	6.0	18.0

Infant mortality has shown a considerable decrease in the period covered by the Table, the greatest reductions being in ages between 14 days and under 4 weeks, where the 1968 rates were about one-seventh of those at the start of the period, and in ages over 4 weeks, where the 1968 rate was less than one-fifth of that in the period 1941-50. No significant changes were shown at ages 1-6 days until 1963, since then, apart from an increase in 1964 and again in 1969 there has been a downward trend. No significant changes were shown at ages under 24 hours until 1968 when there was a drop of about 10 per cent in the rate with a further drop of 11 per cent in 1969, the rate rising again in 1970 by 3 per cent. In 1971 however the rate dropped once more by 5 per cent and has remained at the same level in 1972.

Diagram 5




TABLE XXXIV

INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1960 AND 1963-1972

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Northern Ireland	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1963	27	27	21	26
1964	27	26	20	24
1965	25	25	19	25
1966	25	26	19	23
1967	24	23	18	21
1968	21	24	18	21
1969	21	24	18	21
1970	19	23	18	20
1971	18	23	18	20
1972	18	21	18	19

*Exclusive of Northern Ireland.

As can be seen from Table XXXIV the decline in infant mortality has been greater in Ireland than in any of the other areas.

The causes of deaths of infants under one year, classified according to the Detailed International List, are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV

LATE FOETAL DEATHS AND DEATHS OF INFANTS UNDER 1 YEAR REGISTERED IN 1972 CLASSIFIED BY CAUSE AND AGE.

International List Numbers	Cause	Late foetal deaths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	1	7	15	23
Rem. 000-136	Other infective and parasitic diseases	-	-	6	5	19	30
320	Meningitis	-	-	6	1	11	18
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	4	1	7	61	73
520-577	Diseases of the digestive system	-	-	-	-	-	-
740-759	Congenital anomalies	192	96	74	53	119	342
764-768, 772	Birth injuries	27	22	28	12	3	65
774, 775	Haemolytic disease of newborn	62	17	9	1	2	29
776	Anoxic and hypoxic conditions not elsewhere classified (including asphyxia and atelectasis)	106	136	115	5	2	258
777	Immaturity, unqualified	12	92	36	7	3	138
778	Other conditions of foetus or newborn (including haemorrhagic disease)	8	5	12	1	1	19
	Other causes	494	21	26	21	173	241
	TOTAL	901	393	314	120	409	1,236

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. Of all deaths at ages under one week, 18 per cent were ascribed to immaturity, congenital anomalies accounted for 24 per cent, anoxic and hypoxic conditions not elsewhere specified (including asphyxia and atelectasis) 36 per cent and birth injuries 7 per cent.

At ages over 4 weeks respiratory diseases, congenital anomalies, and enteritis and other diarrhoeal diseases were the main causes of death. Details of the 241 deaths included as other causes will be found in Table 19 where it will be noted that 39 of them were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:—

Year	Late Foetal Deaths
Average 1957-1966	1,215
1967	1,000
1968	934
1969	893
1970	904
1971	881
1972	901

The causes of late foetal deaths notified in 1972 classified according to the Detailed International List are given in Table 29. The results are summarised in Table XXXVI.

TABLE XXXVI
LATE FOETAL DEATHS AND RATES* PER 1,000 TOTAL BIRTHS BY CAUSE, 1972.

International List Numbers	Cause	Number of Late foetal Deaths	Rate per 1,000 total Births
740	Anencephalus	119	1.71
741	Spina bifida	15	0.22
742	Congenital hydrocephalus	29	0.42
743	Other congenital anomalies of nervous system	1	0.01
746	Congenital anomalies of heart	2	0.03
750	Other congenital anomalies of upper alimentary tract	2	0.03
755	Other congenital anomalies of limbs	3	0.04
756	Other congenital anomalies of musculoskeletal system	2	0.03
758	Other and unspecified congenital anomalies	5	0.07
759	Congenital syndromes affecting multiple systems	14	0.20
760	Chronic circulatory and genito-urinary diseases in mother	9	0.13
761	Other maternal conditions unrelated to pregnancy	24	0.35
762	Toxaemia of pregnancy	62	0.89
763	Maternal ante- and intrapartum infection	3	0.04
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	3	0.04
766	Difficult labour with malposition of foetus	13	0.19
767	Difficult labour with abnormality of forces of labour	1	0.01
768	Difficult labour with other and unspecified complications	5	0.07
769	Other complications of pregnancy and childbirth	8	0.12
770	Conditions of placenta	183	2.64
771	Conditions of umbilical cord	52	0.75
772	Birth injury without mention of cause	5	0.07
774	Haemolytic disease of newborn with kernicterus	1	0.01
775	Haemolytic disease of newborn, without mention of kernicterus	61	0.88
776	Anoxic and hypoxic conditions not elsewhere classified	106	1.53
777	Immaturity, unqualified	12	0.17
778	Other conditions of foetus or newborn	8	0.12
779	Foetal deaths of unknown cause	153	2.20
	ALL CAUSES	901	12.98

*For definition—see page xxxv.

More late foetal deaths resulted from placental and cord injuries than from any other group, being 26 per cent of the total deaths. Congenital anomalies of foetus was next at 21 per cent and haemolytic disease of the newborn at 7 per cent. Of the total deaths 17 per cent were classified as being due to ill-defined or unknown causes.

As can be seen from Table XXXVII 833 late foetal deaths in 1972 occurred in hospitals; this is equivalent to 92 per cent of the total number of late foetal deaths. From the same table it may be observed that over half of all late foetal deaths were of period of gestation 37 weeks and over.

TABLE XXXVII
LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1972 CLASSIFIED BY PERIOD OF GESTATION AND PLACE IN WHICH CONFINEMENT OCCURRED.

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
28-36 weeks	394	16	9	419
37 weeks and over	439	30	13	482
TOTAL	833	46	22	901

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1965 to 1972 compare as follows:—

TABLE XXXVIII
PERINATAL AND LATE FOETAL MORTALITY RATES* IN IRELAND† AND NEIGHBOURING COUNTRIES, 1965-1972.

Year	Late foetal mortality rate				Perinatal mortality rate			
	Ireland†	Northern Ireland	England and Wales	Scotland	Ireland†	Northern Ireland	England and Wales	Scotland
1965	16.6	19.1	15.8	17.9	30.0	34.5	26.9	31.5
1966	15.8	16.3	15.3	16.2	28.6	31.3	26.3	29.3
1967	16.0	17.0	14.4	15.8	28.5	31.0	25.4	27.5
1968	15.1	16.3	14.4	14.8	26.6	29.4	24.7	25.9
1969	14.0	15.3	13.2	14.0	25.8	28.8	23.4	25.0
1970	13.8	14.3	12.8	13.9	24.2	27.6	23.4	24.8
1971	12.9	14.3	12.5	13.1	22.8	27.2	22.2	24.5
1972	13.0	14.3	12.0	13.2	23.2	26.0	21.7	23.7

*For definition see page xxxv.

† Exclusive of Northern Ireland.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Numbers E800-E999) occurring in 1972 was 1,680 of which 1,077 were males and 603 females. The corresponding figures for 1971 were 1,481, 951 and 530 respectively. In the Eight Revision there is also a classification for deaths from external causes which are not specified as accidental or suicidal and which accounted for 68 deaths in 1972 (Table XL). In the Seventh Revision, 39 of these deaths would have been in the category Accidental drowning and 24 in the category Accidental poisoning, so for comparison with former years, they have been grouped with these categories in Table XXXIX.

TABLE XXXIX
DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1963 TO 1972.

International List Numbers 8th Revision	Cause of death	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972
E800-E807	Railway accidents	6	4	4	4	7	2	4	6	3	2
E810-E827	Road vehicle accidents	322	312	327	371	398	430	466	500	575	647
E850-E877	Accidental poisoning						23	20	30	18	36
		20	25	39	27	18					
E980-E982	Poisoning undetermined whether accidentally or purposely inflicted						18	24	27	35	24
E890-E899; E924	Accidents caused by fire, explosion and burns	77	79	64	73	84	56	69	78	81	82
E910	Accidental drowning						90	74	83	64	84
		112	124	118	138	146					
E984	Drowning undetermined whether accidentally or purposely inflicted						61	51	54	70	39
E880-E887	Accidental falls	316	309	329	336	304	352	394	376	358	465
Rem. E800-E999	Other accidents and external causes	153	161	156	151	168	235	206	208	196	211
E950-E959	Suicide and self-inflicted injury	70	58	51	69	72	71	52	52	81	90
	TOTAL	1,076	1,072	1,088	1,169	1,197	1,338	1,360	1,414	1,481	1,680

As can be seen from Table XL there is an excess of male mortality from accidents at all ages between 1 and 75 years. In these age groups the excess of male deaths may be largely attributed to the category Road Vehicle Accidents. At ages over 75 years, the excess of female deaths may be attributed to accidental falls, as can be seen from Table XLI. The vast majority of these falls occurred in the home (Table XLI).

TABLE XL

DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE IN 1972, CLASSIFIED BY AGE AND SEX.

International List Numbers (8th Revision)	Cause of death		Age at death							
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45+
E800-E807	Railway accidents	M	2	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
E810-E827	Road vehicle accidents	M	490	-	21	43	114	52	49	5
		F	157	-	9	26	31	15	12	1
E850-E877	Accidental poisoning	M	17	-	1	-	2	5	2	
		F	19	-	3	-	1	3	2	
E880-E887	Accidental falls	M	185	-	3	4	4	3	14	1
		F	280	-	-	2	2	1	-	
E890-E899; E924	Accidents caused by fire, explosion and burns	M	40	1	4	3	1	2	1	
		F	42	1	4	3	4	1	2	
E910	Accidental drowning	M	73	1	5	22	12	11	3	
		F	11	-	-	6	-	1	-	
E950-E959	Suicide and self-inflicted injury	M	65	-	-	-	6	13	6	1
		F	25	-	-	-	1	4	4	
E980-E989	Injury undetermined whether accidentally or purposely inflicted	M	46	-	-	-	8	8	8	1
		F	22	-	-	-	1	4	3	
Rem. E800-E999	Other accidents and external causes	M	159	18	9	17	33	16	12	1
		F	47	18	3	2	3	-	1	
	TOTAL	M	1,077	20	43	89	180	110	95	12
		F	603	19	19	39	43	29	24	3

TABLE XLI

DEATHS DUE TO ACCIDENTS IN THE HOME IN 1972, CLASSIFIED BY CAUSE AND AGE GROUP.

Inter-national List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E850-E869	Accidental poisoning by drugs, medicaments, other solids and liquid substances	M	7	-	-	-	1	2	1	3	-	-	-
		F	6	-	2	-	-	1	1	-	1	1	-
E870-E877	Accidental poisoning by gases and vapours	M	6	-	1	-	1	1	1	1	-	1	-
		F	8	-	1	-	1	1	1	-	-	1	3
E880-E887	Accidental falls	M	131	-	3	2	-	1	5	3	7	28	82
		F	272	-	-	1	1	-	-	2	7	48	213
E890-E899	Accident caused by fires and flames	M	30	1	2	2	-	-	1	1	2	9	12
		F	33	1	4	3	-	1	1	3	3	4	13
E904	Exposure and neglect	M	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	31	15	3	1	-	1	2	2	4	2	1
		F	22	14	2	1	-	-	1	2	1	-	1
E913	Accidental mechanical suffocation	M	5	1	1	1	1	-	-	1	-	-	-
		F	4	3	1	-	-	-	-	-	-	-	-
E920	Accident caused by cutting or piercing instruments	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E924	Accidents caused by hot substance, corrosive liquid and steam	M	2	-	1	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	1	-	-
E925	Accident caused by electric current	M	5	-	-	1	2	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
	Other and unspecified accidents	M	14	2	-	5	1	-	1	-	2	-	3
		F	1	-	-	-	-	-	-	-	-	-	1
TOTAL		M	232	20	11	12	6	5	11	12	16	40	99
		F	348	18	10	5	2	3	4	7	13	55	231

There were 580 deaths resulting from accidents in the home recorded in 1972 compared with 461 in 1971. As will be seen from Table XLI 403 deaths in 1972 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids, etc., accounted for 66 deaths, of which 9 were of children under 5 years of age and 49 of persons aged 45 years and over. Twenty-nine deaths of children under one year old were due to obstruction and suffocation by food and 4 to accidental mechanical suffocation. There were 27 deaths from accidental poisoning, 20 of which were of persons aged 25 years and over.

UNCERTIFIED DEATHS

The number of cases in 1972 in which the cause of death was not certified by a medical practitioner was 380 which represents 1.1 per cent of the total deaths. In TABLE 23 uncertified deaths in 1972 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west, being highest in the year 1972 in the counties Mayo (5.1 per cent) and Leitrim (4.0 per cent).

Table XLII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place, the percentage for 1972 being only one-twelfth of the average for the period 1941-50.

TABLE XLII
UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL IN EACH PROVINCE IN THE
YEARS 1941 TO 1960 AND 1963 TO 1972

Province	1941-50	1951-60	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972
Leinster	5.6	3.1	1.4	1.2	1.1	1.0	0.8	0.7	0.7	0.6	0.6	0.5
Munster	12.1	8.1	4.2	3.3	3.0	2.5	2.3	1.6	1.6	1.3	1.1	0.9
Connacht	28.1	20.0	11.0	8.9	9.3	6.9	6.0	4.9	4.8	4.2	3.6	3.1
Ulster (part of)	22.0	13.8	6.4	5.3	4.8	3.7	3.5	3.2	2.1	2.0	1.8	1.6
TOTAL	13.0	8.5	4.2	3.4	3.3	2.6	2.3	1.9	1.7	1.5	1.3	1.1

TABLE XLIII
PERCENTAGE OF DEATHS UNCERTIFIED BY AGE GROUPS, IN EACH PROVINCE IN 1972

Province	All ages	Under 1 year	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	0.5	-	-	-	-	0.3	0.6	0.5	0.4	0.6
Munster	0.9	0.5	-	0.8	-	-	0.5	0.2	0.3	1.5
Connacht	3.1	-	-	-	-	-	0.4	0.9	1.6	4.9
Ulster (part of)	1.6	-	-	-	-	-	0.7	0.7	1.0	2.5
TOTAL	1.1	0.2	-	0.2	-	0.1	0.5	0.5	0.6	1.8
Actual number of deaths uncertified	380	2	-	1	-	1	11	22	52	291

The proportion of deaths uncertified was highest in the age group 75 years and over; this age group accounted for more than four-fifths of the uncertified deaths. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUEST AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1972 was 2,967 compared with 1,808 in 1971.

TABLES

TABLE 1—ESTIMATED POPULATION IN THOUSANDS IN EACH YEAR 1851 TO 1972

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1892	3,408	1,697	1,711	1933	2,962	1,512	1,450
1852	4,927	2,413	2,514	1893	3,382	1,684	1,698	1934	2,971	1,518	1,453
1853	4,807	2,358	2,449	1894	3,362	1,675	1,687	1935	2,971	1,520	1,451
1854	4,704	2,311	2,393	1895	3,333	1,662	1,671	1936	2,967	1,520	1,447
1855	4,638	2,281	2,357	1896	3,314	1,653	1,661	1937	2,948	1,510	1,438
1856	4,594	2,261	2,333	1897	3,298	1,646	1,652	1938	2,937	1,505	1,432
1857	4,540	2,234	2,306	1898	3,283	1,640	1,643	1939	2,934	1,503	1,431
1858	4,506	2,217	2,289	1899	3,265	1,631	1,634	1940	2,958	1,515	1,443
1859	4,471	2,199	2,272	1900	3,234	1,616	1,618	1941	2,993	1,533	1,460
1860	4,428	2,179	2,249	1901	3,213	1,607	1,606	1942	2,963	1,499	1,464
1861	4,393	2,164	2,229	1902	3,200	1,603	1,597	1943	2,946	1,490	1,456
1862	4,377	2,158	2,219	1903	3,185	1,599	1,586	1944	2,944	1,487	1,457
1863	4,328	2,134	2,194	1904	3,175	1,597	1,578	1945	2,952	1,490	1,462
1864	4,263	2,103	2,160	1905	3,165	1,594	1,571	1946	2,957	1,496	1,461
1865	4,223	2,084	2,139	1906	3,160	1,593	1,567	1947	2,974	1,505	1,469
1866	4,163	2,051	2,112	1907	3,151	1,589	1,562	1948	2,985	1,512	1,473
1867	4,130	2,033	2,097	1908	3,145	1,588	1,557	1949	2,981	1,513	1,468
1868	4,109	2,022	2,087	1909	3,142	1,589	1,553	1950	2,969	1,510	1,459
1869	4,090	2,012	2,078	1910	3,139	1,588	1,551	1951	2,961	1,507	1,454
1870	4,062	1,996	2,066	1911	3,132	1,586	1,546	1952	2,953	1,501	1,452
1871	4,042	1,986	2,056	1912	3,120	1,581	1,539	1953	2,949	1,498	1,451
1872	4,023	1,975	2,048	1913	3,103	1,572	1,531	1954	2,941	1,493	1,448
1873	3,989	1,955	2,034	1914	3,092	1,568	1,524	1955	2,921	1,479	1,442
1874	3,966	1,944	2,022	1915	3,068	1,546	1,522	1956	2,898	1,463	1,435
1875	3,951	1,940	2,011	1916	3,068	1,549	1,519	1957	2,885	1,456	1,429
1876	3,949	1,942	2,007	1917	3,065	1,551	1,514	1958	2,853	1,439	1,414
1877	3,956	1,947	2,009	1918	3,066	1,553	1,513	1959	2,846	1,435	1,411
1878	3,952	1,948	2,004	1919	3,102	1,598	1,504	1960	2,832	1,427	1,405
1879	3,939	1,944	1,995	1920	3,103	1,598	1,505	1961	2,818	1,417	1,402
1880	3,891	1,920	1,971	1921	3,096	1,599	1,497	1962	2,830	1,423	1,407
1881	3,847	1,901	1,946	1922	3,022	1,529	1,493	1963	2,850	1,433	1,417
1882	3,808	1,882	1,926	1923	3,014	1,526	1,488	1964	2,864	1,440	1,424
1883	3,745	1,853	1,892	1924	3,005	1,521	1,484	1965	2,876	1,446	1,430
1884	3,703	1,834	1,869	1925	2,985	1,512	1,473	1966	2,884	1,449	1,435
1885	3,671	1,820	1,851	1926	2,971	1,507	1,464	1967	2,900	1,457	1,443
1886	3,642	1,808	1,834	1927	2,957	1,502	1,455	1968	2,913	1,464	1,449
1887	3,600	1,788	1,812	1928	2,944	1,498	1,446	1969	2,926	1,470	1,455
1888	3,554	1,766	1,788	1929	2,937	1,496	1,441	1970	2,950	1,482	1,468
1889	3,516	1,748	1,768	1930	2,927	1,493	1,434	1971	2,978	1,496	1,482
1890	3,482	1,733	1,749	1931	2,933	1,497	1,436	1972	3,014	1,513	1,501
1891	3,449	1,718	1,731	1932	2,949	1,505	1,444				

TABLE 2—ESTIMATED POPULATION BY AGE 1972

Age Group	Total	Males	Females
Under 1	67,400	34,500	32,900
1-4	254,100	130,300	123,800
5-9	317,500	162,200	155,300
10-14	302,100	154,000	148,100
15-19	272,400	139,100	133,300
20-24	221,000	112,900	108,100
25-29	180,200	91,500	88,700
30-34	156,100	79,200	76,900
35-39	149,900	75,900	74,000
40-44	151,800	76,100	75,700
45-49	158,300	78,700	79,600
50-54	158,400	79,400	79,000
55-59	154,300	77,900	76,400
60-64	135,800	68,700	67,100
65-69	113,800	55,600	58,200
70-74	98,900	44,900	54,000
75-79	63,900	28,400	35,500
80-84	36,500	15,600	20,900
85+	21,100	8,200	12,900
All Ages	3,013,600	1,512,900	1,500,700

TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE
CENSUS OF POPULATION, 1971.

Area	Persons	Males	Females
Carlow	34,237	17,502	16,735
Dublin County Borough	567,866	267,801	300,065
Dun Laoghaire Borough	53,171	24,063	29,108
Dublin County (remainder)	231,182	114,144	117,038
Kildare	71,977	37,279	34,698
Kilkenny	61,473	31,828	29,645
Laois	45,259	23,805	21,454
Longford	28,250	14,891	13,359
Louth	74,951	37,511	37,440
Meath	71,729	36,977	34,752
Offaly	51,829	27,029	24,800
Westmeath	53,570	27,544	26,026
Wexford	86,351	43,768	42,583
Wicklow	66,295	33,318	32,977
Clare	75,008	39,002	36,006
Cork County Borough	128,645	61,731	66,914
Cork County	224,238	115,055	109,183
Kerry	112,772	58,404	54,368
Limerick County Borough	57,161	27,626	29,535
Limerick County	83,298	43,160	40,138
Tipperary, N.R.	54,337	28,190	26,147
Tipperary, S.R.	69,228	35,333	33,895
Waterford County Borough	31,968	15,421	16,547
Waterford County	45,347	23,349	21,998
Galway	149,223	77,842	71,381
Leitrim	28,360	15,269	13,091
Mayo	109,525	56,402	53,123
Roscommon	53,519	28,294	25,225
Sligo	50,275	25,887	24,388
Cavan	52,618	27,819	24,799
Donegal	108,344	55,424	52,920
Monaghan	46,242	24,092	22,150
Total	2,978,243	1,495,760	1,482,483

TABLE 4—MARRIAGES, BIRTHS AND DEATHS AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1972.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate			Total	Males	Females	
		Total	Males	Females	Total	Total	Males	Females				
Average 1864 - 1870	21,150	108,928	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	66,507	34,208	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,350	21,853	17,203
1931 - 1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,341	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951 - 1960	15,742	61,664	31,608	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,290
1961 - 1970	17,430	62,417	32,053	30,364	61,035	1,382	700	682	33,574	18,221	15,353	23,843
1971	22,014	67,551	34,751	32,800	65,709	1,842	922	920	31,890	17,357	14,533	35,661
1972	22,302	68,527	35,375	33,152	66,522	2,005	1,014	991	34,381	18,731	15,650	34,146

TABLE 5—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1972.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate Per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864-1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951-1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1961-1970	6.05	21.67	21.19	0.48	2.21	1,056	11.66	24.83	10.01
1971	7.39	22.68	22.06	0.62	2.73	1,059	10.71	17.97	11.97
1972	7.40	22.74	22.07	0.67	2.93	1,067	11.41	18.04	11.33

TABLE 6--MARRIAGES, BIRTHS AND DEATHS DURING EACH OF THE YEARS 1961 TO 1972 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1961 TO 1970 AND THE RATES FOR THE YEAR 1971 AND 1972 PER 1,000 OF THE POPULATION

Year	Marriages										Births					Deaths									
	Catholic					All others					Total					Total									
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total					
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113
1967	3,114	3,884	6,230	3,839	17,097	141	171	280	99	691	3,255	4,055	6,540	3,938	17,788	15,023	16,691	15,363	14,230	61,307	8,643	7,840	7,095	7,822	31,400
1968	3,725	3,747	6,769	3,019	18,330	151	161	286	135	733	3,876	3,908	7,055	4,154	18,993	15,508	16,030	15,301	14,165	61,004	10,362	8,305	6,959	7,531	33,157
1969	4,118	4,000	7,216	4,107	19,441	149	232	315	167	863	4,267	4,232	7,531	4,274	20,304	15,361	16,861	16,235	14,455	62,912	10,035	8,657	7,177	7,865	33,734
1970	3,598	4,751	7,242	4,398	19,989	141	187	315	146	789	3,739	4,938	7,557	4,544	20,778	15,857	17,232	16,155	15,040	64,284	10,199	8,910	7,195	7,987	34,291
Average 1961-1970	3,133	3,709	6,299	3,601	16,742	118	171	271	128	688	3,251	3,880	6,570	3,729	17,430	15,354	16,743	15,949	14,371	62,417	10,299	8,484	7,060	7,731	33,574
1971	4,312	4,717	7,376	4,713	21,118	151	250	332	163	896	4,463	4,967	7,708	4,876	22,014	16,838	17,762	16,941	16,010	67,551	8,917	7,976	7,071	7,926	31,890
1972	4,599	4,814	7,270	4,730	21,413	164	192	356	177	889	4,763	5,006	7,626	4,907	22,302	16,992	18,063	17,118	16,354	68,527	10,260	8,263	7,621	8,237	34,381

EQUIVALENT ANNUAL RATE PER 1,000 CORRESPONDING POPULATION

Average 1961-1970	4.6	5.4	9.2	5.3	6.1	3.2	4.6	7.3	3.5	4.7	4.5	5.4	9.1	5.2	6.1	21.3	23.3	22.2	20.0	21.7	14.3	11.8	9.8	10.7	11.7
1971	6.2	6.7	10.6	6.7	7.6	3.3	5.5	7.3	3.6	4.9	6.0	6.7	10.4	6.6	7.4	22.6	23.9	22.8	21.5	22.7	12.0	10.7	9.5	10.7	10.7
1972	6.4	6.7	10.1	6.6	7.5	4.5	5.3	9.7	4.8	6.1	6.3	6.6	10.1	6.5	7.4	22.6	24.0	22.7	21.7	22.7	13.6	11.0	10.1	10.9	11.4

TABLE 7—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1972, WITH RATES PER 100,000 POPULATION.

Note—The classification of cause of death in this table is based on the Abbreviated List, 1965.

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
	All causes	34,381	1,140.7	17,032	1,099.2
001	Typhoid fever	-	-	-	-
004,006	Bacillary dysentery and amoebiasis	-	-	-	-
008,009	Enteritis and other diarrhoeal diseases	60	2.0	33	2.1
010-012	Tuberculosis of respiratory system	154	5.1	34	2.2
013-019	Other tuberculosis, including late effects	29	1.0	15	1.0
032	Diphtheria	-	-	-	-
033	Whooping cough	2	0.1	-	-
034	Streptococcal sore throat and scarlet fever	1	0.0	-	-
036	Meningococcal infection	10	0.3	11	0.7
038	Septicaemia	13	0.4	19	1.2
040-043	Acute poliomyelitis	-	-	-	-
055	Measles	12	0.4	-	-
070	Infectious hepatitis	9	0.3	9	0.6
084	Malaria	-	-	-	-
090-097	Syphilis and its sequelae	3	0.1	3	0.2
Rem. 000-136	All other infective and parasitic diseases	46	1.5	24	1.5
140-209	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:—				
140-209 (except 201 and 204-207)	(a) Cancer	5,557	184.4	2,614	168.7
201, 204-207	(b) Hodgkin's disease and leukaemia	205	6.8	101	6.5
210-239	Benign neoplasms and neoplasms of unspecified nature	54	1.8	45	2.9
250	Diabetes mellitus	414	13.7	183	11.8
260-269	Avitaminoses and other nutritional deficiency	18	0.6	8	0.5
280-285	Anaemias	109	3.6	55	3.5
320	Meningitis	38	1.3	12	0.8
390-392	Active rheumatic fever	6	0.2	1	0.1
393-398	Chronic rheumatic heart disease	353	11.7	195	12.6
400-404	Hypertensive disease	637	21.1	202	19.5
410-414	Ischaemic heart disease	8,544	283.5	4,822	311.2
420-429	Other forms of heart disease	1,653	54.8	918	59.3

*Exclusive of Northern Ireland

TABLE 7 (contd.)—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1972, WITH RATES PER 100,000 POPULATION.

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
430-438	Cerebrovascular disease	4,701	156.0	2,528	163.2
470-474	Influenza	241	8.0	107	6.9
480-486	Pneumonia	2,034	67.5	820	52.9
490-493	Bronchitis, emphysema and asthma	1,873	62.1	890	57.4
531-533	Peptic ulcer	251	8.3	98	6.3
540-543	Appendicitis	17	0.6	10	0.6
550-553, 560	Intestinal obstruction and hernia	112	3.7	66	4.3
571	Cirrhosis of liver	111	3.7	56	3.6
580-584	Nephritis and nephrosis	216	7.2	65	4.2
600	Hyperplasia of prostate	116	3.8	25	1.6
640-645	Abortion	1	0.0	1	0.1
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium	27	0.9	2	0.1
740-759	Congenital anomalies	426	14.1	205	13.2
764-768, 772, 776	Birth injury, difficult labour and other anoxic and hypoxic conditions	323	10.7	145	9.4
760-763, 769-771 773-775, 777-779	Other causes of peri-natal mortality †	213	7.1	143	9.2
780-796	Senility without mention of psychosis, ill-defined and unknown causes	592	19.6	51	3.3
	All other diseases	3,520	116.8	1,483	95.7
E810-E823	Motor vehicle accidents	626	20.8	344	22.2
E800-E807 E825-E949	All other accidents	875	29.0	352	22.7
E950-E959	Suicide and self-inflicted injuries	90	3.0	47	3.0
E960-E999	All other external causes	89	3.0	290	18.7

*Exclusive of Northern Ireland

† Late foetal deaths not included

TABLE 8—AVERAGE ANNUAL NUMBER OF DEATHS DURING THE PERIOD 1864-1970 AND THE NUMBER OF DEATHS IN THE YEARS 1971 AND 1972 CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-														
1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,871	78
1961-1970	18,190	1,005	73	55	94	100	193	430	1,224	2,784	4,825	5,204	2,097	106
1971	17,357	819	82	60	106	129	194	355	1,191	2,850	4,729	4,859	1,878	105
1972	18,731	815	99	65	131	156	211	415	1,221	3,019	5,122	5,272	2,070	135
Females														
Average-														
1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,539	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961-1970	15,324	780	52	39	47	48	133	331	854	1,688	3,539	5,040	2,565	208
1971	14,533	597	41	27	54	57	132	214	785	1,686	3,415	4,723	2,555	247
1972	15,650	627	60	34	68	61	113	276	809	1,724	3,582	5,301	2,720	275
Persons														
Average-														
1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,223	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,873	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	132
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961-1970	33,514	1,785	125	94	141	148	326	761	2,078	4,472	8,364	10,244	4,662	314
1971	31,890	1,416	123	87	160	186	326	569	1,976	4,536	8,144	9,532	4,433	352
1972	34,381	1,442	159	99	199	217	324	691	2,030	4,743	8,704	10,573	4,790	410

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9—AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1970 AND DEATH RATES FOR THE YEARS 1971 AND 1972 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	233.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961-1970	12.60	6.42	0.48	0.37	0.74	1.10	1.26	2.64	7.32	20.31	49.66	113.52	287.11
1971	11.60	5.06	0.51	0.39	0.78	1.17	1.18	2.34	7.46	19.45	47.73	111.86	244.39
1972	12.38	4.94	0.61	0.42	0.94	1.38	1.24	2.73	7.72	20.60	50.97	119.82	268.90
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961-1970	10.73	5.20	0.36	0.28	0.39	0.55	0.87	2.01	5.31	12.47	33.78	92.67	247.10
1971	9.80	3.88	0.26	0.18	0.41	0.54	0.83	1.43	4.92	11.84	30.59	86.32	218.60
1972	10.43	4.00	0.39	0.23	0.51	0.56	0.68	1.84	5.10	12.01	31.92	93.99	232.17
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.32	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961-1970	11.67	5.82	0.42	0.32	0.57	0.83	1.06	2.32	6.33	16.42	41.42	102.21	263.35
1971	10.71	4.49	0.39	0.29	0.60	0.86	1.01	1.89	6.19	15.70	38.65	97.63	228.60
1972	11.41	4.48	0.50	0.33	0.73	0.98	0.96	2.29	6.41	16.35	40.92	105.31	246.45

TABLE 10—BIRTHS AND DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Transferred from area	Transferred to area	Net Number	Total number registered	Transferred from area	Transferred to area	Net number
Total	68,527			68,527	2,005			2,005
Carlow	710	99	291	902	10	-	13	23
Dublin County Borough	24,788	11,813	131	13,106	985	449	74	610
Dun Laoghaire Borough	1,489	1,011	807	1,285	15	12	58	61
Dublin County (remainder)	349	273	6,738	6,814	283	261	155	177
Kildare	330	10	1,847	2,167	3	-	34	37
Kilkenny	1,159	114	286	1,331	22	1	23	44
Laois	659	16	375	1,018	10	-	18	28
Longford	383	67	291	607	6	3	11	14
Louth	3,669	1,767	56	1,958	39	20	11	30
Meath	232	11	1,594	1,815	7	-	58	65
Offaly	1,010	88	271	1,193	9	1	26	34
Westmeath	1,018	160	365	1,223	15	3	30	42
Wexford	1,756	32	348	2,072	28	3	44	69
Wicklow	281	9	1,422	1,694	5	-	51	56
Clare	986	10	666	1,642	13	-	28	41
Cork County Borough	7,659	4,431	25	3,253	320	263	15	72
Cork County	926	26	3,866	4,766	7	1	95	101
Kerry	1,803	21	494	2,276	14	2	28	40
Limerick County Borough	4,800	3,128	30	1,702	67	41	18	44
Limerick County	30	1	1,702	1,731	1	-	45	46
Tipperary, N.R.	525	14	709	1,220	7	1	18	24
Tipperary, S.R.	1,452	116	192	1,528	22	4	24	42
Waterford County Borough	1,734	976	18	776	25	15	7	17
Waterford County	158	2	743	899	5	-	22	27
Galway	4,058	915	90	3,233	23	5	48	66
Leitrim	209	9	278	478	1	-	10	11
Mayo	1,793	71	196	1,918	5	1	26	30
Roscommon	356	38	509	827	4	1	13	16
Sligo	930	92	88	926	8	2	15	21
Cavan	595	57	460	998	10	-	30	40
Donegal	2,169	26	104	2,247	29	-	25	54
Monaghan	511	28	439	922	7	-	16	23

1972 AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
34,381			34,381	1,236			1,236	34,146	Total
384	26	66	424	14	2	6	18	478	Carlow
7,324	1,934	318	5,708	531	275	5	261	7,398	Dublin County Borough
673	209	221	685	16	7	14	23	600	Dun Laoghaire Borough
906	388	800	1,318	15	2	81	94	5,496	Dublin County (remainder)
568	23	188	733	4	-	30	34	1,434	Kildare
662	37	88	713	18	2	10	26	618	Kilkenny
454	18	77	513	2	-	16	18	505	Laois
322	16	68	374	1	-	10	11	233	Longford
806	110	33	729	54	26	2	30	1,229	Louth
655	21	168	802	7	-	26	33	1,013	Meath
505	11	71	565	16	1	2	17	628	Offaly
651	64	59	646	9	1	11	19	577	Westmeath
996	16	92	1,072	32	1	17	48	1,000	Wexford
476	30	247	693	2	-	20	22	1,001	Wicklow
981	15	116	1,082	16	-	17	33	560	Clare
2,148	884	48	1,312	130	83	7	54	1,941	Cork County Borough
2,134	80	840	2,894	37	5	73	105	1,872	Cork County
1,474	20	106	1,560	24	-	24	48	716	Kerry
745	274	142	613	88	50	10	48	1,089	Limerick County Borough
986	192	241	1,035	14	8	22	28	696	Limerick County
588	15	95	668	4	-	13	17	552	Tipperary, N.R.
805	47	76	834	17	1	7	23	694	Tipperary, S.R.
614	263	20	371	18	12	2	8	405	Waterford County Borough
333	7	232	558	2	-	12	14	341	Waterford County
2,014	249	54	1,819	60	16	7	51	1,414	Galway
380	5	98	473	5	-	9	14	5	Leitrim
1,439	15	142	1,566	13	-	9	22	352	Mayo
726	27	123	822	5	-	10	15	5	Roscommon
763	48	38	753	30	8	-	22	173	Sligo
795	20	70	845	13	-	5	18	153	Cavan
1,458	11	79	1,526	34	-	11	45	721	Donegal
616	24	83	675	5	-	12	17	247	Monaghan

TABLE 11—MARRIAGES, BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1972
SHOWING SEPARATELY ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES.

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under one year	Tuber- culosis	Malignant neo- plasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
TOTAL	22,302	35,375	33,152	68,527	1,014	991	2,005	18,731	15,650	34,381	1,236	183	5,762
Carlow	236	447	455	902	7	16	23	243	181	424	18	1	71
Dublin Co. Borough	5,850	6,732	6,374	13,106	300	310	610	2,806	2,902	5,708	261	36	1,161
Dun Laoghaire Borough	516	667	618	1,285	24	37	61	304	381	685	23	2	136
Dublin Co. (remainder)	1,227	3,561	3,253	6,814	78	99	177	705	613	1,318	94	8	257
Kildare	596	1,100	1,067	2,167	24	13	37	409	324	733	34	7	124
Kilkenny	421	649	682	1,331	21	23	44	391	322	713	26	4	113
Laois	326	522	496	1,018	20	8	28	281	232	513	18	2	78
Longford	172	337	270	607	6	8	14	210	164	374	11	2	54
Louth	610	1,016	942	1,958	15	15	30	378	351	729	30	1	125
Meath	544	961	854	1,815	39	26	65	479	323	802	33	4	127
Offaly	312	644	549	1,193	26	8	34	316	249	565	17	4	104
Westmeath	398	645	578	1,223	26	16	42	366	280	646	19	2	94
Wexford	655	1,095	977	2,072	35	34	69	586	486	1,072	48	3	181
Wicklow	532	843	851	1,694	28	28	56	379	314	693	22	2	116
LEINSTER	12,395	19,219	17,966	37,185	649	641	1,290	7,853	7,122	14,975	654	78	2,741
Clare	527	821	821	1,642	21	20	41	618	464	1,082	33	4	136
Cork Co. Borough	1,015	1,695	1,558	3,253	32	40	72	689	623	1,312	54	11	256
Cork County	1,372	2,448	2,318	4,766	56	45	101	1,633	1,261	2,894	105	15	487
Kerry	667	1,174	1,102	2,276	21	19	40	893	667	1,560	48	16	198
Limerick Co. Borough	629	875	827	1,702	22	22	44	325	288	613	48	3	98
Limerick County	487	903	828	1,731	25	21	46	586	449	1,035	28	8	153
Tipperary, N.R.	341	640	580	1,220	11	13	24	381	287	668	17	4	105
Tipperary, S.R.	472	788	740	1,528	21	21	42	459	375	834	23	3	144
Waterford Co. Borough	189	408	368	776	8	9	17	189	182	371	8	-	68
Waterford County	355	475	424	899	14	13	27	234	324	558	14	6	91
MUNSTER	6,054	10,227	9,566	19,793	231	223	454	6,097	4,830	10,927	378	70	1,736
Galway	976	1,657	1,576	3,233	35	31	66	1,023	796	1,819	51	11	267
Leitrim	153	249	229	478	5	6	11	271	202	473	14	2	65
Mayo	513	987	931	1,918	16	14	30	869	697	1,566	22	4	229
Roscommon	282	430	397	827	6	10	16	479	343	822	15	3	123
Sligo	333	471	455	926	8	13	21	431	322	753	22	1	134
CONNACHT	2,257	3,794	3,588	7,382	70	74	144	3,073	2,360	5,433	124	21	818
Cavan	379	511	487	998	24	16	40	487	358	845	18	4	128
Donegal	873	1,143	1,104	2,247	34	20	54	858	668	1,526	45	9	244
Monaghan	344	481	441	922	6	17	23	363	312	675	17	1	95
ULSTER (part of)	1,596	2,135	2,032	4,167	64	53	117	1,708	1,338	3,046	80	14	467

TABLE 12—MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1972.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms	
TOTAL	7.40	22.74	2.93	11.41	0.06	1.91	18.04
Carlow	6.83	26.11	2.55	12.27	0.03	2.06	19.96
Dublin County Borough	10.26	22.98	4.65	10.01	0.06	2.04	19.91
Dun Laoghaire Borough	9.61	23.93	4.75	12.75	0.04	2.53	17.90
Dublin County (remainder)	5.01	27.81	2.60	5.38	0.03	1.05	13.80
Kildare	8.09	29.40	1.71	9.94	0.09	1.68	15.69
Kilkenny	6.79	21.46	3.31	11.50	0.06	1.82	19.53
Laois	7.15	22.34	2.75	11.26	0.04	1.71	17.68
Longford	6.08	21.45	2.31	13.22	0.07	1.91	18.12
Louth	7.98	25.60	1.53	9.53	0.01	1.63	15.32
Meath	7.44	24.83	3.58	10.97	0.05	1.74	18.18
Offaly	5.99	22.91	2.85	10.85	0.08	2.00	14.25
Westmeath	7.38	22.68	3.43	11.98	0.04	1.74	15.54
Wexford	7.49	23.69	3.33	12.26	0.03	2.07	23.17
Wicklow	7.82	24.90	3.31	10.19	0.03	1.70	12.99
LEINSTER	8.13	24.40	3.47	9.83	0.05	1.80	17.59
Clare	6.95	21.66	2.50	14.27	0.05	1.79	20.10
Cork County Borough	7.76	24.88	2.21	10.04	0.08	1.96	16.60
Cork County	6.05	21.02	2.12	12.76	0.07	2.15	22.03
Kerry	5.89	20.10	1.76	13.78	0.14	1.75	21.09
Limerick County Borough	10.88	29.45	2.59	10.61	0.05	1.70	28.20
Limerick County	5.79	20.57	2.66	12.30	0.10	1.82	16.18
Tipperary, N.R.	6.23	22.30	1.97	12.21	0.07	1.92	13.93
Tipperary, S.R.	6.79	21.97	2.75	11.99	0.04	2.07	15.05
Waterford County Borough	5.84	23.97	2.19	11.46	-	2.10	10.31
Waterford County	7.72	19.56	3.00	12.14	0.13	1.98	15.57
MUNSTER	6.97	22.21	2.29	12.26	0.08	1.95	19.10
Galway	6.50	21.52	2.04	12.11	0.07	1.78	15.77
Leitrim	5.46	17.05	2.30	16.87	0.07	2.32	29.29
Mayo	4.71	17.62	1.56	14.38	0.04	2.10	11.47
Roscommon	5.30	15.54	1.93	15.44	0.06	2.31	18.14
Sligo	6.60	18.36	2.27	14.93	0.02	2.66	23.76
CONNACHT	5.78	18.89	1.95	13.90	0.05	2.09	16.80
Cavan	7.20	18.96	4.01	16.05	0.08	2.43	18.04
Donegal	8.02	20.65	2.40	14.02	0.08	2.24	20.03
Monaghan	7.39	19.81	2.49	14.50	0.02	2.04	18.44
ULSTER (part of)	7.67	20.03	2.81	14.64	0.07	2.25	19.20

TABLE 13—DEATHS IN 1972 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	18,731	6,577	8,683	3,471	15,650	4,775	3,657	7,218
Under 15 years	979	979	-	-	721	721	-	-
15-19	131	131	-	-	68	66	2	-
20-24	156	137	19	-	61	49	11	1
25-29	119	65	54	-	58	22	35	1
30-34	92	41	51	-	55	19	35	1
35-39	132	78	54	-	96	30	55	1
40-44	283	95	185	3	180	46	132	2
45-49	424	164	255	5	315	90	205	20
50-54	797	257	517	23	494	127	318	49
55-59	1,177	399	727	51	682	182	366	134
60-64	1,842	590	1,131	121	1,042	287	500	255
65-69	2,235	689	1,332	214	1,370	403	511	456
70-74	2,887	895	1,502	490	2,212	622	545	1,045
75-79	2,847	844	1,309	694	2,592	702	473	1,417
80-84	2,425	644	940	841	2,709	694	334	1,681
85 and over	2,205	569	607	1,029	2,995	715	125	2,155

TABLE 14—BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1972 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Total	2,350	2,244	4,594	1,034	942	1,976
Carlow	103	96	199	44	48	92
Athy	61	50	111	20	16	36
Naas	76	72	148	18	32	50
Longford	56	54	110	13	21	34
Ceannannus Mor	33	35	68	17	12	29
An Uaimh	81	68	149	33	25	58
Trim	31	24	55	19	4	23
Birr	40	36	76	13	21	34
Tullamore	81	82	163	43	27	70
Athlone	106	104	210	47	41	88
Enniscorthy	61	43	104	24	41	65
New Ross	67	53	120	33	16	49
Arklow	69	98	167	34	19	53
Wicklow	44	54	98	20	21	41
Ennis	96	103	199	31	39	70
Kilrush	33	26	59	24	20	44
Clonakilty	23	19	42	7	10	17
Cobh	102	87	189	36	34	70
Fermoy	50	45	95	22	17	39
Kinsale	23	19	42	9	12	21
Macroom	17	16	33	12	8	20
Mallow	85	63	148	30	29	59
Midleton	38	46	84	26	15	41
Skibbereen	21	32	53	12	18	30
Youghal	61	64	125	33	25	58
Killarney	63	78	141	29	33	62
Listowel	35	30	65	20	9	29
Nenagh	48	48	96	23	16	39
Templemore	36	19	55	10	7	17
Thurles	89	71	160	27	30	57
Carrick-on-Suir	56	54	110	21	29	50
Cashel	32	21	53	16	18	34
Tipperary	52	52	104	24	14	38
Dungarvan	60	70	130	33	28	61
Ballinasloe	28	23	51	11	11	22
Ballina	79	77	156	32	27	59
Castlebar	63	41	104	28	19	47
Westport	24	27	51	11	17	28
Cavan	41	50	91	18	14	32
Buncrana	25	27	52	10	11	21
Bundoran	8	12	20	9	14	23
Letterkenny	44	39	83	18	13	31
Carrickmacross	24	25	49	9	9	18
Castleblayney	20	19	39	19	11	30
Clones	28	28	56	16	19	35
Monaghan	37	44	81	30	22	52

TABLE 15—BIRTHS AND DEATHS CLASSIFIED BY SEX IN 1972, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neoplasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	35,375	33,152	68,527	1,014	991	2,005	18,731	15,650	34,381	183	5,762
Dublin County Borough	6,732	6,374	13,106	300	310	610	2,806	2,902	5,708	36	1,161
Cork County Borough	1,695	1,558	3,253	32	40	72	689	623	1,312	11	256
Limerick County Borough	875	827	1,702	22	22	44	325	288	613	3	98
Waterford County Borough	408	368	776	8	9	17	189	182	371	-	68
Dun Laoghaire Borough	667	618	1,285	24	37	61	304	381	685	2	136
Municipal Boroughs:											
Galway	396	396	792	8	10	18	123	121	244	2	39
Drogheda	300	251	551	3	3	6	106	95	201	-	39
Sligo	149	150	299	3	2	5	79	74	153	-	26
Wexford	188	147	335	5	3	8	70	71	141	1	22
Clonmel	161	146	307	4	3	7	54	58	112	-	24
Kilkenny	165	165	330	7	8	15	59	68	127	1	20
Urban Districts:											
Dundalk	295	292	587	5	4	9	79	114	193	-	27
Bray	223	196	419	7	5	12	76	67	143	1	24
Tralee	177	159	336	4	4	8	66	72	138	1	27
Total above Principal Towns	12,431	11,647	24,078	432	460	892	5,025	5,116	10,141	58	1,967
Total other Urban Districts	2,350	2,244	4,594	88	62	150	1,034	942	1,976	12	348
All Boroughs and Urban Districts:											
Leinster	9,479	8,912	18,391	392	392	784	3,878	4,042	7,920	43	1,548
Munster	4,336	4,021	8,357	110	108	218	1,768	1,634	3,402	23	628
Connacht	739	714	1,453	15	15	30	284	269	553	2	92
Ulster (part of)	227	244	471	3	7	10	129	113	242	2	47
Total—Boroughs and Urban Districts	14,781	13,891	28,672	520	522	1,042	6,059	6,058	12,117	70	2,315
All Rural Districts:											
Leinster	9,740	9,054	18,794	257	249	506	3,975	3,080	7,055	35	1,193
Munster	5,891	5,545	11,436	121	115	236	4,329	3,196	7,525	47	1,108
Connacht	3,055	2,874	5,929	55	59	114	2,789	2,091	4,880	19	726
Ulster (part of)	1,908	1,788	3,696	61	46	107	1,579	1,225	2,804	12	420
Total—Rural Districts	20,594	19,261	39,855	494	469	963	12,672	9,592	22,264	113	3,447

TABLE 16—BIRTH AND DEATH RATES IN 1972 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	22.74	2.93	11.41	0.06	1.91
Dublin County Borough	22.98	4.65	10.01	0.06	2.04
Cork County Borough	24.88	2.21	10.04	0.08	1.96
Limerick County Borough	29.45	2.59	10.61	0.05	1.70
Waterford County Borough	23.97	2.19	11.46	-	2.10
Dun Laoghaire Borough	23.93	4.75	12.75	0.04	2.53
Municipal Boroughs:					
Galway	28.57	2.27	8.80	0.07	1.41
Drogheda	27.88	1.09	10.17	-	1.97
Sligo	21.24	1.67	10.87	-	1.85
Wexford	28.27	2.39	11.90	0.08	1.86
Clonmel	26.42	2.28	9.64	-	2.07
Kilkenny	33.54	4.55	12.91	0.10	2.03
Urban Districts:					
Dundalk	27.09	1.53	8.91	-	1.25
Bray	28.96	2.86	9.88	0.07	1.66
Tralee	27.35	2.38	11.23	0.08	2.20
Total above Principal Towns	24.52	3.70	10.33	0.06	2.00
All other Urban Districts	22.87	3.27	9.84	0.06	1.73
All Boroughs and Urban Districts:					
Leinster	23.84	4.26	10.27	0.06	2.01
Munster	25.74	2.61	10.48	0.07	1.93
Connacht	23.12	2.06	8.80	0.03	1.46
Ulster (part of)	19.52	2.12	10.03	0.08	1.95
Total—Boroughs and Urban Districts	24.24	3.63	10.24	0.06	1.96
All Rural Districts:					
Leinster	25.86	2.69	9.71	0.05	1.64
Munster	20.52	2.06	13.50	0.08	1.99
Connacht	18.07	1.92	14.88	0.06	2.21
Ulster (part of)	20.19	2.90	15.32	0.07	2.29
Total—Rural Districts	22.20	2.42	12.40	0.06	1.92

TABLE 17--DEATHS OCCURRING IN 1972 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	12,117	6,059	6,058	22,264	12,672	9,592	34,381	18,731	15,650
Under 1 year	548	304	244	688	402	286	1,236	706	530
1 year	35	14	21	50	25	25	85	39	46
2 years	16	10	6	24	15	9	40	25	15
3 "	19	8	11	33	17	16	52	25	27
4 "	11	10	1	18	10	8	29	20	9
1-4 "	81	42	39	125	67	58	206	109	97
5 "	10	7	3	33	17	16	43	24	19
6 "	12	12	-	18	13	5	30	25	5
7 "	15	14	1	16	9	7	31	23	8
8 "	10	3	7	12	8	4	22	11	11
9 "	14	5	9	19	11	8	33	16	17
5-9 "	61	41	20	98	58	40	159	99	60
10 "	5	3	2	8	5	3	13	8	5
11 "	7	6	1	9	5	4	16	11	5
12 "	10	8	2	12	9	3	22	17	5
13 "	4	2	2	22	15	7	26	17	9
14 "	7	3	4	15	9	6	22	12	10
10-14 "	33	22	11	66	43	23	99	65	34
15 "	12	6	6	13	8	5	25	14	11
16 "	14	9	5	25	17	8	39	26	13
17 "	11	10	1	33	23	10	44	33	11
18 "	23	10	13	27	20	7	50	30	20
19 "	12	8	4	29	20	9	41	28	13
15-19 "	72	43	29	127	88	39	199	131	68
20 "	16	11	5	29	18	11	45	29	16
21 "	18	11	7	29	21	8	47	32	15
22 "	18	15	3	26	18	8	44	33	11
23 "	17	9	8	28	23	5	45	32	13
24 "	12	11	1	24	19	5	36	30	6
20-24 "	81	57	24	136	99	37	217	156	61
25 "	13	7	6	22	16	6	35	23	12
26 "	14	11	3	20	12	8	34	23	11
27 "	10	8	2	25	18	7	35	26	9
28 "	17	13	4	17	9	8	34	22	12
29 "	19	14	5	20	11	9	39	25	14
25-29 "	73	53	20	104	66	38	177	119	58
30 "	10	7	3	14	7	7	24	14	10
31 "	11	6	5	14	6	8	25	12	13
32 "	10	7	3	24	15	9	34	22	12
33 "	11	8	3	20	13	7	31	21	10
34 "	12	10	2	21	13	8	33	23	10
30-34 "	54	38	16	93	54	39	147	92	55

TABLE 17 (contd.)—DEATHS OCCURRING IN 1972 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	15	10	5	20	13	7	35	23	12
36 "	22	8	14	24	13	11	46	21	25
37 "	11	6	5	28	20	8	39	26	13
38 "	18	9	9	39	21	18	57	30	27
39 "	21	13	8	30	19	11	51	32	19
35-39 "	87	46	41	141	86	55	228	132	96
40 "	30	23	7	48	28	20	78	51	27
41 "	29	18	11	42	29	13	71	47	24
42 "	53	31	22	58	32	26	111	63	48
43 "	32	18	14	51	33	18	83	51	32
44 "	56	33	23	64	38	26	120	71	49
40-44 "	200	123	77	263	160	103	463	283	180
45 "	55	33	22	80	41	39	135	74	61
46 "	49	30	19	87	42	45	136	72	64
47 "	74	46	28	69	39	30	143	85	58
48 "	77	49	28	93	58	35	170	107	63
49 "	60	38	22	95	48	47	155	86	69
45-49 "	315	196	119	424	228	196	739	424	315
50 "	102	54	48	158	97	61	260	151	109
51 "	91	56	35	105	67	38	196	123	73
52 "	121	70	51	188	122	66	309	192	117
53 "	85	53	32	154	92	62	239	145	94
54 "	120	72	48	167	114	53	287	186	101
50-54 "	519	305	214	772	492	280	1,291	797	494
55 "	117	76	41	166	98	68	283	174	109
56 "	137	86	51	209	134	75	346	220	126
57 "	141	86	55	244	162	82	385	248	137
58 "	175	83	92	281	191	90	456	274	182
59 "	155	103	52	234	158	76	389	261	128
55-59 "	725	434	291	1,134	743	391	1,859	1,177	682
60 "	198	103	95	378	243	135	576	346	230
61 "	193	113	80	298	205	93	491	318	173
62 "	232	142	90	393	257	136	625	399	226
63 "	229	133	96	331	230	101	560	363	197
64 "	243	151	92	389	265	124	632	416	216
60-64 "	1,095	642	453	1,789	1,200	589	2,884	1,842	1,042
65 "	263	157	106	427	289	138	690	446	244
66 "	244	154	90	374	240	134	618	394	224
67 "	304	190	114	418	258	160	722	448	274
68 "	297	157	140	488	307	181	785	464	321
69 "	307	184	123	483	299	184	790	483	307
65-69 "	1,415	842	573	2,190	1,393	797	3,605	2,235	1,370

TABLE 17 (contd.)—DEATHS OCCURRING IN 1972 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	359	207	152	629	355	274	988	562	426
71 "	323	175	148	516	317	199	839	492	347
72 "	428	227	201	791	476	315	1,219	703	516
73 "	314	166	148	618	353	265	932	519	413
74 "	413	192	221	708	419	289	1,121	611	510
70-74 "	1,837	967	870	3,262	1,920	1,342	5,099	2,887	2,212
75 "	403	219	184	770	426	344	1,173	645	528
76 "	397	172	225	791	436	355	1,188	608	580
77 "	311	152	159	641	386	255	952	538	414
78 "	379	165	214	758	397	361	1,137	562	575
79 "	319	126	193	670	368	302	989	494	495
75-79 "	1,809	834	975	3,630	2,013	1,617	5,439	2,847	2,592
80 "	376	149	227	901	454	447	1,277	603	674
81 "	249	98	151	580	292	288	829	390	439
82 "	341	139	202	763	412	351	1,104	551	553
83 "	283	102	181	660	338	322	943	440	503
84 "	309	99	210	672	342	330	981	441	540
80-84 "	1,558	587	971	3,576	1,838	1,738	5,134	2,425	2,709
85 "	234	81	153	550	274	276	784	355	429
86 "	248	81	167	538	271	267	786	352	434
87 "	179	59	120	494	253	241	673	312	361
88 "	164	60	104	440	215	225	604	275	329
89 "	142	48	94	314	145	169	456	193	263
85-89 "	967	329	638	2,336	1,158	1,178	3,303	1,487	1,816
90 "	126	39	87	320	135	185	446	174	272
91 "	110	32	78	226	106	120	336	138	198
92 "	100	26	74	222	108	114	322	134	188
93 "	60	10	50	137	61	76	197	71	126
94 "	62	18	44	124	48	76	186	66	120
90-94 "	458	125	333	1,029	458	571	1,487	583	904
95 "	44	8	36	80	33	47	124	41	83
96 "	35	11	24	66	21	45	101	32	69
97 "	12	1	11	66	31	35	78	32	46
98 "	17	4	13	34	12	22	51	16	35
99 "	11	3	8	21	3	18	32	6	26
95-99 "	119	27	92	267	100	167	386	127	259
100 "	3	-	3	4	2	2	7	2	5
101 "	3	1	2	6	3	3	9	4	5
102 "	2	-	2	2	1	1	4	1	3
103 "	1	-	1	-	-	-	1	-	1
104 "	1	1	-	1	-	1	2	1	1
107 "	-	-	-	1	-	1	1	-	1
100 years and over	10	2	8	14	6	8	24	8	16

TABLE 18—DEATHS OCCURRING IN 1972 CLASSIFIED BY SEX AND

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,731	706	39	25	25	20	815	99	65	131	156	119
	Females	15,650	530	46	15	27	9	627	60	34	68	61	58
LEINSTER	Males	7,853	371	18	11	10	9	419	57	32	69	70	68
	Females	7,122	283	22	8	14	3	330	30	15	41	29	25
MUNSTER	Males	6,097	209	12	8	10	6	245	25	22	34	50	29
	Females	4,830	169	16	5	10	2	202	24	7	20	21	20
CONNACHT	Males	3,073	73	8	2	3	4	90	9	7	17	25	13
	Females	2,360	51	5	1	1	2	60	4	8	5	6	7
ULSTER (part of)	Males	1,708	53	1	4	2	1	61	8	4	11	11	9
	Females	1,338	27	3	1	2	2	35	2	4	2	5	6
LEINSTER Carlow	Males	243	7	-	-	1	-	8	-	-	1	1	2
	Females	181	11	-	-	-	-	11	1	-	-	-	-
Dublin County Borough	Males	2,806	140	6	4	2	1	153	21	10	17	32	27
	Females	2,902	121	9	3	6	1	140	8	8	13	13	9
Dun Laoghaire Borough	Males	304	14	-	-	1	1	16	1	1	3	2	2
	Females	381	9	-	-	1	-	10	1	-	3	1	1
Dublin Co. (remainder)	Males	705	55	4	1	2	1	63	5	4	9	8	11
	Females	613	39	1	2	-	-	42	6	2	1	3	8
Kildare	Males	409	22	1	3	1	1	28	-	2	4	2	-
	Females	324	12	1	-	2	1	16	1	2	2	1	2
Kilkenny	Males	391	13	-	-	-	-	13	1	4	3	2	1
	Females	322	13	-	-	-	1	14	1	-	-	1	-
Laois	Males	281	9	2	-	-	-	11	3	1	2	3	2
	Females	232	9	2	-	-	-	11	-	1	1	-	-
Longford	Males	210	8	1	-	1	-	10	1	-	2	1	1
	Females	164	3	1	1	-	-	5	2	-	2	-	-
Louth	Males	378	20	-	-	1	-	21	5	5	7	3	4
	Females	351	10	2	-	2	-	14	3	-	4	2	1
Meath	Males	479	20	1	1	-	2	24	5	2	3	5	2
	Females	323	13	1	-	-	-	14	3	-	2	3	2
Offaly	Males	316	8	1	2	-	2	13	3	1	3	3	5
	Females	249	9	1	-	-	-	10	1	1	4	-	-
Westmeath	Males	366	9	-	-	-	-	9	1	-	2	2	4
	Females	280	10	-	-	1	-	11	1	-	2	1	-
Wexford	Males	586	31	1	-	-	-	32	7	-	8	2	5
	Females	486	17	1	1	1	-	20	2	1	3	1	1
Wicklow	Males	379	15	1	-	1	1	18	4	2	5	4	2
	Females	314	7	3	1	1	-	12	-	-	4	3	1

AGE, OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
92	132	283	424	797	1,177	1,842	2,235	2,887	2,847	2,425	2,205	Males	Total
55	96	180	315	494	682	1,042	1,370	2,212	2,592	2,709	2,995	Females	
45	61	136	216	382	537	805	1,033	1,177	1,059	901	786	Males	LEINSTER
23	50	89	163	254	337	527	640	984	1,119	1,188	1,278	Females	
31	44	92	128	259	374	599	732	954	959	789	731	Males	MUNSTER
20	22	50	92	132	191	300	444	698	842	822	923	Females	
11	17	37	51	104	164	271	290	466	553	509	439	Males	CONNACHT
9	17	30	39	69	103	131	176	335	390	459	512	Females	
5	10	18	29	52	102	167	180	290	276	226	249	Males	ULSTER (part of)
3	7	11	21	39	51	84	110	195	241	240	282	Females	
-	2	6	4	9	16	29	28	31	36	39	31	Males	LEINSTER
-	-	2	3	8	7	18	14	26	29	33	29	Females	Carlow
19	18	56	89	144	213	308	430	432	355	267	215	Males	Dublin County Borough
7	22	40	63	108	139	216	282	398	459	464	513	Females	
2	1	7	15	14	21	25	39	44	47	31	33	Males	Dun Laoghaire Borough
1	1	4	7	8	14	28	34	62	59	67	80	Females	
6	8	12	18	45	46	68	84	110	83	57	68	Males	Dublin County (remainder)
4	5	12	24	15	29	51	57	73	90	86	105	Females	
3	5	12	7	26	29	43	52	64	49	48	35	Males	Kildare
-	2	4	8	25	31	33	31	32	43	52	39	Females	
1	1	6	9	24	27	39	43	63	63	47	44	Males	Kilkenny
2	4	3	8	8	8	27	35	49	50	51	61	Females	
-	1	2	4	8	9	29	28	48	44	45	41	Males	Laois
1	1	3	8	6	10	12	13	36	37	45	47	Females	
2	2	3	3	2	15	21	26	24	37	34	26	Males	Longford
-	-	1	1	3	10	10	15	18	30	34	33	Females	
2	3	9	11	11	25	39	52	47	53	39	42	Males	Louth
-	5	5	8	13	17	29	22	56	51	66	55	Females	
1	9	7	10	21	28	50	59	75	56	69	53	Males	Meath
-	2	5	7	11	15	18	28	41	51	62	59	Females	
-	3	2	6	13	23	27	38	51	53	40	32	Males	Offaly
2	1	1	6	6	9	11	26	35	37	51	48	Females	
3	1	3	11	17	24	35	33	56	58	52	55	Males	Westmeath
1	1	1	4	12	9	18	20	41	45	50	63	Females	
2	5	7	17	26	43	60	65	79	81	72	75	Males	Wexford
3	3	6	10	17	23	30	40	66	95	82	83	Females	
4	2	4	12	22	18	32	56	53	44	61	36	Males	Wicklow
2	3	2	6	14	16	26	23	51	43	45	63	Females	

TABLE 18 (contd.)—DEATHS OCCURRING IN 1972 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	618	16	1	1	2	-	20	2	1	2	3	1
	Females	464	17	2	-	1	-	20	1	2	1	1	2
Cork County Borough	Males	689	28	2	-	2	-	32	3	3	3	5	8
	Females	623	26	2	-	-	-	28	3	-	-	1	2
Cork County	Males	1,633	66	2	2	2	3	75	9	6	11	15	6
	Females	1,261	39	3	1	3	1	47	9	-	10	7	2
Kerry	Males	893	21	3	2	1	1	28	2	5	3	4	3
	Females	667	27	3	-	2	-	32	3	1	3	3	2
Limerick County Borough	Males	325	31	-	1	1	2	35	1	1	2	5	1
	Females	288	17	2	-	1	-	20	2	-	1	2	1
Limerick County	Males	586	13	2	1	1	-	17	3	-	2	2	2
	Females	449	15	-	1	-	-	16	1	1	2	3	3
Tipperary, North Riding	Males	381	10	-	-	1	-	11	3	-	2	3	-
	Females	287	7	-	1	-	1	9	3	1	-	1	3
Tipperary, South Riding	Males	459	13	1	1	-	-	15	2	4	4	6	2
	Females	375	10	2	1	-	-	13	1	-	3	3	3
Waterford County Borough	Males	189	3	1	-	-	-	4	-	1	3	4	2
	Females	182	5	1	-	2	-	8	-	1	-	-	-
Waterford County	Males	324	8	-	-	-	-	8	-	1	2	3	4
	Females	234	6	1	1	1	-	9	1	1	-	-	2
CONNACHT													
Galway	Males	1,023	31	2	2	1	1	37	4	3	4	10	5
	Females	796	20	2	1	1	1	25	1	4	1	5	2
Leitrim	Males	271	8	2	-	1	-	11	-	2	1	1	3
	Females	202	6	-	-	-	-	6	-	-	1	-	2
Mayo	Males	869	12	2	-	-	2	16	2	1	5	5	1
	Females	697	10	1	-	-	1	12	2	2	2	-	2
Roscommon	Males	479	8	-	-	-	-	8	1	1	1	2	2
	Females	343	7	-	-	-	-	7	-	-	-	1	1
Sligo	Males	431	14	2	-	1	1	18	2	-	6	7	2
	Females	322	8	2	-	-	-	10	1	2	1	-	-
ULSTER (part of)													
Cavan	Males	487	10	-	-	2	-	12	3	1	3	3	1
	Females	358	8	-	-	-	-	8	1	-	1	2	1
Donegal	Males	858	31	1	2	-	-	34	3	1	6	6	6
	Females	668	14	2	-	2	2	20	1	1	1	3	4
Monaghan	Males	363	12	-	2	-	1	15	2	2	2	2	2
	Females	312	5	1	1	-	-	7	-	3	-	-	1

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
												MUNSTER	
4	2	3	11	27	31	55	62	96	103	96	99	Males	Clare
2	4	4	8	12	15	32	37	69	71	99	84	Females	
4	4	21	21	41	50	73	99	108	96	66	52	Males	Cork County Borough
1	2	6	10	20	31	54	44	94	112	102	113	Females	
7	15	26	25	59	103	183	196	235	265	208	189	Males	Cork County
9	6	12	24	38	51	65	106	187	227	219	242	Females	
3	6	13	17	22	69	86	94	146	133	127	132	Males	Kerry
1	3	13	11	19	24	35	59	90	119	122	127	Females	
4	2	6	9	13	13	34	44	55	49	24	27	Males	Limerick County Borough
2	1	4	6	9	14	17	37	36	43	40	53	Females	
2	2	13	13	30	37	52	79	107	75	71	79	Males	Limerick County
1	2	3	12	10	20	24	43	65	82	80	81	Females	
2	6	3	9	18	17	37	39	61	72	59	39	Males	Tipperary, North Riding
2	1	1	5	4	10	14	38	36	65	39	55	Females	
2	3	4	11	29	28	34	52	63	68	70	62	Males	Tipperary, South Riding
2	1	5	8	9	13	26	36	53	55	57	87	Females	
1	-	1	6	8	10	18	21	41	34	19	16	Males	Waterford County Borough
-	1	1	3	4	8	16	17	27	29	26	41	Females	
2	4	2	6	12	16	27	46	42	64	49	36	Males	Waterford County
-	1	1	5	7	5	17	27	41	39	38	40	Females	
												CONNACHT	
5	8	13	22	41	40	86	86	167	181	167	144	Males	Galway
5	7	11	13	31	29	40	65	111	136	152	158	Females	
2	1	4	5	9	13	27	29	38	46	51	28	Males	Leitrim
1	1	1	4	5	9	12	15	31	24	42	48	Females	
3	3	11	11	21	42	77	83	122	172	146	148	Males	Mayo
2	6	8	11	14	39	35	47	88	113	145	169	Females	
1	1	4	8	14	37	45	42	72	85	81	74	Males	Roscommon
-	1	4	6	10	12	20	23	61	54	65	78	Females	
-	4	5	5	19	32	36	50	67	69	64	45	Males	Sligo
1	2	6	5	9	14	24	26	44	63	55	59	Females	
												ULSTER (part of)	
-	2	5	9	19	28	47	50	75	90	72	67	Males	Cavan
3	1	2	7	6	16	19	31	55	69	63	73	Females	
5	4	6	14	20	43	83	93	143	144	113	134	Males	Donegal
-	6	6	10	18	23	46	46	93	116	128	146	Females	
-	4	7	6	13	31	37	37	72	42	41	48	Males	Monaghan
-	-	3	4	15	12	19	33	47	56	49	63	Females	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
131 68	156 61	119 58	92 55	132 96	283 180	424 315	797 494	1,177 682	1,842 1,042	2,235 1,370	2,887 2,212	2,847 2,592	2,425 2,709	2,205 2,995	
1 1	2 4	2 2	2 -	2 3	10 5	15 5	13 8	20 10	13 11	29 10	21 10	16 13	5 12	5 3	000-136
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	003
-	1	-	-	-	1	-	2	1	1	2	2	4	2	1	009
1 -	1 1	1 2	2 -	1 1	6 3	13 5	12 2	15 5	13 8	26 9	17 6	12 9	3 4	3 -	010-019
1 -	- 1	1 2	1 -	1 1	5 2	11 4	11 1	13 2	12 5	24 8	11 5	12 7	3 4	3 -	011
-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	012
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	013
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	014
-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	015
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	016
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	018
-	-	-	1	-	1	1	1	1	1	1	3	-	-	-	019
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	033
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	034
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	036
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	038
-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	039
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	045
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	054
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	055
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	056
-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	065
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	066
1	1	-	-	-	1	-	-	1	-	-	1	1	1	-	070
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	072
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	073
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	074
-	-	1	-	-	-	-	1	1	-	-	1	-	1	-	079
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	093

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	094
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	117
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	135
-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	140-239
14	18	17	16	22	58	82	197	290	449	488	534	474	294	183	140-239
9	12	12	21	39	66	141	161	239	302	343	457	375	264	178	140-239
12	17	16	16	22	58	81	193	287	445	485	533	472	294	182	140-209
9	12	12	21	36	64	141	161	234	301	339	449	370	263	178	140-209
-	-	-	-	-	-	1	1	1	2	2	6	4	7	1	140
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	140
-	-	-	1	1	-	-	-	1	-	3	2	2	3	3	141
-	-	-	-	-	-	1	-	-	2	2	2	1	-	1	141
-	-	-	-	-	-	-	-	-	2	-	-	3	2	-	142
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	142
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	143
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	143
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	144
-	-	-	-	-	-	-	-	2	-	-	1	1	-	2	145
-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	145
-	-	-	1	-	-	-	1	-	1	1	-	-	-	1	146
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	146
1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	147
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	147
-	-	-	-	-	-	-	1	-	-	-	3	1	-	-	148
-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	148
-	1	-	-	-	-	-	1	2	2	1	2	4	4	2	149
-	-	-	-	-	-	-	-	2	2	3	1	1	1	-	149
-	-	-	-	-	2	2	11	8	17	17	12	13	5	8	150
-	-	-	2	-	-	9	2	12	13	7	20	15	7	8	150
-	-	-	2	1	14	16	22	45	63	79	73	72	41	30	151
-	-	1	-	1	4	3	10	17	27	53	74	70	49	30	151
-	-	-	-	-	1	-	1	2	2	2	4	2	1	-	152
-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	152
1	2	2	1	2	6	5	10	18	46	37	51	58	31	17	153
1	1	-	2	1	3	8	16	18	27	47	72	55	42	44	153
-	-	-	-	2	2	2	14	16	15	19	35	26	26	14	154
-	-	-	1	1	3	3	2	10	13	15	15	20	17	8	154
-	-	-	-	1	2	5	2	4	11	8	8	8	3	2	155
1	-	-	-	-	-	-	3	2	4	8	12	5	3	4	155
-	1	-	-	1	-	-	-	2	6	4	2	6	4	-	156
-	-	-	-	-	-	2	-	5	6	1	9	6	3	1	156
-	-	-	-	-	3	2	10	16	17	31	26	17	17	6	157
-	1	1	1	2	1	6	8	10	14	18	23	23	26	11	157
-	-	-	-	1	-	-	1	3	1	3	-	2	-	-	158
-	-	-	-	-	-	2	1	1	1	2	2	2	-	-	158
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	159
-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	159
-	-	-	-	-	-	-	2	1	3	1	-	-	1	-	160
-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	160
-	-	-	-	-	-	-	2	3	7	13	10	3	4	2	161
-	-	-	-	-	-	-	2	4	7	2	10	3	-	-	161
-	-	1	2	4	11	19	60	91	155	150	151	78	36	11	162
-	1	-	-	2	3	13	18	30	46	33	51	33	14	9	162
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	162.0

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death														Detailed Inter- national List Number	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85 and over
-	-	1	2	4	11	19	60	91	154	150	151	78	36	11	162.1
-	1	-	-	2	3	13	18	30	46	33	51	33	14	9	
-	-	-	-	-	-	-	-	1	1	4	1	1	1	-	163
-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	
1	2	1	-	-	1	-	1	6	2	3	6	7	-	2	170
2	1	-	-	1	1	1	1	3	1	2	3	1	2	3	
-	-	-	-	1	-	-	1	1	1	-	1	2	2	1	171
-	-	-	-	-	1	1	-	-	2	-	-	-	1	1	
-	-	-	-	-	-	1	1	-	2	1	1	1	-	1	172
-	-	-	1	1	1	2	1	1	-	-	1	1	-	2	
-	-	-	-	-	-	-	1	-	1	4	3	6	2	9	173
-	-	1	-	-	-	-	-	1	2	3	6	3	4	5	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	174
-	-	1	1	13	31	46	36	59	57	49	62	52	44	17	
-	-	3	2	2	2	8	13	5	12	9	6	7	7	1	180
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	181
-	-	-	2	-	-	8	4	5	7	7	12	5	3	2	182.0
-	-	-	1	-	-	-	1	1	5	3	1	-	3	-	182.9
2	2	-	4	6	5	11	14	12	10	14	8	9	6	6	183
-	-	-	-	-	-	-	1	2	1	4	-	7	-	1	184
1	-	-	-	-	-	-	5	8	10	33	63	91	66	42	185
1	2	2	1	-	1	2	-	1	-	-	1	-	-	-	186
1	-	-	-	-	-	-	1	-	2	-	-	-	-	1	187
-	-	-	-	-	-	1	3	8	3	18	15	19	12	13	188
-	-	-	1	-	-	-	1	3	4	3	9	8	9	5	
-	-	-	-	-	-	6	4	9	9	12	5	8	3	1	189
-	-	-	-	1	-	1	2	3	4	3	3	4	2	-	
-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	190
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
1	2	1	1	1	4	2	8	11	8	5	4	2	1	-	191
1	-	-	-	1	3	2	7	2	3	3	1	-	-	-	
-	1	1	-	1	-	-	3	4	7	-	2	-	-	-	192
-	2	-	2	1	2	-	2	1	1	1	-	1	-	-	
-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	193
-	-	-	-	-	-	-	2	4	5	4	4	1	3	1	
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	194
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
1	-	-	1	2	1	-	1	2	1	3	5	5	5	6	195
1	-	2	-	-	1	-	-	-	2	4	4	6	3	4	
-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	196
-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	
-	-	-	-	-	1	-	2	3	-	2	2	3	1	-	197
-	-	-	-	-	-	-	1	1	2	3	4	2	2	1	
-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	198
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	7	3	8	6	2	1	199
-	-	1	1	1	-	3	-	3	2	8	6	6	3	2	
1	1	1	1	1	1	5	2	3	4	2	1	4	1	-	200
-	-	-	-	-	-	1	1	-	1	1	2	2	1	-	
2	1	2	3	-	1	2	3	1	4	-	4	2	2	-	201
1	1	-	-	1	-	-	3	3	3	3	2	1	-	-	
-	-	-	-	-	-	1	2	-	1	-	2	-	-	-	202
-	-	-	-	-	1	-	3	1	1	1	-	-	-	-	
-	-	-	-	2	-	2	5	3	2	7	5	-	2	3	203
-	-	-	-	-	-	2	-	2	3	7	6	2	3	-	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
4 9	5 2	3 2	2 4	6 3	6 11	7 12	9 8	20 19	17 17	27 20	37 39	31 40	18 30	17 16	320-389
-	-	1	1	-	1	1	-	1	-	1	-	-	-	-	320
3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	322
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	323
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	324
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	330
-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	331
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	332
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	333
-	1 1	1 2	- 2	2 2	2 9	4 7	1 2	7 9	2 6	3 5	2 2	- 2	- 1	-	340
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	341
-	-	-	-	-	-	-	3 1	5 1	6 3	13 6	24 14	16 8	5 5	1 4	342
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	343
-	-	-	-	-	-	-	-	1	2	4	8	12	10	14	344
2 5	4 1	-	- 2	2	2 1	-	1	1 3	1	-	-	1	-	-	345
-	-	-	-	-	-	1	2	-	1	3	1	-	-	1	347
-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	348
-	-	1	-	-	1	1	-	4 2	3 3	3 1	2 1	1 1	-	1 1	354
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	355
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	377
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	381
4 5	10 3	12 6	19 6	34 16	116 44	190 86	377 186	567 260	953 468	1,151 659	1,552 1,212	1,619 1,561	1,430 1,705	1,323 1,942	390-458
-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	391
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	392
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	393
-	1	-	1	-	7 3	4 5	6 5	6 10	15 14	16 6	9 24	12 23	11 7	5 6	394
-	-	-	-	1	-	1	3	8 3	5 4	3 5	6 5	4 8	- 4	1 3	395
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	396
-	-	-	-	-	1	2	2	1	-	2	3	2	1	-	397
-	-	-	1	2	-	2	1	-	3	2	3	4	2	2	398
-	-	1	-	2	3	-	4	2	3	2	1	5	1	1	
-	-	-	-	-	-	2	2	2	2	-	2	-	2	2	

TABLE 19 (contd.)—DEATHS IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
432.9	Occlusion of pre-cerebral arteries without hypertension	M	4	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-
433.0	Cerebral thrombosis with hypertension	M	110	-	-	-	-	-	-	-	-
		F	125	-	-	-	-	-	-	-	-
433.9	Cerebral thrombosis without hypertension	M	751	-	-	-	-	-	-	-	1
		F	904	-	-	-	-	-	-	-	1
434.0	Cerebral embolism with hypertension	M	2	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
434.9	Cerebral embolism without hypertension	M	35	-	-	-	-	-	-	-	-
		F	49	-	-	-	-	-	-	-	-
435.9	Transient cerebral ischaemia without hypertension	M	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
436.0	Acute but ill-defined cerebrovascular disease with hypertension	M	78	-	-	-	-	-	-	-	-
		F	98	-	-	-	-	-	-	-	-
436.9	Acute but ill-defined cerebrovascular disease without hypertension	M	239	-	-	-	-	-	-	-	-
		F	278	-	-	-	-	-	-	-	-
437.0	Generalised ischaemic cerebrovascular disease with hypertension	M	6	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-
437.9	Generalised ischaemic cerebrovascular disease without hypertension	M	127	-	-	-	-	-	-	-	-
		F	151	-	-	-	-	-	-	-	-
438.0	Other and ill-defined cerebrovascular disease with hypertension	M	59	-	-	-	-	-	-	-	-
		F	54	-	-	-	-	-	-	-	-
438.9	Other and ill-defined cerebrovascular disease without hypertension	M	43	-	-	-	-	-	-	-	-
		F	40	-	-	-	-	-	-	-	-
440	Arteriosclerosis	M	462	-	-	-	-	-	-	-	-
		F	509	-	-	-	-	-	-	-	-
441	Aortic aneurysm (non-syphilitic)	M	82	-	-	-	-	-	-	-	-
		F	42	-	-	-	-	-	-	-	-
442	Other aneurysm	M	4	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
443	Other peripheral vascular disease	M	9	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
444	Arterial embolism and thrombosis	M	47	1	-	-	-	-	1	-	-
		F	50	-	-	-	-	-	-	-	-
445	Gangrene	M	82	-	-	-	-	-	-	-	-
		F	54	-	-	-	-	-	-	-	-
446	Polyarteritis nodosa and allied conditions	M	5	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
447	Other diseases of arteries and arterioles	M	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-
448	Diseases of capillaries	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
450	Pulmonary embolism and infarction	M	103	-	-	-	-	-	-	-	-
		F	124	-	-	-	-	-	-	-	-
451	Phlebitis and thrombophlebitis	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
453	Other venous embolism and thrombosis	M	4	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-
454	Varicose veins of lower extremities	M	1	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-
456	Varicose veins of other sites	M	3	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-
458	Other disease of circulatory system	M	1	-	-	-	-	-	-	1	-
		F	5	-	-	-	-	-	-	-	-
460-519	VIII. Diseases of the respiratory system	M	2,662	112	8	3	-	1	124	7	6
		F	2,006	95	16	5	6	1	123	8	5
463	Acute tonsillitis	M	1	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-
464	Acute laryngitis and tracheitis	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	1	-	-

TABLE 19 (contd.)—DEATHS IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
465	Acute upper respiratory infection of multiple or unspecified sites	M	21	3	-	-	-	-	3	-	-
		F	21	4	-	-	-	1	5	-	-
466	Acute bronchitis and bronchiolitis	M	40	8	-	-	-	-	8	-	-
		F	45	5	1	-	-	-	6	1	-
470	Influenza unqualified	M	37	1	-	-	-	-	1	1	-
		F	38	-	-	-	-	-	-	-	-
471	Influenza with pneumonia	M	78	-	1	-	-	-	1	1	-
		F	62	2	1	-	-	-	3	-	-
472	Influenza with other respiratory manifestations	M	10	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-
473	Influenza with digestive manifestations	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
474	Influenza with nervous manifestations	M	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
480	Viral pneumonia	M	44	13	2	1	-	-	16	-	-
		F	47	10	1	-	1	-	12	1	2
481	Pneumococcal pneumonia	M	114	3	2	-	-	-	5	1	-
		F	104	2	1	-	-	-	3	1	-
482	Other bacterial pneumonia	M	4	1	-	-	-	-	1	-	-
		F	8	-	1	-	-	-	1	-	-
484	Acute interstitial pneumonia	M	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
485	Bronchopneumonia, unspecified	M	567	27	2	1	-	-	30	2	1
		F	628	33	8	3	2	-	46	5	2
486	Pneumonia, unspecified	M	266	22	-	1	-	-	23	1	2
		F	251	15	3	-	2	-	20	-	-
490	Bronchitis, unspecified	M	104	2	-	-	-	1	3	-	-
		F	64	1	-	1	-	-	2	-	-
491	Chronic bronchitis	M	952	1	-	-	-	-	1	-	-
		F	438	-	-	-	-	-	-	-	-
492	Emphysema	M	133	-	-	-	-	-	-	-	-
		F	49	-	-	-	-	-	-	-	-
493	Asthma	M	85	1	-	-	-	-	1	-	3
		F	48	-	-	-	1	-	1	-	-
500	Hypertrophy of tonsils and adenoids	M	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1
501	Peritonsillar abscess	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
508	Other diseases of upper respiratory tract	M	1	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	1	-	-
510	Empyema	M	3	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
511	Pleurisy	M	3	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-
512	Spontaneous pneumothorax	M	4	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
513	Abscess of lung	M	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-
514	Pulmonary congestion and hypostasis	M	54	-	-	-	-	-	-	-	-
		F	84	-	-	-	-	-	-	-	-
515	Pneumoconiosis due to silica and silicates	M	4	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
517	Other chronic interstitial pneumonia	M	21	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-
518	Bronchiectasis	M	34	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-
519	Other diseases of respiratory system	M	77	29	1	-	-	-	30	-	-
		F	58	22	-	-	-	-	22	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	1	-	3	1	1	5	7	465
1	-	-	-	-	-	-	-	1	-	1	2	4	4	3	
-	1	1	-	-	-	1	2	1	1	2	3	6	9	5	466
-	-	-	-	3	-	2	2	-	1	3	1	7	6	13	
-	-	-	-	-	-	-	3	3	3	-	5	6	9	6	470
-	-	1	-	-	-	-	1	-	-	5	1	8	9	13	
3	-	-	-	-	1	-	1	7	4	8	14	16	9	13	471
1	-	1	-	-	1	2	2	-	1	10	6	12	11	12	
-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	472
-	-	-	-	-	-	-	-	-	1	-	2	5	2	1	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	473
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	474
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
2	1	1	-	1	1	1	2	3	2	-	4	5	6	3	480
-	-	-	-	-	-	-	3	2	1	1	5	4	5	7	
1	-	-	-	-	1	3	6	8	6	15	18	10	27	13	481
1	-	-	1	2	-	2	2	5	7	14	16	24	15	11	
-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	482
-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	484
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	1	-	3	1	4	7	10	18	34	56	86	89	111	110	485
4	1	1	2	1	5	4	16	12	25	42	62	105	127	168	
1	3	2	1	-	-	7	11	8	15	34	35	49	46	28	486
1	-	1	1	2	-	3	4	6	7	14	34	38	56	64	
-	-	-	-	-	-	-	1	3	5	13	17	19	18	18	490
-	-	-	-	-	-	-	1	-	4	4	7	11	21	14	
-	1	-	-	-	3	16	30	57	114	147	195	157	132	99	491
-	-	-	-	3	6	11	23	14	45	54	66	69	77	70	
-	-	-	1	1	-	4	6	11	21	37	26	17	4	5	492
1	-	-	-	-	-	-	6	6	8	8	4	9	6	1	
1	5	2	1	3	3	6	6	7	9	13	8	10	4	3	493
1	2	2	-	-	2	-	3	4	8	10	7	2	4	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	500
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	501
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	508
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	510
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	511
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	512
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	513
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
-	1	-	-	-	-	1	1	-	1	2	5	10	9	25	514
-	-	-	-	-	-	-	1	3	1	2	6	12	20	38	
-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	515
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	2	-	2	1	7	3	2	3	-	1	517
-	-	-	-	-	1	1	1	2	1	3	3	2	-	1	
-	-	-	-	1	-	-	1	4	3	9	5	6	4	1	518
-	-	-	-	1	-	-	2	4	1	2	5	4	4	1	
-	-	1	-	-	-	-	-	1	8	2	6	13	10	6	519
-	-	-	-	-	1	1	2	3	-	1	6	5	11	6	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	3	5	1	9	9	13	19	34	52	49	83	62	41	27	520-577
-	3	3	3	4	8	11	18	22	33	47	49	47	48	37	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	520
-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	526
-	2	-	-	1	1	-	-	1	1	1	2	-	1	-	530
-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	
-	-	-	-	-	1	1	3	-	5	5	6	7	6	6	531
-	-	-	-	-	1	1	5	-	3	3	4	4	5	8	
1	-	1	-	1	-	3	2	9	9	13	21	14	6	7	532
-	-	-	-	-	1	-	2	-	3	4	7	2	4	2	
-	-	-	-	2	-	-	-	2	5	4	9	7	6	3	533
-	-	-	-	-	-	-	-	4	5	6	5	4	2	4	
-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	534
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	535
-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	536
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	537
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	1	-	1	4	-	2	1	-	-	540
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	541
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	1	3	2	1	1	-	551
-	-	-	-	-	-	-	1	1	-	-	2	1	2	1	
-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	552
-	-	-	-	-	-	-	-	-	1	-	4	1	-	2	553
-	-	-	-	-	-	-	1	1	-	2	3	4	2	1	
-	-	1	-	-	-	-	-	3	3	3	5	5	10	1	560
-	1	-	-	-	-	1	2	1	-	7	4	5	6	7	
-	-	-	-	-	-	-	-	-	2	2	5	6	4	2	562
-	-	-	-	-	-	-	-	-	5	5	8	6	2	3	
-	-	-	-	-	2	-	2	1	1	1	3	-	1	-	563
-	-	-	-	-	-	3	-	2	2	-	3	-	1	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	566
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	567
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	568
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	1	-	-	-	2	2	1	3	3	-	1	569
-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	
-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	570
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
-	1	1	1	2	3	3	8	11	12	7	11	5	-	-	571
-	-	-	-	-	2	4	4	8	7	8	3	4	4	1	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	572
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	1	1	-	1	2	2	1	2	-	573
-	-	-	-	-	-	-	-	-	1	3	2	1	1	-	
-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	574
-	-	-	1	-	1	-	1	-	1	1	2	3	1	-	
-	-	-	-	2	-	-	2	1	-	-	1	3	-	1	575
-	-	1	-	-	-	-	1	-	1	1	2	3	4	4	
-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	576
-	-	-	-	1	1	-	-	-	-	1	-	4	2	-	
1	-	2	1	1	2	2	2	-	1	3	1	2	-	-	577
-	-	-	-	-	-	-	-	2	3	-	3	4	-	-	

TABLE 19 (contd.)—DEATHS IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at							Total under 5	5-9	10-14
			All ages	Under 1 year	1	2	3	4				
680-709	XII. Diseases of the skin and subcutaneous tissue	M F	13 16	2 -	- -	- -	- -	- -	2 -	1 -	- -	
680	Boil and carbuncle	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
682	Other cellulitis and abscess	M F	3 2	1 -	- -	- -	- -	- -	1 -	- -	- -	
692	Other eczema and dermatitis	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
694	Pemphigus	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
695	Erythematous conditions	M F	4 2	1 -	- -	- -	- -	- -	1 -	- -	- -	
696	Psoriasis and similar disorders	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
701	Other hypertrophic and atrophic conditions of skin	M F	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	
707	Chronic ulcer of skin	M F	3 10	- -	- -	- -	- -	- -	- -	- -	- -	
710-738	XII. Diseases of the musculoskeletal system and connective tissue	M F	64 97	- -	- -	- -	- -	- -	- -	- -	- -	
712	Rheumatoid arthritis and allied conditions	M F	34 51	- -	- -	- -	- -	- -	- -	- -	- -	
713	Osteo-arthritis and allied conditions	M F	8 10	- -	- -	- -	- -	- -	- -	- -	- -	
714	Other specified forms of arthritis	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
715	Arthritis, unspecified	M F	10 15	- -	- -	- -	- -	- -	- -	- -	- -	
718	Rheumatism, unspecified	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -	
720	Osteomyelitis and periostitis	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	
721	Osteitis deformans	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- -	
723	Other diseases of bone	M F	1 3	- -	- -	- -	- -	- -	- -	- -	- -	
733	Other diseases of muscle, tendon and fascia	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	
734	Diffuse diseases of connective tissue	M F	6 11	- -	- -	- -	- -	- -	- -	- -	- -	
735	Curvature of spine	M F	1 4	- -	- -	- -	- -	- -	- -	- -	- -	
740-759	XIV. Congenital anomalies	M F	220 206	165 177	12 4	2 1	4 2	1 1	184 185	11 4	2 3	
740	Anencephalus	M F	20 27	20 27	- -	- -	- -	- -	20 27	- -	- -	
741.0	Spina bifida with hydrocephalus	M F	21 31	17 29	2 -	- 1	- 1	- -	19 31	2 -	- -	
741.9	Spina bifida without mention of hydrocephalus	M F	5 16	4 16	1 -	- -	- -	- -	5 16	- -	- -	
742	Congenital hydrocephalus	M F	12 20	9 14	1 2	- -	- 1	- -	10 17	2 1	- -	
743	Other congenital anomalies of nervous system	M F	2 9	2 9	- -	- -	- -	- -	2 9	- -	- -	
746	Congenital anomalies of heart	M F	74 49	52 40	4 1	- -	3 -	- -	59 41	5 2	2 2	
747	Other congenital anomalies of circulatory system	M F	17 4	8 4	1 -	1 -	1 -	1 -	12 4	1 -	- -	
748	Congenital anomalies of respiratory system	M F	7 2	6 1	- -	- -	- -	- 1	6 2	- -	- -	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	2	-	-	1	2	1	1	-	4 2	1 4	3 5	680-709
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	680
-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	682
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	692
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	694
-	-	-	-	1	-	-	-	1	-	-	-	2	-	1	695
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	696
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	701
-	-	-	-	-	-	-	-	-	1	1	-	1	-	2 4	707
-	2	2	-	1	1	2	1	4 10	3 11	13 8	17 20	10 18	5 10	8 13	710-738
-	-	-	-	-	1	2	-	3 5	1 8	7 7	8 11	8 8	3 6	2 4	712
-	-	-	-	-	-	-	-	-	1	3	1 3	1 1	1 3	1 3	713
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	714
-	-	-	-	-	-	-	-	-	1	1	5 2	1 6	-	3 6	715
-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	718
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	720
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	721
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	723
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	733
-	2	2	-	1	-	1	1	4	1 1	2	1	-	1	-	734
-	-	-	-	-	-	-	-	-	1	1	1 1	1	-	-	735
6 3	6 1	-	-	1	3 1	1 1	1 2	3 2	2 1	- 2	1	1	-	-	740-759
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	740
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	741.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	741.9
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	742
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743
1 2	3	-	-	-	2 1	-	1	2	-	-	-	-	-	-	746
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	747
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	748

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death														Detailed Inter- national List Number	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84 ¹		85 and over
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	751
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	-	-	-	1	-	-	-	1	-	1	-	-	-	753
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	756
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	759
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	760-779
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	762
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	763
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	769
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	770
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	-	-	-	1	1	1	1	1	4	18	36	65	144	780-796
-	-	-	-	-	-	-	-	2	2	1	17	26	75	196	-
-	-	-	-	-	1	1	-	-	-	1	1	3	3	2	782
-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	3	2	2	2	1	E895
-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E896
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	E898
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	E899
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	2	-	-	1	1	3	2	1	-	E904
-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	E906
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	4	7	4	1	2	1	3	5	2	4	1	2	1	-	E910
-	-	1	-	-	-	-	-	-	2	1	-	-	1	-	
1	-	-	2	-	2	1	4	1	3	2	2	1	1	-	E911
-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E912
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	E913
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	E915
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	1	-	-	-	-	-	1	-	-	1	1	-	-	E916
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	E917
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	E918
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	E919
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E920
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	E922
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	E923
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	E924
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	4	-	-	1	-	1	1	-	1	-	-	-	-	-	E925
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	E926
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	3	2	-	-	-	-	-	-	1	1	-	-	-	E928
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	E929
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E930
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	

TABLE 20—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of Death	Total		Uncertified
			M	F	
		Total	18,731	15,650	193 187
008-009	B 4	Enteritis and other diarrhoeal diseases	35	25	-
010-012	B 5	Tuberculosis of respiratory system	111	43	-
013-019	B 6	Other tuberculosis, including late effects	16	13	-
032	B 8	Diphtheria	-	-	-
033	B 9	Whooping cough	1	1	-
034	B10	Streptococcal sore throat and scarlet fever	1	-	-
036	B11	Meningococcal infection	6	4	-
038	B18a	Septicaemia	10	3	-
040-043	B12	Acute poliomyelitis	-	-	-
055	B14	Measles	2	10	-
070	B18b	Infectious hepatitis	1	8	-
009.2	B18c	<i>Gastro-enteritis (under 2 years)</i>	19	8	-
000-007, 020-031, 035, 037, 039, 044-054, 056-068, 071-136	B18	All other infective and parasitic diseases	23	26	-
151	B19a	Malignant neoplasms:— of stomach	458	339	2
150, 152-159	B19b	of other digestive organs and peritoneum	808	782	1
162	B19c	of trachea, bronchus and lung	769	253	1
174	B19d	of breast	2	468	-
180-189	B19e	of genito-urinary organs	489	342	-
200-209	B19f	of lymphatic and haematopoietic tissue	216	123	-
140-149, 160, 161, 163-173, 190-199	B19g	other	407	306	-
210-239	B20	Benign neoplasms and neoplasms of unspecified nature	24	30	-
250	B21	Diabetes mellitus	173	241	1
260-269	B22	Avitaminoses and other nutritional deficiency	6	12	-
280-285	B23	Anaemias	48	61	-
320	B24	Meningitis	22	16	-
390-392	B25	Active rheumatic fever	4	2	-
393-398	B26	Chronic rheumatic heart disease	164	189	-
400-404	B27	Hypertensive disease	263	374	3 2
410-414	B28	Ischaemic heart disease	5,176	3,368	46 31
420-429	B29	Other forms of heart disease	814	839	29 23

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

International Detailed List Numbers	Abbreviated List Number	Cause of death		Total	Uncertified
430-438	B30	Cerebrovascular disease	M	2,133	6
			F	2,568	12
440-458	B46a	Other diseases of circulatory system	M	809	2
			F	828	3
470-474	B31	Influenza	M	127	2
			F	114	4
480-486	B32	Pneumonia	M	996	4
			F	1,038	-
490-493	B33	Bronchitis, emphysema and asthma	M	1,274	1
			F	599	-
518	B46b	Bronchiectasis	M	34	-
			F	24	1
460-466, 500-517, 519	B46c	Other diseases of respiratory system	M	231	-
			F	231	1
531-533	B34	Peptic ulcer	M	161	1
			F	90	-
540-543	B35	Appendicitis	M	11	-
			F	6	-
550-553, 560	B36	Intestinal obstruction and hernia	M	55	-
			F	57	-
571	B37	Cirrhosis of liver	M	63	-
			F	48	-
520-530, 534-537, 561-570, 572-577	B46d	Other diseases of digestive system	M	123	1
			F	136	-
580-584	B38	Nephritis and nephrosis	M	125	-
			F	91	-
600	B39	Hyperplasia of prostate	M	116	-
640-645	B40	Abortion	F	1	-
630-639, 650-678	B41	Other complications of pregnancy, childbirth and the puerperium	F	27	-
740-759	B42	Congenital anomalies	M	220	-
			F	206	-
764-768, 772, 776	B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	218	1
			F	105	-
760-763, 769-771, 773-775, 777-779	B44	Other causes of perinatal mortality*	M	119	1
			F	94	-
794	B45a	Senility without mention of psychosis	M	242	84
			F	296	105
780-793, 795-796	B45b	Ill-defined conditions	M	30	1
			F	24	1
240-246, 251-258, 270-279, 286-289, 290-315, 321-389, 590-599, 601-629, 680-738	B46e	All other diseases	M	518	5
			F	586	1
External Causes					
E810-E823	B47	Motor vehicle accidents	M	476	-
			F	150	-
E800-E807, E825-E949	B48	All other accidents	M	477	2
			F	398	2
E950-E959	B49	Suicide and self-inflicted injuries	M	65	-
			F	25	-
E960-E999	B50	All other external causes	M	59	-
			F	30	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	7,853 7,122	36 35	6,097 4,830	45 48	3,073 2,360	84 82	1,708 1,338	28 22
B 4	Enteritis and other diarrhoeal diseases	M F	15 13	- -	10 8	- -	6 2	- -	4 2	- -
B 5	Tuberculosis of respiratory system	M F	52 18	- -	36 17	- -	15 3	- -	8 5	- -
B 6	Other tuberculosis, including late effects	M F	3 5	- -	12 5	- -	- 3	- -	1 -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	1 -	- -	- 1	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	1 -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	4 2	- -	1 2	- -	1 -	- -	- -	- -
B18a	Septicaemia	M F	3 3	- -	3 -	- -	1 -	- -	3 -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- 3	- -	2 4	- -	- 3	- -	- -	- -
B18b	Infectious hepatitis	M F	1 2	- -	- 3	- -	- 3	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	10 4	- -	4 3	- -	4 -	- -	1 1	- -
B18	All other infective and parasitic diseases	M F	18 9	- -	2 12	- -	- 4	- -	3 1	- -
B19a	Malignant neoplasms:— of stomach	M F	198 157	- -	122 91	1 -	90 62	- -	48 29	1 -
B19b	of other digestive organs and peritoneum	M F	354 364	- -	284 238	- -	118 109	- 1	52 71	- -
B19c	of trachea, bronchus and lung	M F	438 148	1 -	235 60	- -	55 24	- -	41 21	- -
B19d	of breast	M F	1 221	- -	1 130	- -	- 81	- -	- 36	- -
B19e	of genito-urinary organs	M F	221 170	- -	139 100	- -	79 42	- -	50 30	- -
B19f	of lymphatic and haematopoietic tissue	M F	101 65	- -	66 34	- -	29 17	- -	20 7	- -
B19g	Other	M F	162 141	- -	141 95	- -	69 43	- -	35 27	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	13 16	- -	4 8	- -	5 6	- -	2 -	- -
B21	Diabetes mellitus	M F	73 129	- -	55 65	1 -	28 26	- -	17 21	- -
B22	Avitaminoses and other nutritional deficiency	M F	1 7	- -	5 2	- -	- 1	- -	- 2	- -
B23	Anaemias	M F	15 28	- -	16 20	- -	11 9	- -	6 4	- -
B24	Meningitis	M F	14 9	- -	6 5	- -	1 1	- -	1 1	- -
B25	Active rheumatic fever	M F	2 1	- -	2 -	- -	- 1	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	72 108	- -	48 56	- -	34 19	- -	10 6	- -
B27	Hypertensive disease	M F	123 183	- 2	79 109	3 -	48 54	- -	13 28	- -
B28	Ischaemic heart disease	M F	2,106 1,507	12 10	1,683 987	15 9	910 579	10 4	477 295	9 8
B29	Other forms of heart disease	M F	274 301	15 6	336 360	1 8	144 120	8 7	60 58	5 2

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	815	-	695	2	420	3	203	1
		F	1,101	1	827	3	385	3	255	5
B46a	Other diseases of circulatory system	M	299	1	321	-	110	-	79	1
		F	372	-	283	2	102	1	71	-
B31	Influenza	M	44	1	36	1	29	-	18	-
		F	47	1	31	1	29	1	7	1
B32	Pneumonia	M	455	-	269	-	149	2	123	2
		F	519	-	297	-	110	-	112	-
B33	Bronchitis, emphysema and asthma	M	625	1	425	-	142	-	82	-
		F	332	-	169	-	71	-	27	-
B46b	Bronchiectasis	M	9	-	13	-	8	-	4	-
		F	4	-	12	-	5	1	3	-
B46c	Other diseases of respiratory system	M	95	-	51	-	50	-	35	-
		F	105	-	51	-	48	1	27	-
B34	Peptic ulcer	M	48	-	68	-	25	1	20	-
		F	40	-	31	-	12	-	7	-
B35	Appendicitis	M	4	-	3	-	2	-	2	-
		F	-	-	4	-	-	-	2	-
B36	Intestinal obstruction and hernia	M	17	-	27	-	7	-	4	-
		F	26	-	18	-	11	-	2	-
B37	Cirrhosis of liver	M	40	-	13	-	8	-	2	-
		F	29	-	9	-	8	-	2	-
B46d	Other diseases of digestive system	M	49	-	46	-	20	-	8	1
		F	67	-	45	-	18	-	6	-
B38	Nephritis and nephrosis	M	51	-	32	-	29	-	13	-
		F	43	-	30	-	11	-	7	-
B39	Hyperplasia of prostate	M	51	-	29	-	17	-	19	-
B40	Abortion	F	-	-	-	-	-	-	1	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	15	-	8	-	2	-	2	-
B42	Congenital anomalies	M	110	-	65	-	28	-	17	-
		F	119	-	58	-	17	-	12	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	122	-	61	1	22	-	13	-
		F	53	-	37	-	11	-	4	-
B44	Other causes of perinatal mortality*	M	52	-	43	1	10	-	14	-
		F	50	-	30	-	11	-	3	-
B45a	Senility without mention of psychosis	M	26	4	87	18	102	56	27	6
		F	54	15	98	23	107	62	37	5
B45b	Ill-defined conditions	M	8	1	13	-	2	-	7	-
		F	14	-	5	-	2	-	3	1
B46e	All other diseases	M	189	-	190	-	87	4	52	1
		F	257	-	182	1	90	-	57	-
External Causes										
B47	Motor vehicle accidents	M	250	-	116	-	59	-	51	-
		F	76	-	44	-	20	-	10	-
B48	All other accidents	M	175	-	160	1	87	-	55	1
		F	158	-	133	1	73	1	34	-
B49	Suicide and self-inflicted injuries	M	30	-	21	-	11	-	3	-
		F	14	-	6	-	3	-	2	-
B50	All other external causes	M	23	-	25	-	5	-	6	-
		F	17	-	10	-	2	-	1	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	243 181	- -	2,806 2,902	4 2	304 381	- -	705 613	- 1
B 4	Enteritis and other diarrhoeal diseases	M F	- -	- -	5 4	- -	2 1	- -	2 -	- -
B 5	Tuberculosis of respiratory system	M F	1 -	- -	25 7	- -	1 1	- -	4 3	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	1 3	- -	- -	- -	- 1	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- -	- -	2 1	- -	2 -	- -	- -	- -
B18a	Septicaemia	M F	- -	- -	1 2	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- 2	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	- -	- -	- 1	- -	- -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	- -	- -	3 2	- -	1 -	- -	2 -	- -
B18	All other infective and parasitic diseases	M F	1 -	- -	11 5	- -	2 -	- -	1 -	- -
B19a	Malignant neoplasms:— of stomach	M F	4 3	- -	82 77	- -	9 7	- -	21 10	- -
B19b	of other digestive organs and peritoneum	M F	13 5	- -	139 149	- -	20 23	- -	42 37	- -
B19c	of trachea, bronchus and lung	M F	13 5	- -	203 65	1 -	20 11	- -	45 17	- -
B19d	of breast	M F	- 2	- -	- 97	- -	1 14	- -	- 20	- -
B19e	of genito-urinary organs	M F	7 4	- -	81 78	- -	9 10	- -	16 10	- -
B19f	of lymphatic and haematopoietic tissue	M F	2 1	- -	41 33	- -	3 3	- -	12 3	- -
B19g	Other	M F	7 5	- -	59 57	- -	1 5	- -	14 10	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	1 1	- -	4 8	- -	- 1	- -	1 -	- -
B21	Diabetes mellitus	M F	6 4	- -	17 50	- -	- 9	- -	7 6	- -
B22	Avitaminoses and other nutritional deficiency	M F	- -	- -	1 2	- -	- -	- -	- 1	- -
B23	Anaemias	M F	- -	- -	5 13	- -	- -	- -	4 1	- -
B24	Meningitis	M F	- -	- -	6 2	- -	1 -	- -	3 1	- -
B25	Active rheumatic fever	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	4 3	- -	21 43	- -	2 3	- -	8 13	- -
B27	Hypertensive disease	M F	8 9	- -	31 76	- -	3 12	- -	7 11	- -
B28	Ischaemic heart disease	M F	50 33	- -	779 611	2 -	90 98	- -	173 152	- -
B29	Other forms of heart disease	M F	10 7	- -	52 84	- 2	8 16	- -	13 14	- -

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	37	-	206	-	32	-	59	-
		F	44	-	362	-	53	-	87	-
B46a	Other diseases of circulatory system	M	11	-	90	-	17	-	20	-
		F	6	-	153	-	24	-	27	-
B31	Influenza	M	-	-	11	-	3	-	3	-
		F	3	-	16	-	-	-	5	-
B32	Pneumonia	M	15	-	194	-	13	-	44	-
		F	4	-	281	-	19	-	43	-
B33	Bronchitis, emphysema and asthma	M	25	-	265	1	19	-	55	-
		F	10	-	162	-	12	-	21	-
B46b	Bronchiectasis	M	-	-	3	-	-	-	-	-
		F	-	-	3	-	-	-	-	-
B46c	Other diseases of respiratory system	M	2	-	31	-	5	-	15	-
		F	1	-	43	-	11	-	12	-
B34	Peptic ulcer	M	1	-	12	-	2	-	5	-
		F	1	-	18	-	3	-	2	-
B35	Appendicitis	M	1	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	-	-	10	-	-	-	1	-
		F	-	-	8	-	4	-	-	-
B37	Cirrhosis of liver	M	-	-	23	-	1	-	4	-
		F	-	-	8	-	3	-	4	-
B46d	Other diseases of digestive system	M	-	-	20	-	1	-	8	-
		F	1	-	32	-	4	-	4	-
B38	Nephritis and nephrosis	M	2	-	17	-	3	-	-	-
		F	4	-	12	-	1	-	3	-
B39	Hyperplasia of prostate	M	3	-	10	-	3	-	2	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	6	-	1	-	3	-
B42	Congenital anomalies	M	1	-	35	-	3	-	22	-
		F	5	-	49	-	4	-	22	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	54	-	2	-	19	-
		F	2	-	23	-	2	-	9	-
B44	Other causes of perinatal mortality*	M	-	-	21	-	-	-	5	-
		F	4	-	15	-	-	-	1	-
B45a	Senility without mention of psychosis	M	-	-	4	-	-	-	1	1
		F	-	-	6	-	1	-	4	-
B45b	Ill-defined conditions	M	-	-	1	-	1	-	-	-
		F	-	-	10	-	-	-	-	-
B46e	All other diseases	M	5	-	69	-	10	-	18	-
		F	10	-	116	-	13	-	24	-
External Causes										
B47	Motor vehicle accidents	M	3	-	75	-	6	-	32	-
		F	-	-	30	-	4	-	10	-
B48	All other accidents	M	6	-	68	-	8	-	12	-
		F	3	-	69	-	6	-	16	-
B49	Suicide and self-inflicted injuries	M	1	-	11	-	-	-	4	-
		F	1	-	5	-	1	-	2	-
B50	All other external causes	M	-	-	6	-	1	-	3	-
		F	-	-	5	-	1	-	4	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Kildare County		Kilkenny County		Laois County		Longford County					
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified				
		Total	M	F	Total	M	F	Total	M	F			
	Total	409	M	F	391	M	F	281	M	F	210	M	F
		324			322			232			164		
B 4	Enteritis and other diarrhoeal diseases	-	M	F	1	M	F	2	M	F	-	M	F
		3			2			-			-		
B 5	Tuberculosis of respiratory system	3	M	F	3	M	F	-	M	F	2	M	F
		2			1			2			-		
B 6	Other tuberculosis, including late effects	1	M	F	-	M	F	-	M	F	-	M	F
		1			-			-			-		
B 8	Diphtheria	-	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B 9	Whooping cough	-	M	F	-	M	F	1	M	F	-	M	F
		-			-			-			-		
B10	Streptococcal sore throat and scarlet fever	-	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B11	Meningococcal infection	-	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B18a	Septicaemia	-	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B12	Acute poliomyelitis	-	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B14	Measles	-	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B18b	Infectious hepatitis	1	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B18c	Gastro-enteritis (under 2 years)	-	M	F	-	M	F	2	M	F	-	M	F
		1			1			-			-		
B18	All other infective and parasitic diseases	-	M	F	-	M	F	-	M	F	-	M	F
		-			1			-			-		
B19a	Malignant neoplasms:— of stomach	10	M	F	9	M	F	8	M	F	5	M	F
		3			6			2			4		
B19b	of other digestive organs and peritoneum	17	M	F	14	M	F	16	M	F	5	M	F
		15			18			9			7		
B19c	of trachea, bronchus and lung	16	M	F	15	M	F	12	M	F	4	M	F
		7			2			4			2		
B19d	of breast	-	M	F	-	M	F	-	M	F	-	M	F
		9			10			7			4		
B19e	of genito-urinary organs	10	M	F	11	M	F	5	M	F	9	M	F
		12			6			6			-		
B19f	of lymphatic and haematopoietic tissue	8	M	F	6	M	F	3	M	F	2	M	F
		3			2			1			3		
B19g	Other	9	M	F	7	M	F	7	M	F	5	M	F
		5			7			4			4		
B20	Benign neoplasms and neoplasms of unspecified nature	-	M	F	2	M	F	-	M	F	1	M	F
		1			2			-			-		
B21	Diabetes mellitus	4	M	F	7	M	F	3	M	F	4	M	F
		7			7			2			2		
B22	Avitaminoses and other nutritional deficiency	-	M	F	-	M	F	-	M	F	-	M	F
		1			-			-			-		
B23	Anaemias	1	M	F	-	M	F	-	M	F	-	M	F
		2			3			1			-		
B24	Meningitis	-	M	F	1	M	F	-	M	F	-	M	F
		1			1			-			-		
B25	Active rheumatic fever	-	M	F	-	M	F	-	M	F	-	M	F
		-			-			-			-		
B26	Chronic rheumatic heart disease	14	M	F	2	M	F	1	M	F	3	M	F
		6			5			1			2		
B27	Hypertensive disease	6	M	F	12	M	F	4	M	F	2	M	F
		10			8			3			6		
B28	Ischaemic heart disease	84	M	F	111	M	F	78	M	F	55	M	F
		61			71			49		2	39		1
B29	Other forms of heart disease	17	M	F	16	M	F	26	M	F	8	M	F
		23			21		1	9		-	10		-

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	57	-	35	-	30	-	42	-
		F	54	-	46	-	46	-	44	-
B46a	Other diseases of circulatory system	M	16	-	29	-	19	-	3	-
		F	15	-	24	-	21	-	3	-
B31	Influenza	M	2	1	-	-	2	-	2	-
		F	1	-	-	-	3	-	1	-
B32	Pneumonia	M	21	-	19	-	24	-	12	-
		F	15	-	14	-	18	-	5	-
B33	Bronchitis, emphysema and asthma	M	32	-	29	-	11	-	10	-
		F	9	-	10	-	10	-	4	-
B46b	Bronchiectasis	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B46c	Other diseases of respiratory system	M	10	-	3	-	6	-	1	-
		F	12	-	3	-	2	-	1	-
B34	Peptic ulcer	M	5	-	5	-	1	-	1	-
		F	-	-	2	-	1	-	-	-
B35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	-	-	2	-	-	-	-	-
		F	3	-	-	-	-	-	-	-
B37	Cirrhosis of liver	M	1	-	3	-	-	-	-	-
		F	-	-	4	-	-	-	-	-
B46d	Other diseases of digestive system	M	3	-	2	-	1	-	-	-
		F	5	-	5	-	2	-	-	-
B38	Nephritis and nephrosis	M	4	-	4	-	-	-	2	-
		F	4	-	2	-	1	-	4	-
B39	Hyperplasia of prostate	M	2	-	2	-	1	-	5	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	2	-	1	-	-	-	-	-
B42	Congenital anomalies	M	7	-	3	-	4	-	3	-
		F	5	-	5	-	2	-	2	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	8	-	1	-	1	-	3	-
		F	1	-	2	-	2	-	1	-
B44	Other causes of perinatal mortality*	M	1	-	3	-	1	-	3	-
		F	3	-	3	-	3	-	-	-
B45a	Senility without mention of psychosis	M	-	-	3	-	2	-	1	1
		F	1	-	7	2	2	-	5	4
B45b	Ill-defined conditions	M	-	-	2	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B46e	All other diseases	M	10	-	8	-	4	-	3	-
		F	10	-	11	-	7	-	6	-
External Causes										
B47	Motor vehicle accidents	M	18	-	13	-	6	-	9	-
		F	4	-	3	-	4	-	-	-
B48	All other accidents	M	5	-	5	-	6	-	4	-
		F	5	-	4	-	8	-	4	-
B49	Suicide and self-inflicted injuries	M	4	-	2	-	2	-	-	-
		F	-	-	-	-	-	-	1	-
B50	All other external causes	M	2	-	1	-	-	-	1	-
		F	3	-	1	-	-	-	-	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified	Total	Uncer- tified
			Total	M F	Total	M F	Total	M F	Total	M F
			378	-	479	4	316	6	366	15
			351	-	323	2	249	7	280	8
B 4	Enteritis and other diarrhoeal diseases	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B 5	Tuberculosis of respiratory system	M F	- 1	- -	4 -	- -	2 1	- -	2 -	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- 1	- -	- -
B18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B18	All other infective and parasitic diseases	M F	- 2	- -	- -	- -	- -	- -	- -	- -
B19a	Malignant neoplasms:— of stomach	M F	6 10	- -	11 9	- -	6 6	- -	7 4	- -
B19b	of other digestive organs and peritoneum	M F	21 17	- -	19 13	- -	10 13	- -	11 14	- -
B19c	of trachea, bronchus and lung	M F	24 4	- -	19 6	- -	15 7	- -	8 3	- -
B19d	of breast	M F	- 6	- -	- 8	- -	- 6	- -	- 10	- -
B19e	of genito-urinary organs	M F	7 7	- -	13 6	- -	11 6	- -	10 7	- -
B19f	of lymphatic and haematopoietic tissue	M F	3 5	- -	7 1	- -	4 1	- -	4 2	- -
B19g	Other	M F	7 8	- -	8 7	- -	10 9	- -	8 6	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	- -	- -	- -	- -	1 -	- -	2 1	- -
B21	Diabetes mellitus	M F	3 4	- -	5 7	- -	2 6	- -	2 7	- -
B22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B23	Anaemias	M F	- 3	- -	1 -	- -	1 3	- -	1 1	- -
B24	Meningitis	M F	- 1	- -	- -	- -	1 -	- -	1 -	- -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B26	Chronic rheumatic heart disease	M F	- 6	- -	5 6	- -	2 2	- -	2 2	- -
B27	Hypertensive disease	M F	4 6	- -	11 4	- -	13 11	- -	5 5	- -
B28	Ischaemic heart disease	M F	92 60	- -	143 63	2 -	63 34	3 1	106 64	4 5
B29	Other forms of heart disease	M F	21 30	- -	16 22	- -	14 11	1 -	36 25	10 2

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	56	-	48	-	48	-	44	-
		F	64	-	53	-	53	1	44	-
B46a	Other diseases of circulatory system	M	5	-	14	-	14	1	11	-
		F	10	-	20	-	13	-	18	-
B31	Influenza	M	5	-	3	-	3	-	-	-
		F	2	-	3	-	4	-	1	-
B32	Pneumonia	M	18	-	24	-	8	-	23	-
		F	21	-	26	-	6	-	16	-
B33	Bronchitis, emphysema and asthma	M	33	-	38	-	27	-	26	-
		F	23	-	17	-	8	-	9	-
B46b	Bronchiectasis	M	1	-	1	-	1	-	1	-
		F	-	-	-	-	-	-	-	-
B46c	Other diseases of respiratory system	M	1	-	5	-	2	-	2	-
		F	4	-	1	-	7	-	1	-
B34	Peptic ulcer	M	1	-	4	-	3	-	3	-
		F	4	-	-	-	2	-	1	-
B35	Appendicitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	-	-	2	-	-	-	2	-
		F	2	-	2	-	1	-	3	-
B37	Cirrhosis of liver	M	2	-	2	-	1	-	3	-
		F	2	-	-	-	-	-	4	-
B46d	Other diseases of digestive system	M	2	-	-	-	2	-	3	-
		F	3	-	4	-	2	-	-	-
B38	Nephritis and nephrosis	M	4	-	2	-	4	-	6	-
		F	4	-	-	-	4	-	-	-
B39	Hyperplasia of prostate	M	5	-	6	-	3	-	2	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	-	-	-	-
B42	Congenital anomalies	M	3	-	6	-	4	-	2	-
		F	6	-	3	-	3	-	4	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	10	-	7	-	1	-	4	-
		F	1	-	-	-	3	-	1	-
B44	Other causes of perinatal mortality*	M	4	-	4	-	1	-	-	-
		F	1	-	5	-	2	-	3	-
B45a	Senility without mention of psychosis	M	6	-	3	2	3	1	-	-
		F	4	-	10	2	4	3	5	1
B45b	Ill-defined conditions	M	1	-	2	-	-	-	1	1
		F	1	-	2	-	-	-	-	-
B46e	All other diseases	M	10	-	9	-	8	-	11	-
		F	13	-	10	-	9	-	8	-
External Causes										
B47	Motor vehicle accidents	M	12	-	15	-	11	-	10	-
		F	6	-	4	-	3	-	2	-
B48	All other accidents	M	7	-	21	-	11	-	2	-
		F	10	-	10	-	6	-	3	-
B49	Suicide and self-inflicted injuries	M	2	-	-	-	3	-	-	-
		F	-	-	-	-	1	-	2	-
B50	All other external causes	M	2	-	1	-	2	-	4	-
		F	-	-	-	-	1	-	1	-

*Late foetal deaths not included

TABLE 20 (contd.) DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total	M	F	Total	M	F	Total	M
			586	1	379	-	689	1	1,633	4
			486	5	314	-	623	-	1,261	4
B 4	Enteritis and other diarrhoeal diseases	M	1	-	1	-	2	-	2	-
		F	1	-	2	-	-	-	3	-
B 5	Tuberculosis of respiratory system	M	3	-	2	-	8	-	8	-
		F	-	-	-	-	1	-	3	-
B 6	Other tuberculosis, including late effects	M	-	-	-	-	2	-	3	-
		F	-	-	-	-	-	-	1	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B18a	Septicaemia	M	1	-	1	-	-	-	1	-
		F	1	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B18	All other infective and parasitic diseases	M	2	-	1	-	-	-	5	-
		F	1	-	-	-	-	-	-	-
B19a	Malignant neoplasms:— of stomach	M	14	-	6	-	18	-	28	-
		F	10	-	6	-	13	-	27	-
B19b	of other digestive organs and peritoneum	M	21	-	12	-	33	-	78	-
		F	26	-	18	-	36	-	66	-
B19c	of trachea, bronchus and lung	M	23	-	21	-	52	-	68	-
		F	10	-	5	-	13	-	19	-
B19d	of breast	M	-	-	-	-	-	-	-	-
		F	17	-	11	-	22	-	38	-
B19e	of genito-urinary organs	M	20	-	12	-	13	-	40	-
		F	9	-	9	-	12	-	29	-
B19f	of lymphatic and haematopoietic tissue	M	3	-	3	-	8	-	24	-
		F	5	-	2	-	7	-	9	-
B19g	Other	M	15	-	5	-	16	-	35	-
		F	8	-	6	-	13	-	26	-
B20	Benign neoplasms and neoplasms of unspecified nature	M	1	-	-	-	-	-	1	-
		F	1	-	1	-	1	-	3	-
B21	Diabetes mellitus	M	10	-	3	-	4	-	19	1
		F	10	-	8	-	8	-	10	-
B22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	3	-
		F	2	-	-	-	1	-	-	-
B23	Anaemias	M	2	-	-	-	1	-	6	-
		F	-	-	1	-	2	-	4	-
B24	Meningitis	M	1	-	1	-	-	-	1	-
		F	-	-	2	-	-	-	1	-
B25	Active rheumatic fever	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	6	-	2	-	4	-	18	-
		F	15	-	1	-	11	-	16	-
B27	Hypertensive disease	M	11	-	6	-	5	-	21	-
		F	11	-	11	-	12	-	34	-
B28	Ischaemic heart disease	M	176	-	106	-	204	-	423	-
		F	98	1	74	-	126	-	257	-
B29	Other forms of heart disease	M	23	1	14	-	11	-	75	-
		F	20	1	9	-	19	-	81	1

TABLE 20 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	65	-	56	-	70	-	206	-
		F	96	-	55	-	122	-	216	1
B46a	Other diseases of circulatory system	M	38	-	12	-	30	-	81	-
		F	30	-	8	-	48	-	77	-
B31	Influenza	M	4	-	6	-	1	-	9	-
		F	5	1	3	-	2	-	7	-
B32	Pneumonia	M	26	-	14	-	26	-	66	-
		F	28	-	23	-	32	-	88	-
B33	Bronchitis, emphysema and asthma	M	28	-	27	-	58	-	101	-
		F	19	-	18	-	19	-	42	-
B46b	Bronchiectasis	M	2	-	-	-	3	-	4	-
		F	-	-	-	-	1	-	2	-
B46c	Other diseases of respiratory system	M	5	-	7	-	6	-	17	-
		F	5	-	2	-	13	-	10	-
B34	Peptic ulcer	M	4	-	1	-	9	-	20	-
		F	3	-	3	-	4	-	7	-
B35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	-	-	-	-	4	-	6	-
		F	2	-	1	-	2	-	6	-
B37	Cirrhosis of liver	M	-	-	-	-	5	-	3	-
		F	3	-	1	-	3	-	-	-
B46d	Other diseases of digestive system	M	2	-	5	-	5	-	12	-
		F	5	-	-	-	6	-	11	-
B38	Nephritis and nephrosis	M	1	-	2	-	4	-	8	-
		F	3	-	1	-	5	-	6	-
B39	Hyperplasia of prostate	M	2	-	5	-	3	-	7	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	1	-	3	-
B42	Congenital anomalies	M	9	-	8	-	16	-	18	-
		F	6	-	3	-	12	-	15	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	5	-	4	-	10	1	22	-
		F	2	-	4	-	9	-	10	-
B44	Other causes of perinatal mortality*	M	7	-	2	-	1	-	12	-
		F	8	-	2	-	-	-	5	-
B45a	Senility without mention of psychosis	M	1	-	2	-	2	-	20	3
		F	2	2	3	-	6	-	15	2
B45b	Ill-defined conditions	M	-	-	-	-	1	-	4	-
		F	-	-	-	-	1	-	1	-
B46e	All other diseases	M	17	-	7	-	20	-	58	-
		F	11	-	9	-	18	-	46	-
External Causes										
B47	Motor vehicle accidents	M	24	-	16	-	10	-	40	-
		F	2	-	4	-	4	-	9	-
B48	All other accidents	M	12	-	8	-	19	-	46	-
		F	7	-	7	-	16	-	48	-
B49	Suicide and self-inflicted injuries	M	-	-	1	-	2	-	11	-
		F	-	-	1	-	-	-	2	-
B50	All other external causes	M	-	-	-	-	2	-	8	-
		F	1	-	-	-	2	-	2	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	618 464	5 10	893 667	20 22	325 288	1 -	586 449	2 2
B 4	Enteritis and other diarrhoeal diseases	M F	2 -	- -	1 2	- -	- -	- -	- 1	- -
B 5	Tuberculosis of respiratory system	M F	3 1	- -	7 3	- -	2 1	- -	3 1	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	4 2	- -	- -	- -	2 2	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B18a	Septicaemia	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- 2	- -	- -	- -	1 1	- -
B18b	Infectious hepatitis	M F	- 1	- -	- 1	- -	- -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	- -	- -	1 -	- -	- -	- -	1 -	- -
B18	All other infective and parasitic diseases	M F	1 -	- -	1 2	- -	- 2	- -	- 2	- -
B19a	Malignant neoplasms:— of stomach	M F	17 6	1 -	11 11	- -	2 6	- -	10 12	- -
B19b	of other digestive organs and peritoneum	M F	24 19	- -	46 22	- -	15 18	- -	25 21	- -
B19c	of trachea, bronchus and lung	M F	14 1	- -	17 6	- -	13 2	- -	17 5	- -
B19d	of breast	M F	9 -	- -	15 -	- -	6 -	- -	13 -	- -
B19e	of genito-urinary organs	M F	14 9	- -	14 11	- -	8 8	- -	17 9	- -
B19f	of lymphatic and haematopoietic tissue	M F	5 -	- -	6 6	- -	4 2	- -	6 2	- -
B19g	Other	M F	11 7	- -	19 14	- -	10 4	- -	11 5	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	2 -	- -	2 -	- -	1 -	- -	1 -	- -
B21	Diabetes mellitus	M F	5 6	- -	5 9	- -	6 1	- -	2 11	- -
B22	Avitaminoses and other nutritional deficiency	M F	- -	- -	2 -	- -	- -	- -	- -	- -
B23	Anaemias	M F	3 1	- -	2 2	- -	2 -	- -	5 -	- -
B24	Meningitis	M F	1 -	- -	1 1	- -	1 2	- -	1 -	- -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	6 2	- -	5 2	- -	3 -	- -	1 7	- -
B27	Hypertensive disease	M F	6 8	- -	9 11	1 -	8 6	- -	6 7	- 1
B28	Ischaemic heart disease	M F	154 65	- -	267 142	7 6	83 81	- -	201 96	- -
B29	Other forms of heart disease	M F	97 92	- 1	50 52	1 3	5 7	- -	34 39	- -

TABLE 20 (contd.) DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	52	-	90	-	38	-	61	1
		F	70	1	115	1	39	-	67	-
B46a	Other diseases of circulatory system	M	31	-	77	-	15	-	35	-
		F	19	-	55	-	14	-	19	-
B31	Influenza	M	1	-	12	1	1	-	3	-
		F	4	1	6	-	1	-	5	-
B32	Pneumonia	M	30	-	45	-	16	-	22	-
		F	33	-	30	-	20	-	20	-
B33	Bronchitis, emphysema and asthma	M	31	-	56	-	24	-	41	-
		F	15	-	7	-	19	-	25	-
B46b	Bronchiectasis	M	-	-	-	-	1	-	-	-
		F	2	-	-	-	2	-	-	-
B46c	Other diseases of respiratory system	M	4	-	5	-	4	-	4	-
		F	5	-	6	-	3	-	5	-
B34	Peptic ulcer	M	12	-	7	-	2	-	5	-
		F	2	-	8	-	3	-	2	-
B35	Appendicitis	M	1	-	-	-	2	-	-	-
		F	3	-	1	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	3	-	7	-	3	-	1	-
		F	1	-	4	-	2	-	-	-
B37	Cirrhosis of liver	M	-	-	2	-	-	-	1	-
		F	1	-	1	-	1	-	2	-
B46d	Other diseases of digestive system	M	4	-	9	-	2	-	6	-
		F	4	-	5	-	4	-	3	-
B38	Nephritis and nephrosis	M	1	-	7	-	3	-	1	-
		F	4	-	6	-	2	-	3	-
B39	Hyperplasia of prostate	M	1	-	3	-	-	-	2	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	2	-	2	-	-	-	-	-
B42	Congenital anomalies	M	5	-	10	-	6	-	1	-
		F	4	-	9	-	4	-	6	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	6	-	3	-	10	-	2	-
		F	3	-	5	-	3	-	3	-
B44	Other causes of perinatal mortality*	M	6	-	5	-	9	1	5	-
		F	6	-	9	-	2	-	2	-
B45a	Senility without mention of psychosis	M	24	4	18	9	-	-	6	1
		F	18	7	25	11	1	-	7	1
B45b	Ill-defined conditions	M	4	-	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-
B46e	All other diseases	M	12	-	24	-	8	-	22	-
		F	15	-	28	1	8	-	25	-
External Causes										
B47	Motor vehicle accidents	M	4	-	14	-	11	-	11	-
		F	7	-	3	-	2	-	5	-
B48	All other accidents	M	16	-	28	1	5	-	17	-
		F	15	-	22	-	5	-	9	-
B49	Suicide and self-inflicted injuries	M	1	-	1	-	-	-	2	-
		F	2	-	1	-	-	-	-	-
B50	All other external causes	M	4	-	2	-	2	-	1	-
		F	-	-	1	-	3	-	1	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County									
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified								
		M	F	M	F	M	F	M	F								
	Total	381	287	3	3	459	375	5	5	189	182	-	-	324	234	4	2
B 4	Enteritis and other diarrhoeal diseases	M	F	-	-	2	2	-	-	1	-	-	-	-	-	-	-
B 5	Tuberculosis of respiratory system	M	F	2	1	-	-	2	1	-	-	-	-	1	5	-	-
B 6	Other tuberculosis, including late effects	M	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	F	-	-	-	1	-	-	1	-	-	-	-	-	-	-
B18a	Septicaemia	M	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	F	-	-	2	1	-	-	1	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	F	-	-	-	-	-	-	1	-	-	-	-	-	-	-
B19a	Malignant neoplasms:— of stomach	M	F	9	6	-	-	15	4	-	-	3	2	9	4	-	-
B19b	of other digestive organs and peritoneum	M	F	17	15	-	-	16	23	-	-	15	9	15	9	-	-
B19c	of trachea, bronchus and lung	M	F	14	3	-	-	18	6	-	-	12	2	10	3	-	-
B19d	of breast	M	F	-	7	-	-	-	6	-	-	7	-	1	7	-	-
B19e	of genito-urinary organs	M	F	5	6	-	-	14	11	-	-	8	1	6	4	-	-
B19f	of lymphatic and haematopoietic tissue	M	F	4	4	-	-	4	2	-	-	2	2	3	-	-	-
B19g	Other	M	F	11	4	-	-	12	13	-	-	3	2	13	7	-	-
B20	Benign neoplasms and neoplasms of unspecified nature	M	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-
B21	Diabetes mellitus	M	F	8	4	-	-	2	9	-	-	1	-	3	7	-	-
B22	Avitaminoses and other nutritional deficiency	M	F	-	-	-	-	-	-	-	-	1	-	-	-	-	-
B23	Anaemias	M	F	3	-	-	-	1	-	-	-	1	-	1	2	-	-
B24	Meningitis	M	F	-	-	-	-	1	-	-	-	-	-	1	-	-	-
B25	Active rheumatic fever	M	F	-	-	-	-	-	-	-	-	-	-	1	-	-	-
B26	Chronic rheumatic heart disease	M	F	1	4	-	-	7	7	-	-	1	4	2	3	-	-
B27	Hypertensive disease	M	F	17	17	2	-	6	10	-	-	1	2	-	2	-	-
B28	Ischaemic heart disease	M	F	99	70	-	-	136	79	5	-	44	34	72	37	3	2
B29	Other forms of heart disease	M	F	22	21	-	-	18	18	3	-	8	10	16	21	-	-

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	56	1	64	-	14	-	44	-
		F	58	-	78	-	25	-	37	-
B46a	Other diseases of circulatory system	M	15	-	15	-	3	-	19	-
		F	10	-	15	-	15	-	11	-
B31	Influenza	M	5	-	3	-	-	-	1	-
		F	4	-	1	-	1	-	-	-
B32	Pneumonia	M	10	-	15	-	22	-	17	-
		F	7	-	26	-	26	-	15	-
B33	Bronchitis, emphysema and asthma	M	18	-	40	-	22	-	34	-
		F	4	-	12	-	13	-	13	-
B46b	Bronchiectasis	M	1	-	4	-	-	-	-	-
		F	-	-	3	-	-	-	2	-
B46c	Other diseases of respiratory system	M	3	-	4	-	1	-	3	-
		F	3	-	6	-	-	-	-	-
B34	Peptic ulcer	M	2	-	4	-	2	-	5	-
		F	1	-	1	-	2	-	1	-
B35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	2	-	-	-	-	-	1	-
		F	1	-	-	-	2	-	-	-
B37	Cirrhosis of liver	M	1	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B46d	Other diseases of digestive system	M	2	-	2	-	2	-	2	-
		F	2	-	5	-	2	-	3	-
B38	Nephritis and nephrosis	M	2	-	3	-	2	-	1	-
		F	1	-	-	-	2	-	1	-
B39	Hyperplasia of prostate	M	8	-	3	-	-	-	2	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B42	Congenital anomalies	M	3	-	2	-	2	-	2	-
		F	3	-	2	-	-	-	3	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	1	-	3	-	1	-	3	-
		F	2	-	1	-	-	-	1	-
B44	Other causes of perinatal mortality*	M	1	-	3	-	-	-	1	-
		F	1	-	4	-	1	-	-	-
B45a	Senility without mention of psychosis	M	6	-	3	-	2	-	6	1
		F	8	2	2	2	5	-	11	-
B45b	Ill-defined conditions	M	-	-	-	-	-	-	2	-
		F	-	-	-	-	1	-	-	-
B46e	All other diseases	M	15	-	17	-	3	-	11	-
		F	12	-	11	-	5	-	14	-
External Causes										
B47	Motor vehicle accidents	M	8	-	5	-	6	-	7	-
		F	2	-	5	-	1	-	6	-
B48	All other accidents	M	6	-	10	-	7	-	6	-
		F	5	1	8	-	2	-	3	-
B49	Suicide and self-inflicted injuries	M	-	-	3	-	-	-	1	-
		F	1	-	-	-	-	-	-	-
B50	All other external causes	M	-	-	2	-	1	-	3	-
		F	-	-	-	-	-	-	1	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total							
		M	1,023	23	271	8	869	39	479	9
		F	796	15	202	11	697	41	343	9
B 4	Enteritis and other diarrhoeal diseases	M	-	-	-	-	6	-	-	-
		F	-	-	-	-	2	-	-	-
B 5	Tuberculosis of respiratory system	M	7	-	2	-	3	-	2	-
		F	3	-	-	-	-	-	-	-
B 6	Other tuberculosis, including late effects	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	1	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B18a	Septicaemia	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	-	-	-	-	4	-	-	-
		F	-	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	1	-
B19a	Malignant neoplasms:— of stomach	M	18	-	8	-	29	-	18	-
		F	14	-	5	-	22	-	9	-
B19b	of other digestive organs and peritoneum	M	35	-	9	-	34	-	15	-
		F	39	-	8	-	34	1	7	-
B19c	of trachea, bronchus and lung	M	23	-	6	-	15	-	8	-
		F	9	-	2	-	4	-	4	-
B19d	of breast	M	-	-	-	-	-	-	-	-
		F	24	-	7	-	26	-	13	-
B19e	of genito-urinary organs	M	24	-	6	-	23	-	15	-
		F	15	-	4	-	11	-	6	-
B19f	of lymphatic and haematopoietic tissue	M	10	-	4	-	7	-	3	-
		F	8	-	2	-	5	-	1	-
B19g	Other	M	31	-	2	-	14	-	15	-
		F	17	-	2	-	5	-	9	-
B20	Benign neoplasms and neoplasms of unspecified nature	M	2	-	-	-	1	-	-	-
		F	1	-	1	-	4	-	-	-
B21	Diabetes mellitus	M	5	-	5	-	8	-	5	-
		F	11	-	2	-	3	-	8	-
B22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B23	Anaemias	M	3	-	-	-	5	-	3	-
		F	6	-	-	-	1	-	2	-
B24	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	10	-	1	-	11	-	6	-
		F	4	-	3	-	-	-	4	-
B27	Hypertensive disease	M	10	-	4	-	17	-	5	-
		F	15	-	7	-	12	-	5	-
B28	Ischaemic heart disease	M	329	4	87	-	245	3	144	2
		F	200	-	59	-	161	2	102	1
B29	Other forms of heart disease	M	35	2	6	2	63	2	27	1
		F	29	-	4	-	52	6	21	-

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	140	-	44	-	107	2	66	1
		F	146	1	25	-	115	2	49	-
B46a	Other diseases of circulatory system	M	36	-	13	-	27	-	20	-
		F	31	-	4	-	26	1	24	-
B31	Influenza	M	10	-	2	-	6	-	7	-
		F	9	-	3	-	10	1	4	-
B32	Pneumonia	M	67	1	15	-	34	1	16	-
		F	49	-	13	-	27	-	13	-
B33	Bronchitis, emphysema and asthma	M	42	-	14	-	40	-	19	-
		F	18	-	8	-	25	-	7	-
B46b	Bronchiectasis	M	3	-	1	-	4	-	-	-
		F	1	-	1	-	2	-	-	-
B46c	Other diseases of respiratory system	M	13	-	-	-	29	-	6	-
		F	15	-	4	-	18	-	4	1
B34	Peptic ulcer	M	5	-	-	-	5	1	6	-
		F	3	-	1	-	6	-	1	-
B35	Appendicitis	M	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	2	-	1	-	3	-	-	-
		F	1	-	1	-	6	-	-	-
B37	Cirrhosis of liver	M	2	-	1	-	4	-	-	-
		F	3	-	-	-	2	-	1	-
B46d	Other diseases of digestive system	M	2	-	1	-	7	-	7	-
		F	9	-	1	-	5	-	1	-
B38	Nephritis and nephrosis	M	13	-	4	-	6	-	4	-
		F	5	-	-	-	2	-	3	-
B39	Hyperplasia of prostate	M	5	-	2	-	5	-	4	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	-	-	-	-
B42	Congenital anomalies	M	16	-	4	-	2	-	2	-
		F	8	-	3	-	5	-	1	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	9	-	-	-	3	-	-	-
		F	3	-	-	-	1	-	2	-
B44	Other causes of perinatal mortality*	M	1	-	3	-	2	-	3	-
		F	5	-	2	-	2	-	-	-
B45a	Senility without mention of psychosis	M	22	15	7	6	39	28	20	5
		F	20	14	12	11	41	27	14	7
B45b	Ill-defined conditions	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	1	-	-	-
B46e	All other diseases	M	25	1	9	-	28	2	11	-
		F	24	-	8	-	30	-	11	-
External Causes										
B47	Motor vehicle accidents	M	20	-	3	-	19	-	7	-
		F	12	-	1	-	4	-	3	-
B48	All other accidents	M	40	-	5	-	14	-	10	-
		F	28	-	7	-	20	1	11	-
B49	Suicide and self-inflicted injuries	M	2	-	2	-	3	-	3	-
		F	2	-	-	-	-	-	-	-
B50	All other external causes	M	4	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	1	-

*Late foetal deaths not included

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County ₁		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	431 322	5 6	487 358	7 8	858 668	21 14	363 312	- -
B 4	Enteritis and other diarrhoeal diseases	M F	- -	- -	1 -	- -	2 1	- -	1 1	- -
B 5	Tuberculosis of respiratory system	M F	1 -	- -	1 2	- -	6 3	- -	1 -	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	- -	- -	1 -	- -	- -	- -	2 -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- 2	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	- -	- -	- -	- -	1 -	- -	- 1	- -
B18	All other infective and parasitic diseases	M F	- 1	- -	- -	- -	2 1	- -	1 -	- -
B19a	Malignant neoplasms:— of stomach	M F	17 12	- -	21 7	1 -	18 16	- -	9 6	- -
B19b	of other digestive organs and peritoneum	M F	25 21	- -	16 17	- -	26 35	- -	10 19	- -
B19c	of trachea, bronchus and lung	M F	3 5	- -	12 7	- -	22 9	- -	7 5	- -
B19d	of breast	M F	- 11	- -	- 9	- -	- 23	- -	- 4	- -
B19e	of genito-urinary organs	M F	11 6	- -	13 7	- -	27 17	- -	10 6	- -
B19f	of lymphatic and haematopoietic tissue	M F	5 1	- -	3 3	- -	13 2	- -	4 2	- -
B19g	Other	M F	7 10	- -	8 5	- -	18 18	- -	9 4	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	2 -	- -	- -	- -	1 -	- -	1 -	- -
B21	Diabetes mellitus	M F	5 2	- -	2 5	- -	13 11	- -	2 5	- -
B22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	2 -	- -	- -	- -
B23	Anaemias	M F	- -	- -	3 -	- -	2 2	- -	1 2	- -
B24	Meningitis	M F	1 1	- -	1 1	- -	- -	- -	- -	- -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	6 2	- -	5 5	- -	4 -	- -	1 1	- -
B27	Hypertensive disease	M F	12 15	- -	2 5	- -	8 22	- -	3 1	- -
B28	Ischaemic heart disease	M F	105 57	1 1	124 57	1 1	235 138	8 7	118 100	- -
B29	Other forms of heart disease	M F	13 14	1 1	16 12	1 1	35 36	4 1	9 10	- -

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	63	-	77	-	93	1	33	-
		F	50	-	94	3	109	2	52	-
B46a	Other diseases of circulatory system	M	14	-	25	-	36	1	18	-
		F	17	-	18	-	34	-	19	-
B31	Influenza	M	4	-	7	-	7	-	4	-
		F	3	-	1	-	5	1	1	-
B32	Pneumonia	M	17	-	29	1	74	1	20	-
		F	8	-	32	-	54	-	26	-
B33	Bronchitis, emphysema and asthma	M	27	-	33	-	37	-	12	-
		F	13	-	9	-	12	-	6	-
B46b	Bronchiectasis	M	-	-	1	-	1	-	2	-
		F	1	-	2	-	1	-	-	-
B46c	Other diseases of respiratory system	M	2	-	5	-	11	-	19	-
		F	7	-	5	-	14	-	8	-
B34	Peptic ulcer	M	9	-	4	-	12	-	4	-
		F	1	-	-	-	4	-	3	-
B35	Appendicitis	M	1	-	1	-	1	-	-	-
		F	-	-	-	-	1	-	1	-
B36	Intestinal obstruction and hernia	M	1	-	-	-	2	-	2	-
		F	3	-	-	-	2	-	-	-
B37	Cirrhosis of liver	M	1	-	1	-	-	-	1	-
		F	2	-	-	-	2	-	-	-
B46d	Other diseases of digestive system	M	3	-	1	-	5	1	2	-
		F	2	-	2	-	4	-	-	-
B38	Nephritis and nephrosis	M	2	-	4	-	8	-	1	-
		F	1	-	4	-	2	-	1	-
B39	Hyperplasia of prostate	M	1	-	7	-	8	-	4	-
B40	Abortion	F	-	-	-	-	1	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	1	-	-	-	1	-
B42	Congenital anomalies	M	4	-	4	-	9	-	4	-
		F	-	-	3	-	7	-	2	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	10	-	2	-	7	-	4	-
		F	5	-	2	-	1	-	1	-
B44	Other causes of perinatal mortality*	M	1	-	3	-	10	-	1	-
		F	2	-	-	-	2	-	1	-
B45a	Senility without mention of psychosis	M	14	2	9	3	17	3	1	-
		F	20	3	15	2	22	3	-	-
B45b	Ill-defined conditions	M	1	-	-	-	7	-	-	-
		F	1	1	1	1	2	-	-	-
B46e	All other diseases	M	14	1	15	-	29	1	8	-
		F	17	-	17	-	30	-	10	-
External Causes										
B47	Motor vehicle accidents	M	10	-	13	-	18	-	20	-
		F	-	-	2	-	6	-	2	-
B48	All other accidents	M	18	-	14	-	31	1	10	-
		F	7	-	8	-	14	-	12	-
B49	Suicide and self-inflicted injuries	M	1	-	1	-	2	-	-	-
		F	1	-	-	-	2	-	-	-
B50	All other external causes	M	-	-	1	-	1	-	4	-
		F	-	-	-	-	1	-	-	-

*Late foetal deaths not included

TABLE 21 - DEATHS OCCURRING IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M	2,806	140	13	31	49	46	74	233	521	862	837
		F	2,902	121	19	16	26	16	62	171	355	680	1,436
B 4	Enteritis and other diarrhoeal diseases	M	5	2	1	-	-	-	1	-	-	-	2
		F	4	2	-	-	-	-	-	-	-	-	1
B 5	Tuberculosis of respiratory system	M	25	-	-	-	-	-	1	4	9	8	3
		F	7	-	-	-	-	-	2	-	1	4	-
B 6	Other tuberculosis, including late effects	M	1	-	-	-	-	-	-	-	-	1	-
		F	3	-	-	-	-	-	-	-	1	1	1
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	2	1	-	-	-	-	-	1	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
B18a	Septicaemia	M	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	1	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1
B18c	Gastro-enteritis (under 2 years)	M	3	2	1	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	11	4	-	-	-	-	2	-	3	2	-
		F	5	2	1	-	-	-	1	-	-	1	-
B19a	Malignant neoplasms: - of stomach	M	82	-	-	-	-	-	5	10	21	31	15
		F	77	-	-	-	-	1	1	1	8	30	36
B19b	of other digestive organs and peritoneum	M	139	-	-	-	-	-	4	13	34	45	43
		F	149	-	-	-	-	-	4	10	29	51	55
B19c	of trachea, bronchus and lung	M	203	-	-	-	-	2	1	15	56	91	38
		F	65	-	-	-	-	-	-	9	19	24	13
B19d	of breast	M	-	-	-	-	-	-	-	-	-	-	-
		F	97	-	-	-	-	2	6	20	20	23	26
B19e	of genito-urinary organs	M	81	-	-	-	2	-	-	1	8	24	46
		F	78	-	-	-	1	2	4	15	17	22	17
B19f	of lymphatic and haematopoietic tissue	M	41	1	-	3	2	4	1	4	4	16	6
		F	33	-	1	-	1	-	1	5	6	11	8
B19g	Other	M	59	-	2	3	2	-	1	4	13	20	14
		F	57	-	1	1	-	1	4	4	21	12	13
B20	Benign neoplasms and neoplasms of unspecified nature	M	4	-	-	-	1	1	-	-	2	-	-
		F	8	-	-	-	-	-	2	-	2	2	2
B21	Diabetes mellitus	M	17	-	-	-	1	-	-	-	4	8	4
		F	50	-	-	-	-	-	-	5	3	21	21
B22	Avitaminoses and other nutritional deficiency	M	1	1	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	1
B23	Anaemias	M	5	-	-	-	-	-	-	-	1	1	3
		F	13	-	-	-	1	-	-	-	-	3	9
B24	Meningitis	M	6	4	-	2	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	1	-
B25	Active rheumatic fever	M	1	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	21	-	-	-	-	-	3	6	6	2	4
		F	43	-	-	-	-	-	4	5	7	10	17
B27	Hypertensive disease	M	31	-	-	-	-	-	-	3	5	8	15
		F	76	-	-	-	-	-	-	1	6	21	48

TABLE 21 (contd.)—DEATHS OCCURRING IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B28	Ischaemic heart disease	M	779	-	-	-	-	4	21	98	187	279	190
		F	611	-	-	-	-	-	7	26	82	157	339
B29	Other forms of heart disease	M	52	-	-	-	-	1	1	2	2	12	34
		F	84	1	-	-	-	-	-	4	4	9	66
B30	Cerebrovascular disease	M	206	-	-	-	1	3	6	13	34	61	88
		F	362	-	1	1	-	-	5	15	33	89	218
B46a	Other diseases of circulatory system	M	90	-	1	-	-	1	-	7	10	26	45
		F	153	-	-	-	-	-	1	4	10	27	111
B31	Influenza	M	11	-	-	-	-	-	-	-	2	2	7
		F	16	-	-	-	-	-	1	2	-	1	12
B32	Pneumonia	M	194	7	2	2	2	1	1	14	23	53	89
		F	281	13	6	3	5	2	2	6	18	49	177
B33	Bronchitis, emphysema and asthma	M	265	-	-	1	1	-	3	8	49	97	106
		F	162	-	-	-	2	-	2	13	21	49	75
B46b	Bronchiectasis	M	3	-	-	-	-	-	-	-	-	2	1
		F	3	-	-	-	-	-	1	1	-	1	-
B46c	Other diseases of respiratory system	M	31	11	-	-	1	1	-	2	3	-	13
		F	43	15	-	-	1	-	-	2	1	2	22
B34	Peptic ulcer	M	13	-	-	-	-	-	-	-	2	9	2
		F	18	-	-	-	-	-	1	3	2	4	8
B35	Appendicitis	M	2	-	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	10	-	-	-	-	-	-	-	2	3	5
		F	8	-	-	-	-	-	-	-	1	2	5
B37	Cirrhosis of liver	M	23	-	-	-	-	-	1	4	7	10	1
		F	8	-	-	-	-	-	-	1	4	1	2
B46d	Other diseases of digestive system	M	20	-	-	-	-	1	1	2	2	8	6
		F	32	-	-	-	-	-	1	3	5	8	15
B38	Nephritis and nephrosis	M	17	-	-	-	1	1	1	4	2	1	7
		F	12	-	-	1	-	-	-	1	2	4	4
B39	Hyperplasia of prostate	M	10	-	-	-	-	-	-	-	-	3	7
B40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	6	-	-	-	2	2	2	-	-	-	-
B42	Congenital anomalies	M	34	28	2	2	1	-	-	-	1	-	-
		F	49	43	2	1	1	-	-	1	1	-	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	54	54	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-
B44	Other causes of perinatal mortality*	M	21	21	-	-	-	-	-	-	-	-	-
		F	15	15	-	-	-	-	-	-	-	-	-
B45a	Senility without mention of psychosis	M	4	-	-	-	-	-	-	-	-	-	4
		F	6	-	-	-	-	-	-	-	-	-	6
B45b	Ill-defined conditions	M	1	-	-	-	-	-	-	-	-	-	1
		F	10	-	-	-	-	-	-	-	2	1	7
B46e	All other diseases	M	70	4	1	2	2	3	3	5	12	21	17
		F	116	4	1	2	4	1	3	6	18	26	51
External Causes													
B47	Motor vehicle accidents	M	75	-	3	9	21	11	8	5	6	6	6
		F	30	-	1	6	4	1	1	2	6	3	6
B48	All other accidents	M	67	1	-	6	5	7	8	7	8	12	13
		F	69	1	2	1	4	1	3	3	4	7	43
B49	Suicide and self-inflicted injuries	M	11	-	-	-	4	2	2	-	2	-	1
		F	5	-	-	-	-	2	2	1	-	-	-
B50	All other external causes	M	6	-	-	-	2	3	-	-	-	-	1
		F	5	-	-	-	-	1	-	1	1	2	-

*Late foetal deaths not included.

TABLE 21 (contd.)—DEATHS OCCURRING IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M	3,253	164	29	32	51	45	95	268	555	947	1,067
		F	3,156	123	20	15	27	20	56	162	389	763	1,581
B 4	Enteritis and other diarrhoeal diseases	M	7	3	1	-	-	-	-	-	-	3	-
		F	5	-	-	-	-	-	-	1	-	-	4
B 5	Tuberculosis of respiratory system	M	22	-	-	-	-	1	1	5	5	9	1
		F	9	-	-	-	-	1	1	-	1	4	2
B 6	Other tuberculosis, including late effects	M	2	-	-	-	-	-	-	1	-	1	-
		F	1	-	-	-	-	-	-	1	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	3	1	1	-	-	-	-	-	-	-	1
		F	1	1	-	-	-	-	-	-	-	-	-
B18a	Septicaemia	M	5	2	1	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	1	-	1	-	1	1	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	4	3	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	4	3	-	1	-	-	-	-	-	-	-
		F	6	1	2	-	-	-	-	-	2	1	-
B19a	Malignant neoplasms:— of stomach	M	73	-	-	-	-	1	5	10	12	26	19
		F	69	-	-	-	-	-	1	3	9	21	35
B19b	of other digestive organs and peritoneum	M	160	-	-	-	1	-	8	17	41	57	36
		F	184	-	1	-	1	3	2	12	33	63	69
B19c	of trachea, bronchus and lung	M	192	-	-	-	-	-	7	20	63	68	34
		F	57	-	-	-	-	-	-	7	16	18	16
B19d	of breast	M	1	-	-	-	-	-	-	-	1	-	-
		F	89	-	-	-	-	-	9	10	24	20	26
B19e	of genito-urinary organs	M	79	-	-	1	1	1	-	8	8	27	33
		F	69	-	-	-	1	3	4	10	12	17	22
B19f	of lymphatic and haematopoietic tissue	M	34	1	-	1	2	3	2	9	5	4	7
		F	28	-	-	-	2	-	1	2	6	13	4
B19g	Other	M	62	-	1	1	3	3	2	5	16	17	14
		F	57	-	2	-	1	2	4	6	13	19	10
B20	Benign neoplasms and neoplasms of unspecified nature	M	4	-	-	-	1	-	-	1	1	-	1
		F	5	-	-	-	-	-	-	-	1	3	1
B21	Diabetes mellitus	M	29	-	-	-	-	-	-	1	4	10	14
		F	49	-	-	-	-	-	-	3	7	17	22
B22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	2	1	-
B23	Anaemias	M	5	-	-	-	-	-	1	-	-	2	2
		F	14	-	-	-	-	1	1	-	1	4	7
B24	Meningitis	M	8	4	2	1	-	1	-	-	-	-	-
		F	7	4	-	-	3	-	-	-	-	-	-
B25	Active rheumatic fever	M	1	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	23	-	-	-	-	1	3	4	6	3	6
		F	44	-	-	-	-	-	1	6	11	7	19
B27	Hypertensive disease	M	52	-	-	-	-	-	-	6	10	17	19
		F	74	-	-	-	-	-	1	5	5	18	45

TABLE 21 (contd.)—DEATHS OCCURRING IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B28	Ischaemic heart disease	M	916	-	-	-	-	5	24	102	195	316	274
		F	665	-	-	-	-	-	3	32	80	178	372
B29	Other forms of heart disease	M	94	-	-	-	-	-	4	2	5	21	62
		F	145	-	-	-	-	-	-	4	7	20	114
B30	Cerebrovascular disease	M	334	-	-	-	3	5	4	17	47	105	153
		F	546	-	-	1	-	1	5	18	51	144	326
B46a	Other diseases of circulatory system	M	130	1	-	-	-	-	1	2	14	27	85
		F	169	-	-	1	-	-	-	4	13	29	122
B31	Influenza	M	14	-	-	-	1	-	1	2	3	2	5
		F	14	-	-	-	-	1	-	1	1	3	8
B32	Pneumonia	M	161	15	3	2	1	2	2	4	17	34	81
		F	181	9	4	3	-	-	3	7	11	36	108
B33	Bronchitis, emphysema and asthma	M	255	1	1	-	2	-	1	19	46	114	71
		F	134	-	-	-	-	1	4	8	27	36	58
B46b	Bronchiectasis	M	6	-	-	-	-	-	-	-	2	2	2
		F	7	-	-	-	-	-	-	-	3	3	1
B46c	Other diseases of respiratory system	M	29	7	1	-	-	-	-	1	3	5	12
		F	46	10	-	-	-	-	2	1	4	6	23
B34	Peptic ulcer	M	24	-	-	-	-	4	1	1	3	13	5
		F	23	-	-	-	-	-	3	1	3	7	9
B35	Appendicitis	M	2	-	-	-	-	-	-	-	1	-	1
		F	1	-	-	-	-	-	-	-	1	-	-
B36	Intestinal obstruction and hernia	M	15	-	-	-	-	-	-	-	1	6	8
		F	19	-	-	-	-	-	-	2	2	7	8
B37	Cirrhosis of liver	M	13	-	-	-	-	-	2	3	5	3	-
		F	15	-	-	-	-	2	1	2	4	5	1
B46d	Other diseases of digestive system	M	27	-	3	-	-	1	2	4	3	7	7
		F	28	-	-	-	-	-	1	3	3	6	15
B38	Nephritis and nephrosis	M	32	-	7	1	1	-	3	2	6	7	5
		F	20	-	-	-	2	-	-	2	3	7	6
B39	Hyperplasia of prostate	M	28	-	8	-	-	-	-	-	2	3	15
B40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	4	-	-	-	2	1	1	-	-	-	-
B42	Congenital anomalies	M	50	38	-	6	5	-	1	-	-	-	-
		F	47	43	2	1	-	-	1	-	-	-	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	48	48	-	-	-	-	-	-	-	-	-
		F	25	25	-	-	-	-	-	-	-	-	-
B44	Other causes of perinatal mortality*	M	25	25	-	-	-	-	-	-	-	-	-
		F	21	21	-	-	-	-	-	-	-	-	-
B45a	Senility without mention of psychosis	M	29	-	-	-	-	-	-	-	-	2	27
		F	43	-	-	-	-	-	-	-	-	1	42
B45b	Ill-defined conditions	M	4	-	-	-	-	-	1	-	-	1	2
		F	4	-	-	-	-	-	-	-	-	1	3
B46e	All other diseases	M	81	7	-	3	3	-	4	6	6	18	34
		F	104	1	2	3	2	-	3	5	21	26	41
External Causes													
B47	Motor vehicle accidents	M	77	-	-	8	18	10	3	3	14	12	9
		F	31	-	3	4	8	3	3	2	4	4	-
B48	All other accidents	M	75	8	-	6	8	6	6	6	8	5	22
		F	76	6	4	2	2	1	-	1	3	15	42
B49	Suicide and self-inflicted injuries	M	6	-	-	-	-	2	-	4	-	-	-
		F	3	-	-	-	-	-	-	2	1	-	-
B50	All other external causes	M	12	-	-	-	1	2	5	3	1	-	-
		F	9	1	-	-	2	-	-	1	3	2	-

*Late foetal deaths not included.

TABLE 21 (contd.)—DEATHS OCCURRING IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
	All Causes	M	12,672	402	67	101	187	120	246	720	1,943	3,313	5,573
		F	9,592	286	58	63	76	77	158	476	980	2,139	5,279
B 4	Enteritis and other diarrhoeal diseases	M	23	11	3	2	1	-	-	-	-	1	5
		F	16	5	1	1	-	-	-	1	2	-	6
B 5	Tuberculosis of respiratory system	M	64	-	-	-	1	1	4	14	11	19	14
		F	27	-	-	-	1	1	-	5	6	5	9
B 6	Other tuberculosis, including late effects	M	13	-	-	1	1	1	1	1	3	5	-
		F	9	1	-	-	-	-	1	1	4	1	1
B 8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	1	1	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-
B18a	Septicaemia	M	4	2	-	-	-	-	-	1	-	1	-
		F	1	-	-	-	-	-	-	-	1	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	1	1	-	-	-	-	-	-	-	-
		F	8	-	5	1	2	-	-	-	-	-	-
B18b	Infectious hepatitis	M	1	-	1	-	-	-	-	-	-	-	-
		F	3	1	-	-	1	-	-	-	-	-	1
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	12	10	2	-	-	-	-	-	-	-	-
		F	6	5	1	-	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	8	2	-	-	-	1	3	1	1	-	-
		F	15	4	2	-	-	-	1	3	2	1	2
B19a	Malignant neoplasms:— of stomach	M	303	-	-	-	-	1	5	18	75	95	109
		F	193	-	-	-	-	-	3	9	27	76	78
B19b	of other digestive organs and peritoneum	M	509	-	-	-	3	3	11	37	110	157	188
		F	449	1	1	-	3	4	5	42	75	140	178
B19c	of trachea, bronchus and lung	M	374	-	-	-	-	1	7	44	127	142	53
		F	131	-	-	-	1	-	5	15	41	42	27
B19d	of breast	M	1	-	-	-	-	-	-	-	-	1	-
		F	282	-	-	-	-	-	29	52	72	68	61
B19e	of genito-urinary organs	M	329	-	1	3	2	2	1	13	34	96	177
		F	195	-	1	2	2	9	8	39	45	43	46
B19f	of lymphatic and haematopoietic tissue	M	141	-	4	8	6	7	10	20	35	32	19
		F	62	-	2	2	2	1	2	10	12	17	14
B19g	Other	M	286	-	4	2	5	4	10	26	69	69	97
		F	192	-	2	6	6	5	7	21	30	58	57
B20	Benign neoplasms and neoplasms of unspecified nature	M	16	1	-	-	1	-	-	4	4	4	2
		F	17	-	-	1	-	-	3	-	3	7	3
B21	Diabetes mellitus	M	127	-	-	-	1	1	4	2	21	45	53
		F	142	-	-	-	-	-	-	7	18	53	64
B22	Avitaminoses and other nutritional deficiency	M	5	-	-	-	-	-	-	-	-	2	3
		F	8	1	-	-	-	-	-	-	2	-	5
B23	Anaemias	M	38	1	-	-	1	-	1	-	5	9	21
		F	34	-	-	-	-	1	-	1	3	11	18
B24	Meningitis	M	8	2	1	-	-	1	1	1	-	1	-
		F	8	3	2	-	-	-	-	-	1	1	1
B25	Active rheumatic fever	M	2	-	-	-	-	1	-	-	1	-	-
		F	2	-	-	-	1	-	-	-	1	-	-
B26	Chronic rheumatic heart disease	M	120	-	-	-	-	1	5	1	30	37	33
		F	102	-	-	-	1	2	9	9	24	31	33
B27	Hypertensive disease	M	180	-	-	1	-	-	-	9	23	52	94
		F	224	-	-	-	-	-	2	5	16	43	158

TABLE 21 (contd.)—DEATHS OCCURRING IN 1972, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B28	Ischaemic heart disease	M	3,481	-	-	-	1	3	51	211	688	1,049	1,478
		F	2,092	-	-	-	-	2	8	69	225	553	1,235
B29	Other forms of heart disease	M	668	-	-	1	2	2	8	4	42	129	480
		F	610	-	-	-	-	3	5	4	17	68	513
B30	Cerebrovascular disease	M	1,593	-	-	2	6	3	16	49	166	443	908
		F	1,660	-	3	1	6	2	9	53	115	380	1,091
B46a	Other diseases of circulatory system	M	589	-	-	-	1	1	1	18	48	116	404
		F	506	-	-	-	-	2	7	8	21	87	381
B31	Influenza	M	102	1	1	2	2	-	-	2	12	27	55
		F	83	2	1	-	1	1	1	2	1	21	53
B32	Pneumonia	M	641	44	4	3	7	4	4	30	55	163	327
		F	576	38	12	5	6	4	6	21	37	104	343
B33	Bronchitis, emphysema and asthma	M	754	3	-	2	4	4	6	49	132	245	309
		F	302	1	2	-	2	1	5	23	41	75	152
B46b	Bronchiectasis	M	25	-	-	-	-	-	1	1	5	10	8
		F	14	-	-	-	-	-	-	1	2	3	8
B46c	Other diseases of respiratory system	M	171	23	-	1	-	2	2	5	19	28	91
		F	142	7	3	2	1	-	3	7	7	21	91
B34	Peptic ulcer	M	125	-	-	-	1	-	1	6	25	37	55
		F	49	-	-	-	-	-	-	3	10	18	18
B35	Appendicitis	M	7	-	-	-	-	-	-	-	4	2	1
		F	5	-	1	1	-	-	-	1	2	-	-
B36	Intestinal obstruction and hernia	M	30	-	-	-	-	1	-	1	6	9	13
		F	30	-	-	-	1	-	-	3	1	9	16
B37	Cirrhosis of liver	M	27	-	-	1	-	-	2	4	11	5	4
		F	25	-	-	-	1	-	1	5	7	5	6
B46d	Other diseases of digestive system	M	79	-	-	2	4	2	8	6	14	21	22
		F	76	-	1	1	1	4	4	2	10	24	29
B38	Nephritis and nephrosis	M	83	-	-	-	1	1	3	9	12	21	36
		F	59	-	-	3	1	-	1	6	8	16	24
B39	Hyperplasia of prostate	M	86	-	-	-	-	-	-	-	5	18	63
B40	Abortion	F	1	-	-	-	-	-	1	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	17	-	-	-	2	8	5	2	-	-	-
B42	Congenital anomalies	M	135	99	16	5	6	-	2	2	4	1	-
		F	110	91	4	5	3	-	1	2	2	2	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	116	116	-	-	-	-	-	-	-	-	-
		F	57	57	-	-	-	-	-	-	-	-	-
B44	Other causes of perinatal mortality*	M	73	73	-	-	-	-	-	-	-	-	-
		F	58	58	-	-	-	-	-	-	-	-	-
B45a	Senility without mention of psychosis	M	209	-	-	-	-	-	-	-	-	13	196
		F	247	-	-	-	-	-	-	-	-	14	233
B45b	Ill-defined conditions	M	25	-	-	-	-	-	-	2	2	6	15
		F	10	-	-	-	1	-	-	-	2	1	6
B46e	All other diseases	M	365	10	6	5	9	5	14	23	53	104	136
		F	366	5	4	6	7	7	18	19	54	89	157
External Causes													
B47	Motor vehicle accidents	M	317	-	11	26	74	30	38	43	39	37	19
		F	89	-	5	15	17	10	7	9	13	9	4
B48	All other accidents	M	326	11	12	34	36	24	15	27	32	52	83
		F	253	11	4	10	5	5	3	7	12	40	156
B49	Suicide and self-inflicted injuries	M	48	-	-	-	2	9	4	11	12	8	2
		F	17	-	-	-	1	2	2	6	4	1	1
B50	All other external causes	M	41	-	2	-	9	4	6	12	7	1	-
		F	16	-	-	1	-	3	3	3	4	2	-

*Late foetal deaths not included.

TABLE 22—DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH IN 1972, CLASSIFIED BY PLACE OF OCCURRENCE.

Area	Total Deaths		Place of Occurrence							
			General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	18,731	15,650	3,413	3,107	496	501	7,405	5,794	7,417	6,248
LEINSTER	7,853	7,122	2,245	2,116	177	217	2,579	2,144	2,852	2,645
MUNSTER	6,097	4,830	813	695	159	143	2,704	2,100	2,421	1,892
CONNACHT	3,073	2,360	240	218	118	105	1,409	1,027	1,306	1,010
ULSTER (part of)	1,708	1,338	115	78	42	36	713	523	838	701
LEINSTER										
Carlow	243	181	33	33	12	10	93	65	105	73
Dublin County Borough	2,806	2,902	1,192	1,116	49	94	639	652	926	1,040
Dun Laoghaire Borough	304	381	151	185	4	10	34	47	115	139
Dublin County (remainder)	705	613	291	229	12	19	132	116	270	249
Kildare	409	324	75	67	9	12	177	130	148	115
Kilkenny	391	322	38	50	17	12	180	140	156	120
Laois	281	232	28	20	5	7	168	128	80	77
Longford	210	164	34	24	6	3	102	73	68	64
Louth	378	351	102	97	17	3	115	146	144	105
Meath	479	323	88	64	8	6	182	111	201	142
Offaly	316	249	23	21	4	7	170	109	119	112
Westmeath	366	280	34	28	10	6	219	173	103	73
Wexford	586	486	62	103	17	19	259	171	248	193
Wicklow	379	314	94	79	7	9	109	83	169	143
MUNSTER										
Clare	618	464	39	40	30	25	327	247	222	152
Cork County Borough	689	623	207	177	10	11	169	179	303	256
Cork County	1,633	1,261	231	163	22	30	697	535	683	533
Kerry	893	667	69	76	32	18	441	297	351	276
Limerick County Borough	325	288	72	52	6	7	170	149	77	80
Limerick County	586	449	39	39	15	14	278	220	254	176
Tipperary, North Riding	381	287	28	23	5	4	203	160	145	100
Tipperary, South Riding	459	375	67	65	11	15	197	160	184	135
Waterford County Borough	189	182	29	30	6	13	61	44	93	95
Waterford County	324	234	32	30	22	6	161	109	109	89
CONNACHT										
Galway	1,023	796	122	97	48	31	450	364	403	304
Leitrim	271	202	14	21	7	13	144	71	106	97
Mayo	869	697	44	44	29	33	409	306	387	314
Roscommon	479	343	35	24	18	20	223	162	203	137
Sligo	431	322	25	32	16	8	183	124	207	158
ULSTER (part of)										
Cavan	487	358	15	14	8	8	235	156	229	180
Donegal	858	668	58	36	23	16	312	225	465	391
Monaghan	363	312	42	28	11	12	166	142	144	130

TABLE 24—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
		TOTAL										
Tuberculosis, all forms	M	127	-	-	1	2	3	7	25	28	43	18
	F	56	1	-	-	1	2	4	7	13	15	13
Other infective and parasitic diseases	M	79	35	10	4	1	1	5	3	5	7	8
	F	77	17	16	2	4	-	4	6	8	5	15
Malignant neoplasms	M	3,149	2	12	22	29	32	80	274	732	1,018	948
	F	2,613	1	11	11	21	33	100	302	535	788	811
Ischaemic and other forms of heart disease	M	6,154	-	-	1	3	17	120	443	1,161	1,848	2,561
	F	4,396	1	-	-	1	7	30	159	457	1,033	2,708
Hypertensive disease	M	263	-	-	1	-	-	1	18	38	77	128
	F	374	-	-	-	-	-	3	11	27	82	251
Cerebrovascular disease	M	2,133	-	-	2	10	11	26	79	247	609	1,149
	F	2,568	-	4	3	6	3	19	86	199	613	1,635
Other diseases of the circulatory system	M	813	1	1	-	1	3	3	27	74	169	534
	F	830	-	-	1	1	2	8	16	45	143	614
Diseases of the respiratory system	M	2,662	112	12	13	21	14	21	137	371	784	1,177
	F	2,006	95	28	13	18	10	30	95	174	410	1,133
Senility	M	242	-	-	-	-	-	-	-	-	15	227
	F	296	-	-	-	-	-	-	-	-	15	281
Other diseases	M	2,033	535	32	31	40	20	57	94	234	419	571
	F	1,831	396	19	25	34	27	54	89	211	393	583
Accidents and other external causes	M	1,076	21	42	89	180	110	95	121	129	133	156
	F	603	19	19	39	43	29	24	38	55	85	252
All causes	M	18,731	706	109	164	287	211	415	1,221	3,019	5,122	7,477
	F	15,650	530	97	94	129	113	276	809	1,724	3,582	8,296
		LEINSTER										
Tuberculosis, all forms	M	55	-	-	-	-	-	1	11	12	22	9
	F	23	-	-	-	-	-	4	3	4	8	4
Other infective and parasitic diseases	M	43	21	4	1	-	-	4	1	4	4	4
	F	32	6	7	1	1	-	2	2	3	3	7
Malignant neoplasms	M	1,475	1	5	13	13	18	35	142	347	504	397
	F	1,266	-	6	5	14	15	46	156	270	379	375
Ischaemic and other forms of heart disease	M	2,452	-	-	-	-	11	63	232	507	761	878
	F	1,916	1	-	-	1	2	16	79	240	447	1,130
Hypertensive disease	M	123	-	-	1	-	-	-	6	16	38	62
	F	183	-	-	-	-	-	2	5	10	46	120
Cerebrovascular disease	M	815	-	-	1	3	7	14	36	119	220	415
	F	1,101	-	1	1	-	1	12	40	91	261	694
Other diseases of the circulatory system	M	301	-	1	-	-	2	1	16	28	72	181
	F	373	-	-	-	1	1	2	10	21	74	264
Diseases of the respiratory system	M	1,228	66	4	6	12	3	11	56	166	375	529
	F	1,007	54	14	7	11	6	17	56	98	190	554
Senility	M	26	-	-	-	-	-	-	-	-	2	24
	F	54	-	-	-	-	-	-	-	-	1	53
Other diseases	M	858	277	13	20	19	11	24	44	91	163	196
	F	902	219	7	12	18	11	23	48	103	184	277
Accidents and other external causes	M	477	6	21	47	92	61	44	54	52	49	51
	F	265	3	12	19	24	12	15	18	24	31	107
All causes	M	7,853	371	48	89	139	113	197	598	1,342	2,210	2,746
	F	7,122	283	47	45	70	48	139	417	864	1,624	3,585

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis, all forms	M	48	-	-	1	1	2	2	9	11	15	7
	F	22	-	-	-	1	1	-	3	6	6	5
Other infective and parasitic diseases	M	18	6	5	1	1	-	-	1	1	2	1
	F	30	9	6	-	2	-	2	2	2	2	5
Malignant neoplasms	M	988	1	3	2	12	9	29	86	226	321	299
	F	748	1	2	3	5	10	24	84	145	241	233
Ischaemic and other forms of heart disease	M	2,067	-	-	1	1	6	41	137	383	625	873
	F	1,403	-	-	-	-	2	9	47	129	326	890
Hypertensive disease	M	79	-	-	-	-	-	1	10	11	25	32
	F	109	-	-	-	-	-	1	2	9	21	76
Cerebrovascular disease	M	695	-	-	1	5	3	9	26	86	206	359
	F	827	-	1	2	3	2	6	26	66	211	510
Other diseases of the circulatory system	M	323	1	-	-	-	1	2	5	30	62	222
	F	283	-	-	1	-	1	3	4	14	47	213
Diseases of the respiratory system	M	794	30	4	5	3	4	3	48	121	240	336
	F	560	29	10	3	4	1	4	19	46	127	317
Senility	M	87	-	-	-	-	-	-	-	-	2	85
	F	98	-	-	-	-	-	-	-	-	3	95
Other diseases	M	676	161	11	8	14	4	22	27	74	146	209
	F	557	120	10	7	12	10	19	28	57	124	170
Accidents and other external causes	M	322	10	13	28	47	31	27	38	30	42	56
	F	193	10	4	15	14	13	4	9	17	34	73
All causes	M	6,097	209	36	47	84	60	136	387	973	1,686	2,479
	F	4,830	169	33	31	41	40	72	224	491	1,142	2,587
CONNACHT												
Tuberculosis, all forms	M	15	-	-	-	1	1	2	4	3	2	2
	F	6	1	-	-	-	1	-	1	-	1	2
Other infective and parasitic diseases	M	8	4	1	-	-	-	-	-	-	1	2
	F	12	2	2	1	1	-	-	2	2	-	2
Malignant neoplasms	M	440	-	3	4	4	4	9	29	102	118	167
	F	378	-	2	3	1	4	21	39	81	104	123
Ischaemic and other forms of heart disease	M	1,088	-	-	-	2	-	12	42	172	294	566
	F	718	-	-	-	-	1	4	25	55	158	475
Hypertensive disease	M	48	-	-	-	-	-	-	2	10	10	26
	F	54	-	-	-	-	-	-	3	6	11	34
Cerebrovascular disease	M	420	-	-	-	2	1	2	11	25	121	258
	F	385	-	-	-	1	-	1	10	28	86	259
Other diseases of the circulatory system	M	110	-	-	-	1	-	-	2	10	20	77
	F	103	-	-	-	-	-	3	-	5	16	79
Diseases of the respiratory system	M	378	10	4	1	5	7	6	26	49	92	178
	F	263	6	3	2	3	3	5	14	14	59	154
Senility	M	102	-	-	-	-	-	-	-	-	9	93
	F	107	-	-	-	-	-	-	-	-	9	98
Other diseases	M	302	55	5	2	4	2	6	16	44	65	103
	F	236	38	2	4	2	3	9	9	33	52	84
Accidents and other external causes	M	162	4	4	9	23	9	17	23	20	24	29
	F	98	4	-	2	3	4	4	5	10	15	51
All causes	M	3,073	73	17	16	42	24	54	155	435	756	1,501
	F	2,360	51	9	12	11	16	47	108	234	511	1,361

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis, all forms	M	9	-	-	-	-	-	2	1	2	4	-
	F	5	-	-	-	-	-	-	-	3	-	2
Other infective and parasitic diseases	M	10	4	-	2	-	1	1	1	-	-	1
	F	3	-	1	-	-	-	-	-	1	-	1
Malignant neoplasms	M	246	-	1	3	-	1	7	17	57	75	85
	F	221	-	1	-	1	4	9	23	39	64	80
Ischaemic and other forms of heart disease	M	547	-	-	-	-	-	4	32	99	168	244
	F	359	-	-	-	-	2	1	8	33	102	213
Hypertensive disease	M	13	-	-	-	-	-	-	-	1	4	8
	F	28	-	-	-	-	-	-	1	2	4	21
Cerebrovascular disease	M	203	-	-	-	-	-	1	6	17	62	117
	F	255	-	2	-	2	-	-	10	14	55	172
Other diseases of the circulatory system	M	79	-	-	-	-	-	-	4	6	15	54
	F	71	-	-	-	-	-	-	2	5	6	58
Diseases of the respiratory system	M	262	6	-	1	1	-	1	7	35	77	134
	F	176	6	1	1	-	-	4	6	16	34	108
Senility	M	27	-	-	-	-	-	-	-	-	2	25
	F	37	-	-	-	-	-	-	-	-	2	35
Other diseases	M	197	42	3	1	3	3	5	7	25	45	63
	F	136	19	-	2	2	3	3	4	18	33	52
Accidents and other external causes	M	115	1	4	5	18	9	7	6	27	18	20
	F	47	2	3	3	2	-	1	6	4	5	21
All causes	M	1,708	53	8	12	22	14	28	81	269	470	751
	F	1,338	27	8	6	7	9	18	60	135	305	763
COUNTY CARLOW												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	46	-	-	-	-	1	1	6	13	13	12
	F	25	-	-	1	-	-	1	3	7	4	9
Ischaemic and other forms of heart disease	M	64	-	-	-	-	-	2	1	14	19	28
	F	43	-	-	-	-	-	-	-	5	10	28
Hypertensive disease	M	8	-	-	-	-	-	-	-	-	2	6
	F	9	-	-	-	-	-	-	-	-	3	6
Cerebrovascular disease	M	37	-	-	-	-	-	-	2	5	6	24
	F	44	-	-	-	-	-	-	-	6	12	26
Other diseases of the circulatory system	M	11	-	-	-	-	-	-	-	-	-	11
	F	6	-	-	-	-	-	-	3	-	-	3
Diseases of the respiratory system	M	42	4	-	-	-	-	2	2	6	11	17
	F	18	1	-	-	-	-	-	4	2	4	7
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	23	3	-	-	1	-	1	1	5	6	6
	F	32	10	-	-	-	-	-	1	4	6	11
Accidents and other external causes	M	10	-	1	-	1	1	1	1	2	2	1
	F	4	-	-	-	-	-	1	-	1	1	1
All causes	M	243	7	1	-	2	2	8	13	45	59	106
	F	181	11	-	1	-	-	2	11	25	40	91

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis, all forms	M	26	-	-	-	-	-	1	4	9	9	3
	F	10	-	-	-	-	-	2	-	2	5	1
Other infective and parasitic diseases	M	20	8	2	-	-	-	2	1	3	2	2
	F	15	4	4	-	-	-	2	1	-	2	2
Malignant neoplasms	M	605	1	2	6	6	6	12	47	136	227	162
	F	556	-	2	1	2	6	20	64	120	173	168
Ischaemic and other forms of heart disease	M	852	-	-	-	-	5	25	106	195	293	228
	F	738	1	-	-	-	-	11	35	93	176	422
Hypertensive disease	M	31	-	-	-	-	-	-	3	5	8	15
	F	76	-	-	-	-	-	-	1	6	21	48
Cerebrovascular disease	M	206	-	-	-	1	3	6	13	34	61	88
	F	362	-	1	1	-	-	5	15	33	89	218
Other diseases of the circulatory system	M	91	-	1	-	-	1	-	7	11	26	45
	F	153	-	-	-	-	-	1	4	10	27	111
Diseases of the respiratory system	M	504	18	2	3	4	2	4	24	77	154	216
	F	505	28	6	3	8	2	6	24	40	102	286
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	308	112	3	7	6	6	6	16	35	64	53
	F	372	87	3	4	8	3	9	20	40	73	125
Accidents and other external causes	M	159	1	3	15	32	23	18	12	16	18	21
	F	109	1	3	7	8	5	6	7	11	12	49
All causes	M	2,806	140	13	31	49	46	74	233	521	862	837
	F	2,902	121	19	16	26	16	62	171	355	680	1,436
DUN LAOGHAIRE BOROUGH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	6	4	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms	M	63	-	-	-	-	1	4	7	19	13	19
	F	73	-	-	-	-	1	2	6	13	20	31
Ischaemic and other forms of heart disease	M	100	-	-	-	-	1	2	13	17	39	28
	F	117	-	-	-	-	-	-	5	11	29	72
Hypertensive disease	M	3	-	-	-	-	-	-	-	1	2	-
	F	12	-	-	-	-	-	1	-	-	3	8
Cerebrovascular disease	M	32	-	-	-	1	-	-	2	4	10	15
	F	53	-	-	-	-	-	-	-	3	17	33
Other diseases of the circulatory system	M	17	-	-	-	-	-	-	1	1	3	12
	F	24	-	-	-	-	-	-	-	3	6	15
Diseases of the respiratory system	M	40	5	-	-	1	-	1	2	3	8	20
	F	42	3	-	-	-	-	-	-	4	8	27
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	27	5	-	2	-	1	-	3	-	5	11
	F	45	5	-	1	1	1	1	2	8	11	15
Accidents and other external causes	M	15	-	2	-	3	1	1	1	1	1	5
	F	12	1	1	-	3	-	1	1	-	1	4
All causes	M	304	14	2	2	5	4	8	29	46	83	111
	F	381	9	1	1	4	2	5	15	42	96	206

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
		DUBLIN COUNTY (remainder)										
Tuberculosis, all forms	M	4	-	-	-	-	-	-	3	-	-	1
	F	4	-	-	-	-	-	1	1	-	1	1
Other infective and parasitic diseases	M	3	2	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	150	-	1	1	3	4	5	18	33	48	37
	F	107	-	-	1	2	1	3	9	28	36	27
Ischaemic and other forms of heart disease	M	194	-	-	-	-	1	5	18	42	68	60
	F	179	-	-	-	1	-	1	10	26	45	96
Hypertensive disease	M	7	-	-	-	-	-	-	1	2	2	2
	F	11	-	-	-	-	-	-	1	2	2	6
Cerebrovascular disease	M	59	-	-	-	-	-	3	3	9	16	28
	F	87	-	-	-	-	1	1	8	4	12	61
Other diseases of the circulatory system	M	20	-	-	-	-	-	-	1	3	6	10
	F	27	-	-	-	-	-	-	-	-	9	18
Diseases of the respiratory system	M	117	10	1	-	1	-	1	4	16	39	45
	F	81	6	2	1	-	2	3	5	8	10	44
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	1	3
Other diseases	M	99	43	4	3	2	2	3	3	7	11	21
	F	81	33	1	2	1	4	4	3	9	10	14
Accidents and other external causes	M	51	-	1	5	11	10	3	12	2	4	3
	F	32	-	-	4	-	4	4	2	3	4	11
All causes	M	705	55	8	9	17	17	20	63	114	194	208
	F	613	39	3	8	4	12	17	39	80	130	281
		COUNTY KILDARE										
Tuberculosis, all forms	M	4	-	-	-	-	-	-	-	2	2	-
	F	3	-	-	-	-	-	-	1	1	-	1
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	2
Malignant neoplasms	M	70	-	1	1	-	-	2	11	18	16	21
	F	54	-	1	1	1	-	1	13	19	13	5
Ischaemic and other forms of heart disease	M	115	-	-	-	-	1	4	8	24	39	39
	F	90	-	-	-	-	-	1	8	20	17	44
Hypertensive disease	M	6	-	-	-	-	-	-	1	-	-	5
	F	10	-	-	-	-	-	-	-	-	4	6
Cerebrovascular disease	M	57	-	-	-	-	-	1	4	10	16	23
	F	54	-	-	-	-	-	1	5	2	14	32
Other diseases of the circulatory system	M	16	-	-	-	-	-	-	1	3	6	6
	F	15	-	-	-	-	-	-	1	2	2	10
Diseases of the respiratory system	M	65	4	1	-	-	1	2	1	9	21	26
	F	37	1	-	1	-	1	-	1	10	6	17
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	46	18	-	-	1	-	2	2	5	9	9
	F	45	10	-	1	1	1	2	2	8	7	13
Accidents and other external causes	M	29	-	3	1	5	1	6	5	1	4	3
	F	12	-	3	-	1	-	1	2	2	-	3
All causes	M	409	22	6	2	6	3	17	33	72	116	132
	F	324	12	4	3	3	2	6	33	64	63	134

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	-	-	2	1
	F	1	-	-	-	-	-	1	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	3	1	-	-	-	-	-	-	-	1	1
Malignant neoplasms	M	62	-	-	2	1	-	2	6	12	20	19
	F	51	-	-	-	-	1	5	9	11	17	8
Ischaemic and other forms of heart disease	M	129	-	-	-	-	-	1	10	25	36	57
	F	97	-	-	-	-	-	-	3	12	29	53
Hypertensive disease	M	12	-	-	1	-	-	-	-	4	3	4
	F	8	-	-	-	-	-	-	1	1	1	5
Cerebrovascular disease	M	35	-	-	-	-	-	-	1	7	8	19
	F	46	-	-	-	-	-	-	-	5	8	33
Other diseases of the circulatory system	M	29	-	-	-	-	-	-	-	1	9	19
	F	24	-	-	-	-	-	-	-	-	6	18
Diseases of the respiratory system	M	51	5	-	-	-	-	1	7	8	15	15
	F	28	1	-	-	-	-	-	2	2	6	17
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	45	8	-	-	-	-	1	3	6	12	15
	F	49	11	-	-	-	1	-	1	3	15	18
Accidents and other external causes	M	21	-	-	2	4	2	2	6	3	1	1
	F	8	-	1	1	1	-	1	-	1	1	2
All causes	M	391	13	-	5	5	2	7	33	66	106	154
	F	322	13	1	1	1	2	7	16	35	84	162
COUNTY LAOIS												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-
Other infective and parasitic diseases	M	3	3	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	45	-	-	-	-	-	2	5	10	18	10
	F	33	-	-	-	-	-	1	6	7	6	13
Ischaemic and other forms of heart disease	M	105	-	-	-	-	-	-	4	16	34	51
	F	59	-	-	-	-	1	-	3	4	11	40
Hypertensive disease	M	4	-	-	-	-	-	-	-	1	2	1
	F	3	-	-	-	-	-	-	-	-	3	-
Cerebrovascular disease	M	30	-	-	-	-	-	-	-	4	4	22
	F	46	-	-	-	-	-	1	-	3	12	30
Other diseases of the circulatory system	M	19	-	-	-	-	-	-	3	2	3	11
	F	21	-	-	-	-	-	1	-	1	3	16
Diseases of the respiratory system	M	43	1	-	1	-	-	-	-	4	14	23
	F	33	2	2	-	-	-	1	2	5	5	16
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	16	5	1	1	-	-	-	-	1	1	7
	F	21	7	-	-	-	-	-	-	2	7	5
Accidents and other external causes	M	14	-	1	2	5	2	1	-	-	-	3
	F	12	-	-	1	1	-	-	2	-	1	7
All causes	M	281	9	2	4	5	2	3	12	38	76	130
	F	232	9	2	1	1	1	4	14	22	49	129

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	30	-	-	-	-	-	1	1	8	10	10
	F	24	-	1	-	-	-	1	1	5	9	7
Ischaemic and other forms of heart disease	M	66	-	-	-	-	1	2	3	10	14	36
	F	51	-	-	-	-	-	-	-	7	7	37
Hypertensive disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	6	-	-	-	-	-	-	-	-	1	5
Cerebrovascular disease	M	42	-	-	-	-	-	1	1	7	8	25
	F	44	-	-	-	-	-	-	1	3	10	30
Other diseases of the circulatory system	M	3	-	-	-	-	-	-	-	-	1	2
	F	3	-	-	-	-	-	-	-	-	1	2
Diseases of the respiratory system	M	25	-	-	-	-	-	-	-	4	9	12
	F	11	1	-	-	-	-	-	-	2	4	4
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	25	8	1	-	1	-	-	-	3	4	8
	F	15	2	-	1	2	-	-	1	3	1	5
Accidents and other external causes	M	14	-	1	1	2	2	1	-	3	3	1
	F	5	-	1	1	-	-	-	1	-	-	2
All causes	M	210	8	2	1	3	3	5	5	36	50	97
	F	164	3	2	2	2	-	1	4	20	33	97
COUNTY LOUTH												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms	M	68	-	-	1	1	1	1	5	15	23	21
	F	57	-	-	-	4	-	2	5	15	13	18
Ischaemic and other forms of heart disease	M	113	-	-	-	-	-	7	7	21	34	44
	F	96	-	-	-	-	-	-	5	13	28	50
Hypertensive disease	M	4	-	-	-	-	-	-	-	-	2	2
	F	6	-	-	-	-	-	1	-	-	2	3
Cerebrovascular disease	M	56	-	-	1	-	1	1	-	9	17	27
	F	64	-	-	-	-	-	2	3	4	16	39
Other diseases of the circulatory system	M	5	-	-	-	-	-	-	-	1	1	3
	F	10	-	-	-	-	-	-	1	1	1	7
Diseases of the respiratory system	M	58	3	-	1	4	-	-	4	10	12	24
	F	50	3	1	-	-	1	2	4	3	6	30
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	45	17	-	1	2	1	2	4	4	8	6
	F	45	6	1	1	1	-	3	3	7	10	13
Accidents and other external causes	M	23	-	1	6	3	3	1	2	4	2	1
	F	16	1	2	2	1	-	-	-	1	2	7
All causes	M	378	20	1	10	10	6	12	22	64	99	134
	F	351	10	4	3	6	1	10	21	46	78	172

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	1	-	3	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	77	-	-	-	-	-	1	7	22	29	18
	F	50	-	-	-	1	-	2	11	12	12	12
Ischaemic and other forms of heart disease	M	164	-	-	-	-	-	9	14	36	43	62
	F	91	-	-	-	-	-	2	2	8	20	59
Hypertensive disease	M	11	-	-	-	-	-	-	-	1	5	5
	F	4	-	-	-	-	-	-	-	-	-	4
Cerebrovascular disease	M	48	-	-	-	-	-	1	2	7	12	26
	F	53	-	-	-	-	-	2	-	6	17	28
Other diseases of the circulatory system	M	14	-	-	-	-	-	-	-	-	7	7
	F	20	-	-	-	-	1	-	-	1	5	13
Diseases of the respiratory system	M	71	6	-	-	-	-	-	2	2	22	39
	F	47	4	1	-	2	-	-	3	4	5	28
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	10	-	-	-	-	-	-	-	-	-	10
Other diseases	M	50	14	2	1	-	1	2	-	5	11	14
	F	34	9	-	1	1	-	1	2	1	7	12
Accidents and other external causes	M	37	-	2	6	8	2	3	5	5	2	4
	F	14	-	-	2	1	1	-	-	1	3	6
All causes	M	479	20	4	7	8	3	16	31	78	134	178
	F	323	13	1	3	5	2	7	18	33	69	172
COUNTY OFFALY												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	1	-	2	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	56	-	1	-	2	2	2	8	13	18	10
	F	48	-	1	1	-	1	-	5	5	16	19
Ischaemic and other forms of heart disease	M	79	-	-	-	-	-	-	2	18	28	31
	F	47	-	-	-	-	-	-	2	6	15	24
Hypertensive disease	M	13	-	-	-	-	-	-	-	2	5	6
	F	11	-	-	-	-	-	-	-	-	2	9
Cerebrovascular disease	M	48	-	-	-	-	-	1	1	6	10	30
	F	53	-	-	-	-	-	-	1	3	12	37
Other diseases of the circulatory system	M	14	-	-	-	-	-	-	2	1	2	9
	F	13	-	-	-	-	-	-	-	-	4	9
Diseases of the respiratory system	M	41	1	-	1	-	-	-	-	4	13	22
	F	25	1	-	-	1	-	1	1	2	4	15
Senility	M	3	-	-	-	-	-	-	-	-	2	1
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	32	6	-	1	2	-	2	2	2	5	12
	F	36	8	-	-	-	-	1	3	2	8	14
Accidents and other external causes	M	27	1	4	2	2	3	-	3	4	4	4
	F	11	-	-	1	3	1	-	-	1	-	5
All causes	M	316	8	5	4	6	5	5	19	50	89	125
	F	249	9	1	2	4	2	2	12	20	61	136

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	1	-	-	-	-	1	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	2
Malignant neoplasms	M	59	-	-	1	-	3	-	4	12	20	19
	F	57	-	1	-	1	3	2	7	10	25	8
Ischaemic and other forms of heart disease	M	122	-	-	-	-	-	-	18	25	33	46
	F	84	-	-	-	-	-	1	4	15	15	49
Hypertensive disease	M	6	-	-	-	-	-	-	-	-	2	4
	F	11	-	-	-	-	-	-	-	1	2	8
Cerebrovascular disease	M	56	-	-	-	1	1	-	3	2	24	25
	F	55	-	-	-	-	-	-	3	5	9	38
Other diseases of the circulatory system	M	12	-	-	-	-	-	-	1	1	3	7
	F	8	-	-	-	-	-	-	-	-	3	5
Diseases of the respiratory system	M	54	2	-	-	1	-	-	1	5	17	28
	F	46	-	2	-	-	-	1	3	7	10	23
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	38	11	2	2	2	-	1	4	1	5	10
	F	36	7	1	-	3	-	1	2	4	8	10
Accidents and other external causes	M	25	1	1	3	5	2	4	2	4	3	-
	F	12	-	1	-	3	-	-	1	-	2	5
All causes	M	379	15	3	6	9	6	6	34	50	109	141
	F	314	7	5	-	7	3	5	20	42	74	151
COUNTY CLARE												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	2	-	1	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases	M	3	1	1	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms	M	85	-	1	-	-	-	-	10	16	26	32
	F	51	-	-	-	-	1	-	2	15	20	13
Ischaemic and other forms of heart disease	M	257	-	-	-	-	1	1	15	37	72	131
	F	159	-	-	-	-	-	2	5	10	33	109
Hypertensive disease	M	6	-	-	-	-	-	-	1	2	1	2
	F	8	-	-	-	-	-	-	-	-	-	8
Cerebrovascular disease	M	52	-	-	-	-	-	1	1	7	13	30
	F	70	-	-	1	-	-	1	3	6	18	41
Other diseases of the circulatory system	M	31	-	-	-	-	-	-	1	3	5	22
	F	19	-	-	-	-	-	-	-	-	4	15
Diseases of the respiratory system	M	66	-	-	-	-	2	-	2	10	23	29
	F	59	3	1	-	-	-	1	4	6	19	25
Senility	M	24	-	-	-	-	-	-	-	-	1	23
	F	18	-	-	-	-	-	-	-	-	1	17
Other diseases	M	66	15	2	1	1	1	-	1	9	11	25
	F	54	13	2	1	1	-	2	3	7	8	17
Accidents and other external causes	M	25	-	-	2	4	1	3	5	2	5	3
	F	24	1	-	1	1	3	1	3	2	3	9
All causes	M	618	16	4	3	5	5	5	38	86	158	298
	F	464	17	3	3	2	4	8	20	47	106	254

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis, all forms	M	10	-	-	-	-	1	-	3	2	4	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	2	-	-	-	-	-	-	-	-	2	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	140	1	-	1	-	3	5	14	34	54	28
	F	116	-	-	-	-	1	5	11	25	34	40
Ischaemic and other forms of heart disease	M	219	-	-	-	-	1	8	26	41	67	76
	F	156	-	-	-	-	-	1	7	22	34	92
Hypertensive disease	M	5	-	-	-	-	-	-	1	2	2	-
	F	12	-	-	-	-	-	-	1	2	1	8
Cerebrovascular disease	M	70	-	-	-	-	-	2	5	13	22	28
	F	122	-	-	-	-	-	-	3	12	31	76
Other diseases of the circulatory system	M	31	-	-	-	-	-	1	-	4	4	22
	F	48	-	-	-	-	-	-	3	4	3	38
Diseases of the respiratory system	M	94	-	1	2	1	1	-	6	18	35	30
	F	67	6	1	1	-	-	-	2	9	12	36
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	6	-	-	-	-	-	-	-	-	-	6
Other diseases	M	83	24	-	1	4	1	7	3	8	13	22
	F	73	20	1	-	-	2	2	3	9	16	20
Accidents and other external causes	M	33	3	3	2	3	5	2	4	1	4	6
	F	22	-	-	2	1	-	-	-	2	6	11
All causes	M	689	28	4	6	8	12	25	62	123	207	214
	F	623	26	2	3	1	3	8	30	85	138	327
COUNTY CORK												
Tuberculosis, all forms	M	11	-	-	-	1	-	1	-	-	5	4
	F	4	-	-	-	1	-	-	1	1	-	1
Other infective and parasitic diseases	M	3	-	1	1	1	-	-	-	-	-	-
	F	9	2	-	-	-	-	1	-	2	1	3
Malignant neoplasms	M	273	-	2	1	3	1	7	18	68	82	91
	F	214	1	2	1	1	3	7	30	40	65	64
Ischaemic and other forms of heart disease	M	516	-	-	-	-	-	11	29	114	161	201
	F	354	-	-	-	-	-	2	13	31	89	219
Hypertensive disease	M	21	-	-	-	-	-	1	1	5	6	8
	F	34	-	-	-	-	-	1	1	2	4	26
Cerebrovascular disease	M	206	-	-	-	1	1	4	8	24	60	108
	F	216	-	1	-	2	-	2	5	13	47	146
Other diseases of the circulatory system	M	81	1	-	-	-	-	-	1	9	13	57
	F	77	-	-	-	-	1	2	1	3	15	55
Diseases of the respiratory system	M	197	11	1	1	-	-	1	6	30	51	96
	F	149	6	1	2	2	-	-	4	9	28	97
Senility	M	20	-	-	-	-	-	-	-	-	-	20
	F	15	-	-	-	-	-	-	-	-	1	14
Other diseases	M	200	51	2	1	2	2	6	10	23	41	62
	F	128	27	3	-	5	6	2	5	9	35	36
Accidents and other external causes	M	105	3	3	11	18	9	10	11	13	12	15
	F	61	3	1	6	6	1	1	2	6	8	27
All causes	M	1,633	66	9	15	26	13	41	84	286	431	662
	F	1,261	39	8	9	17	11	18	62	116	293	688

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis, all forms	M	11	-	-	-	-	-	1	1	5	2	2
	F	5	-	-	-	-	-	-	1	2	-	2
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	1	-	-	-
	F	7	-	1	-	2	-	-	2	-	1	1
Malignant neoplasms	M	113	-	-	-	-	-	7	10	37	32	27
	F	85	-	-	-	2	1	5	10	13	29	25
Ischaemic and other forms of heart disease	M	322	-	-	-	-	1	2	11	56	95	157
	F	196	-	-	-	-	-	2	5	24	43	122
Hypertensive disease	M	9	-	-	-	-	-	-	-	1	5	3
	F	11	-	-	-	-	-	-	-	2	3	6
Cerebrovascular disease	M	90	-	-	-	1	1	-	1	16	24	47
	F	115	-	-	-	1	-	1	3	4	31	75
Other diseases of the circulatory system	M	77	-	-	-	-	-	1	-	6	19	51
	F	55	-	-	-	-	-	1	-	2	7	45
Diseases of the respiratory system	M	118	6	2	-	-	1	1	10	16	37	45
	F	49	2	2	-	-	-	1	2	1	8	33
Senility	M	18	-	-	-	-	-	-	-	-	1	17
	F	25	-	-	-	-	-	-	-	-	-	25
Other diseases	M	88	13	4	1	2	-	-	4	15	19	30
	F	92	23	1	2	1	-	6	5	9	20	25
Accidents and other external causes	M	45	1	1	6	4	3	7	1	3	6	13
	F	27	2	1	2	-	2	-	2	2	7	9
All causes	M	893	21	7	7	7	6	19	39	155	240	392
	F	667	27	5	4	6	3	16	30	59	149	368
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	2	1	1	-	-	-	-	-	-	-	-
	F	3	1	2	-	-	-	-	-	-	-	-
Malignant neoplasms	M	52	-	-	-	3	2	1	5	6	20	15
	F	46	-	-	-	1	1	3	6	12	11	12
Ischaemic and other forms of heart disease	M	91	-	-	-	-	1	4	8	17	31	30
	F	88	-	-	-	-	-	-	2	5	20	61
Hypertensive disease	M	8	-	-	-	-	-	-	1	1	4	2
	F	6	-	-	-	-	-	-	-	-	3	3
Cerebrovascular disease	M	38	-	-	-	-	-	1	3	4	10	20
	F	39	-	-	-	-	1	-	2	6	14	16
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	-	1	3	11
	F	14	-	-	1	-	-	-	-	1	5	7
Diseases of the respiratory system	M	46	4	-	-	-	-	-	1	12	15	14
	F	45	3	-	-	-	-	1	2	4	11	24
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	53	24	2	1	1	-	1	2	4	12	6
	F	35	11	-	1	1	1	1	2	2	6	10
Accidents and other external causes	M	18	2	1	1	3	2	1	1	2	3	2
	F	10	2	1	-	1	-	-	1	1	2	2
All causes	M	325	31	4	2	7	5	8	22	47	99	100
	F	288	17	3	2	3	3	5	15	31	73	136

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis, all forms	M	5	-	-	-	-	1	-	1	2	1	-
	F	3	-	-	-	-	-	-	-	1	2	-
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	86	-	-	-	1	-	2	4	18	28	33
	F	67	-	-	-	-	-	1	7	12	23	24
Ischaemic and other forms of heart disease	M	236	-	-	-	1	1	8	16	41	73	96
	F	142	-	-	-	-	1	-	6	12	28	95
Hypertensive disease	M	6	-	-	-	-	-	-	3	-	2	1
	F	7	-	-	-	-	-	-	-	-	3	4
Cerebrovascular disease	M	61	-	-	-	-	-	-	3	7	24	27
	F	67	-	-	-	-	-	2	2	9	17	37
Other diseases of the circulatory system	M	35	-	-	-	-	-	-	2	3	11	19
	F	19	-	-	-	-	-	-	-	-	5	14
Diseases of the respiratory system	M	70	4	-	-	-	-	-	6	8	27	25
	F	55	3	-	-	-	-	-	3	3	15	31
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	49	9	-	-	-	-	3	2	6	15	14
	F	63	9	-	2	3	-	1	3	7	12	26
Accidents and other external causes	M	31	-	3	3	2	2	2	6	4	5	4
	F	15	-	-	-	2	3	1	1	-	3	5
All causes	M	586	13	4	3	4	4	15	43	89	186	225
	F	449	15	1	2	5	4	5	22	44	108	243
TIPPERARY, N.R.												
Tuberculosis, all forms	M	3	-	-	1	-	-	-	-	-	1	1
	F	1	-	-	-	-	1	-	-	-	-	-
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	60	-	-	-	1	2	4	7	12	19	15
	F	45	-	-	2	-	2	-	6	4	16	15
Ischaemic and other forms of heart disease	M	122	-	-	-	-	-	4	7	21	35	55
	F	95	-	-	-	-	-	-	-	7	27	61
Hypertensive disease	M	17	-	-	-	-	-	-	2	-	3	12
	F	17	-	-	-	-	-	-	-	-	2	15
Cerebrovascular disease	M	56	-	-	-	2	-	-	1	6	14	33
	F	58	-	-	1	-	-	-	1	4	17	35
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	1	1	2	11
	F	10	-	-	-	-	-	-	-	-	1	9
Diseases of the respiratory system	M	37	1	-	1	-	-	-	3	7	11	14
	F	18	1	1	-	-	-	-	-	2	3	11
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	8	-	-	-	-	-	-	-	-	1	7
Other diseases	M	49	7	-	-	1	-	1	4	4	13	19
	F	27	5	1	1	-	1	1	2	6	7	3
Accidents and other external causes	M	14	1	1	1	1	-	-	2	2	2	4
	F	8	1	-	-	1	1	1	-	1	-	3
All causes	M	381	10	1	3	5	2	9	27	54	100	170
	F	287	7	2	4	1	5	2	9	24	74	159

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TIPPERARY, S.R.												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	2	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	4	1	2	-	-	-	-	-	-	-	1
Malignant neoplasms	M	79	-	-	-	1	1	1	11	15	26	24
	F	65	-	-	-	1	1	2	7	8	27	19
Ischaemic and other forms of heart disease	M	161	-	-	-	-	-	2	16	29	35	79
	F	104	-	-	-	-	1	-	5	11	20	67
Hypertensive disease	M	6	-	-	-	-	-	-	1	-	1	4
	F	10	-	-	-	-	-	-	-	2	3	5
Cerebrovascular disease	M	64	-	-	1	-	1	1	1	4	19	37
	F	78	-	-	-	-	-	-	3	9	18	48
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	-	1	3	11
	F	15	-	-	-	-	-	-	-	1	2	12
Diseases of the respiratory system	M	66	3	-	1	1	-	-	6	8	16	31
	F	48	2	-	-	2	1	1	1	5	11	25
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	41	8	1	2	3	-	3	-	2	13	9
	F	35	7	1	-	1	-	3	1	3	6	13
Accidents and other external causes	M	20	-	1	2	5	2	-	5	1	2	2
	F	13	-	-	1	2	2	-	-	-	1	7
All causes	M	459	13	2	6	10	4	7	40	62	115	200
	F	375	10	3	1	6	5	6	17	39	89	199
WATERFORD COUNTY BOROUGH												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	43	-	-	-	2	-	1	4	11	15	10
	F	25	-	-	-	-	-	-	1	8	6	10
Ischaemic and other forms of heart disease	M	53	-	-	-	-	-	-	5	8	26	14
	F	48	-	-	-	-	-	2	3	4	14	25
Hypertensive disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	1	1	-
Cerebrovascular disease	M	14	-	-	-	1	-	-	-	1	6	6
	F	25	-	-	-	-	-	-	1	2	6	16
Other diseases of the circulatory system	M	3	-	-	-	-	-	-	-	-	1	2
	F	15	-	-	-	-	-	-	-	2	2	11
Diseases of the respiratory system	M	45	-	-	-	-	-	-	3	6	9	27
	F	40	1	3	-	-	-	-	1	4	10	21
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	13	3	-	1	-	-	-	-	1	4	4
	F	17	1	-	-	-	-	-	1	3	4	8
Accidents and other external causes	M	14	-	-	-	4	3	-	2	1	-	4
	F	3	1	-	1	-	-	-	-	-	1	-
All causes	M	189	3	1	1	7	3	1	14	28	62	69
	F	182	5	3	1	-	-	2	7	24	44	96

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	1	-	-	-
	F	5	-	-	-	-	-	-	1	1	1	2
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	57	-	-	-	1	-	1	3	9	19	24
	F	34	-	-	-	-	-	1	4	8	10	11
Ischaemic and other forms of heart disease	M	90	-	-	1	-	1	1	4	19	30	34
	F	61	-	-	-	-	-	1	3	18	18	39
Hypertensive disease	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	1
Cerebrovascular disease	M	44	-	-	-	-	-	-	3	4	14	23
	F	37	-	-	-	-	1	-	3	1	12	20
Other diseases of the circulatory system	M	20	-	-	-	-	1	-	-	2	1	16
	F	11	-	-	-	-	-	-	-	1	3	7
Diseases of the respiratory system	M	55	1	-	-	1	-	1	5	6	16	25
	F	30	2	1	-	-	-	-	-	3	10	14
Senility	M	6	-	-	-	-	-	-	-	-	-	6
	F	11	-	-	-	-	-	-	-	-	-	11
Other diseases	M	34	7	-	-	-	-	1	1	2	5	18
	F	33	4	1	-	-	-	1	3	2	10	12
Accidents and other external causes	M	17	-	-	-	3	4	2	1	1	3	3
	F	10	-	1	2	-	1	-	-	3	3	-
All causes	M	324	8	-	1	5	6	6	18	43	88	149
	F	234	6	3	2	-	2	2	12	22	68	117
COUNTY GALWAY												
Tuberculosis, all forms	M	7	-	-	-	-	-	1	1	2	1	2
	F	4	-	-	-	-	1	-	1	-	1	1
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	-	1	-
	F	5	-	1	-	1	-	-	1	1	-	1
Malignant neoplasms	M	141	-	1	1	1	3	2	8	32	37	56
	F	126	-	2	2	1	2	6	13	22	39	39
Ischaemic and other forms of heart disease	M	374	-	-	-	1	-	5	21	52	98	197
	F	233	-	-	-	-	-	3	10	15	51	154
Hypertensive disease	M	10	-	-	-	-	-	-	2	2	1	5
	F	15	-	-	-	-	-	-	2	4	3	6
Cerebrovascular disease	M	140	-	-	-	1	-	2	5	9	35	88
	F	146	-	-	-	-	-	-	4	8	32	102
Other diseases of the circulatory system	M	36	-	-	-	1	-	-	-	3	11	21
	F	32	-	-	-	-	-	3	-	2	4	23
Diseases of the respiratory system	M	135	5	1	-	3	2	3	9	14	34	64
	F	92	4	2	1	-	1	-	7	3	19	55
Senility	M	22	-	-	-	-	-	-	-	-	2	20
	F	20	-	-	-	-	-	-	-	-	2	18
Other diseases	M	90	22	2	1	1	1	1	5	9	21	27
	F	80	16	-	1	1	1	4	2	7	18	30
Accidents and other external causes	M	66	3	2	5	6	4	7	12	3	12	12
	F	43	-	-	1	3	2	2	4	7	7	17
All causes	M	1,023	31	6	7	14	10	21	63	126	253	492
	F	796	20	5	5	6	7	18	44	69	176	446

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis, all forms	M	2	-	-	-	1	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	35	-	-	-	-	-	1	1	8	9	16
	F	30	-	-	-	-	-	-	3	11	7	9
Ischaemic and other forms of heart disease	M	94	-	-	-	-	-	2	2	17	26	47
	F	66	-	-	-	-	1	-	2	6	17	40
Hypertensive disease	M	4	-	-	-	-	-	-	-	2	1	1
	F	7	-	-	-	-	-	-	-	-	2	5
Cerebrovascular disease	M	44	-	-	-	-	-	-	1	4	17	22
	F	25	-	-	-	-	-	-	1	3	7	14
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	-	-	1	12
	F	4	-	-	-	-	-	-	-	-	-	4
Diseases of the respiratory system	M	32	1	2	1	-	2	1	3	3	5	14
	F	29	-	-	-	-	-	1	2	-	7	19
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	12	-	-	-	-	-	-	-	-	-	12
Other diseases	M	30	7	1	-	-	1	1	3	4	8	5
	F	20	4	-	-	1	1	1	1	1	6	5
Accidents and other external causes	M	10	-	-	1	1	2	-	3	2	-	1
	F	8	1	-	-	-	1	-	-	-	-	6
All causes	M	271	8	3	2	2	5	5	14	40	67	125
	F	202	6	-	-	1	3	2	9	21	46	114
COUNTY MAYO												
Tuberculosis, all forms	M	3	-	-	-	-	-	1	1	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	6	3	1	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	1	-	1
Malignant neoplasms	M	122	-	-	3	1	1	3	9	29	26	50
	F	107	-	-	-	-	1	8	10	23	25	40
Ischaemic and other forms of heart disease	M	319	-	-	-	-	-	1	7	44	92	175
	F	219	-	-	-	-	-	1	7	19	40	152
Hypertensive disease	M	17	-	-	-	-	-	-	-	2	6	9
	F	12	-	-	-	-	-	-	-	-	1	11
Cerebrovascular disease	M	107	-	-	-	1	1	-	2	6	24	73
	F	115	-	-	-	-	-	-	2	11	25	77
Other diseases of the circulatory system	M	27	-	-	-	-	-	-	1	5	3	18
	F	26	-	-	-	-	-	-	-	1	4	21
Diseases of the respiratory system	M	113	1	1	-	-	2	1	5	13	28	62
	F	82	-	-	1	2	1	2	3	6	18	49
Senility	M	39	-	-	-	-	-	-	-	-	3	36
	F	41	-	-	-	-	-	-	-	-	4	37
Other diseases	M	80	7	1	-	1	-	2	3	13	19	34
	F	68	8	2	2	-	1	2	3	12	14	24
Accidents and other external causes	M	36	1	1	-	7	-	6	4	6	4	7
	F	24	2	-	1	-	1	1	-	1	4	14
All causes	M	869	12	4	3	10	4	14	32	119	205	466
	F	697	10	2	4	2	4	14	25	74	135	427

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	1	1	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	74	-	-	-	-	-	2	5	16	25	26
	F	49	-	-	-	-	-	3	5	12	15	14
Ischaemic and other forms of heart disease	M	177	-	-	-	1	-	2	6	35	38	95
	F	127	-	-	-	-	-	-	5	6	29	87
Hypertensive disease	M	5	-	-	-	-	-	-	-	1	-	4
	F	5	-	-	-	-	-	-	-	1	1	3
Cerebrovascular disease	M	66	-	-	-	-	-	-	1	4	20	41
	F	49	-	-	-	1	-	1	2	3	11	31
Other diseases of the circulatory system	M	20	-	-	-	-	-	-	-	1	4	15
	F	24	-	-	-	-	-	-	-	2	7	15
Diseases of the respiratory system	M	48	3	-	-	2	1	1	5	8	12	16
	F	28	2	-	-	-	1	-	1	2	7	15
Senility	M	20	-	-	-	-	-	-	-	-	3	17
	F	14	-	-	-	-	-	-	-	-	1	13
Other diseases	M	46	5	-	-	-	-	-	4	11	6	20
	F	30	3	-	-	-	-	-	2	5	10	10
Accidents and other external causes	M	21	-	-	2	-	2	-	-	6	5	6
	F	15	-	-	-	-	-	1	1	1	3	9
All causes	M	479	8	-	2	3	3	5	22	82	114	240
	F	343	7	-	-	1	1	5	16	32	84	197
COUNTY SLIGO												
Tuberculosis, all forms	M	1	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	-	-	1	-	-	-
Malignant neoplasms	M	68	-	2	-	2	-	1	6	17	21	19
	F	66	-	-	1	-	1	4	8	13	18	21
Ischaemic and other forms of heart disease	M	124	-	-	-	-	-	2	6	24	40	52
	F	73	-	-	-	-	-	-	1	9	21	42
Hypertensive disease	M	12	-	-	-	-	-	-	-	3	2	7
	F	15	-	-	-	-	-	-	1	1	4	9
Cerebrovascular disease	M	63	-	-	-	-	-	-	2	2	25	34
	F	50	-	-	-	-	-	-	1	3	11	35
Other diseases of the circulatory system	M	14	-	-	-	-	-	-	1	1	1	11
	F	17	-	-	-	-	-	-	-	-	1	16
Diseases of the respiratory system	M	50	-	-	-	-	-	-	4	11	13	22
	F	32	-	1	-	1	-	2	1	3	8	16
Senility	M	14	-	-	-	-	-	-	-	-	1	13
	F	20	-	-	-	-	-	-	-	-	2	18
Other diseases	M	56	14	1	1	2	-	2	1	7	11	17
	F	38	7	-	1	-	-	2	1	8	4	15
Accidents and other external causes	M	29	-	1	1	9	1	4	4	3	3	3
	F	8	1	-	-	-	-	-	-	1	1	5
All causes	M	431	14	4	2	13	2	9	24	68	117	178
	F	322	8	2	3	1	1	8	14	38	70	177

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	1	-
	F	2	-	-	-	-	-	-	-	1	-	1
Other infective and parasitic diseases	M	2	-	-	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	73	-	-	-	-	-	1	5	13	22	32
	F	55	-	-	-	-	2	2	5	12	18	16
Ischaemic and other forms of heart disease	M	145	-	-	-	-	-	2	11	25	43	64
	F	74	-	-	-	-	-	1	6	6	25	42
Hypertensive disease	M	2	-	-	-	-	-	-	-	-	-	2
	F	5	-	-	-	-	-	-	-	-	1	4
Cerebrovascular disease	M	77	-	-	-	-	-	1	2	3	21	50
	F	94	-	-	-	1	-	-	6	6	17	64
Other diseases of the circulatory system	M	25	-	-	-	-	-	-	1	2	4	18
	F	18	-	-	-	-	-	-	1	1	3	13
Diseases of the respiratory system	M	75	1	-	1	-	-	-	5	13	21	34
	F	49	1	-	-	-	-	1	-	6	12	29
Senility	M	9	-	-	-	-	-	-	-	-	1	8
	F	15	-	-	-	-	-	-	-	-	1	14
Other diseases	M	48	8	1	-	1	-	2	2	9	9	16
	F	36	6	-	1	1	2	-	-	2	7	17
Accidents and other external causes	M	29	1	1	3	5	1	1	1	9	3	4
	F	10	1	-	-	1	-	-	-	1	2	5
All causes	M	487	10	2	4	6	1	7	28	75	125	229
	F	358	8	-	1	3	4	3	13	35	86	205
COUNTY DONEGAL												
Tuberculosis, all forms	M	6	-	-	-	-	-	2	1	1	2	-
	F	3	-	-	-	-	-	-	-	2	-	1
Other infective and parasitic diseases	M	4	3	-	-	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1
Malignant neoplasms	M	124	-	1	2	-	1	4	9	34	38	35
	F	120	-	1	-	1	1	5	14	18	31	49
Ischaemic and other forms of heart disease	M	274	-	-	-	-	-	-	15	47	79	133
	F	174	-	-	-	-	2	-	2	19	46	105
Hypertensive disease	M	8	-	-	-	-	-	-	-	1	1	6
	F	22	-	-	-	-	-	-	1	2	3	16
Cerebrovascular disease	M	93	-	-	-	-	-	-	2	11	29	51
	F	109	-	2	-	1	-	-	3	4	24	75
Other diseases of the circulatory system	M	36	-	-	-	-	-	-	1	4	7	24
	F	34	-	-	-	-	-	-	1	2	2	29
Diseases of the respiratory system	M	130	4	-	-	1	-	-	1	10	39	75
	F	86	4	1	1	-	-	3	3	8	11	55
Senility	M	17	-	-	-	-	-	-	-	-	1	16
	F	22	-	-	-	-	-	-	-	-	1	21
Other diseases	M	114	24	2	-	2	3	2	3	10	30	38
	F	73	9	-	1	1	1	3	1	11	18	28
Accidents and other external causes	M	52	-	-	2	9	7	1	2	8	10	13
	F	23	1	2	-	1	-	1	3	2	3	10
All causes	M	858	31	3	4	12	11	10	34	126	236	391
	F	668	14	6	2	4	4	12	28	69	139	390

TABLE 24 (contd.)—DEATHS IN 1972 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	4	1	-	2	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	49	-	-	1	-	-	2	3	10	15	18
	F	46	-	-	-	-	1	2	4	9	15	15
Ischaemic and other forms of heart disease	M	128	-	-	-	-	-	2	6	27	46	47
	F	111	-	-	-	-	-	1	5	8	31	66
Hypertensive disease	M	3	-	-	-	-	-	-	-	-	3	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular disease	M	33	-	-	-	-	-	-	2	3	12	16
	F	52	-	-	-	-	-	-	1	4	14	33
Other diseases of the circulatory system	M	18	-	-	-	-	-	-	2	-	4	12
	F	19	-	-	-	-	-	-	-	2	1	16
Diseases of the respiratory system	M	57	1	-	-	-	-	1	1	12	17	25
	F	41	1	-	-	-	-	-	3	2	11	24
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	35	10	-	1	-	-	1	2	6	6	9
	F	27	4	-	-	-	-	-	3	5	8	7
Accidents and other external causes	M	34	-	3	-	4	1	5	3	10	5	3
	F	14	-	1	3	-	-	-	3	1	-	6
All causes	M	363	12	3	4	4	2	11	19	68	109	131
	F	312	5	2	3	-	1	3	19	31	80	168

TABLE 25—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

International List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts														
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year													
			All Causes	M	F	480	226	183	99	83	55	47	47	22	15	26	30	22	11	10	29	27	18	7	275	193	127
008, 009	Enteritis and other diarrhoeal disease	M	6	10	2	1	-	-	-	1	1	-	3	8													
		F	2	5	1	1	-	-	-	-	-	-	1	4													
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-													
		F	-	1	-	-	-	-	-	-	-	-	-	1													
033	Whooping cough	M	-	1	-	-	-	-	-	-	-	-	-	1													
		F	-	1	-	-	-	-	1	-	-	-	-	-													
000-007	Other infective and parasitic diseases	M	8	10	5	4	1	-	-	-	-	2	2	4													
020-032, 034-136		F	3	6	1	1	-	2	-	-	-	-	-	3													
320	Meningitis	M	3	7	1	3	-	-	-	3	1	-	1	1													
		F	4	4	1	-	-	1	1	-	-	1	1	2													
321-324	Other inflammatory diseases of the central nervous system	M	-	1	-	1	-	-	-	-	-	-	-	-													
		F	-	-	-	-	-	-	-	-	-	-	-	-													
470-474	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-													
		F	-	2	-	-	-	-	-	-	-	-	-	2													
480-486	Pneumonia	M	12	54	-	8	1	1	1	3	1	7	9	35													
		F	14	46	5	8	-	4	1	2	1	1	7	31													
490-493	Bronchitis, emphysema and asthma	M	-	4	-	-	-	-	-	1	-	-	-	3													
		F	1	-	-	-	-	-	-	-	-	-	4	-													
460-466, 500-519	Other diseases of the respiratory system	M	7	34	2	13	2	-	1	-	-	-	21														
		F	5	27	3	15	-	6	-	-	-	1	2	5													
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-													
		F	-	-	-	-	-	-	-	-	-	-	-	-													
740	Anencephalus	M	20	-	3	-	3	-	-	-	-	-	14														
		F	26	1	7	-	1	-	1	1	1	4	13	-													
741	Spina bifida	M	8	13	-	3	2	4	1	-	-	5	6														
		F	30	15	9	6	1	3	2	-	3	1	5	5													
742	Congenital hydrocephalus	M	5	4	-	1	-	-	-	-	-	1	2														
		F	10	4	3	1	1	1	1	1	1	-	5	-													
746	Congenital anomalies of heart	M	27	25	2	8	2	3	1	-	6	1	13														
		F	21	19	7	5	1	2	-	3	2	-	9	9													
743-745, 747-759	Other congenital anomalies	M	46	17	9	4	4	1	4	-	2	1	11														
		F	30	21	4	4	2	3	2	1	2	-	13	13													
764-768, 772	Birth injury and difficult labour	M	41	2	8	1	7	-	3	-	2	-	1														
		F	21	1	5	-	1	-	1	-	1	-	13	1													
770, 771	Condition of placenta and cord	M	4	-	-	-	-	-	-	-	-	-	4														
		F	6	-	-	-	-	-	-	-	-	2	4	-													
774, 775	Haemolytic disease of newborn	M	9	2	1	-	2	-	1	-	1	-	4	2													
		F	18	-	2	-	-	-	-	1	-	2	13	-													
776	Anoxic and hypoxic conditions not elsewhere classified	M	173	2	47	-	14	-	11	1	8	93	1														
		F	83	-	20	-	11	-	6	-	3	43	-														
777	Immaturity, unqualified	M	84	2	17	-	4	-	5	-	6	52	2														
		F	51	1	11	-	3	-	5	-	3	29	1														
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	17	1	2	1	4	-	2	-	-	9	-														
		F	17	1	2	-	-	-	1	-	3	11	-														
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-														
		F	-	-	-	-	-	-	-	-	-	-	-	-													
	Other causes	M	9	37	-	7	1	6	-	2	1	7	16														
		F	5	28	2	6	1	3	-	2	-	2	16														

*Late foetal deaths not included.

TABLE 26 (contd.)—INFANT MORTALITY—DEATHS UNDER ONE YEAR IN 1972,

Detailed International List No.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
755	Other congenital anomalies of limbs	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
756	Other congenital anomalies of musculoskeletal system	M	6	1	2	3	-	-	1	-	-	-
		F	6	-	-	-	1	1	-	-	1	-
757	Congenital anomalies of skin, hair and nails	M	2	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
758	Other and unspecified congenital anomalies	M	4	-	1	1	-	1	1	-	-	-
		F	4	1	-	1	-	-	1	1	-	-
759	Congenital syndromes affecting multiple systems	M	15	5	4	9	-	-	-	1	-	-
		F	9	-	1	1	-	1	1	1	2	-
760	Diseases of the mother during pregnancy:— Chronic circulatory and genito-urinary disease in mother	M	1	-	-	-	-	-	-	-	-	-
		F	2	-	1	1	-	-	-	1	-	-
761	Other maternal conditions unrelated to pregnancy	M	3	-	3	3	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
762	Toxaemia of pregnancy	M	1	-	-	-	1	-	-	-	-	-
		F	3	1	1	2	1	-	-	-	-	-
763	Maternal ante and intrapartum infection	M	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
764	Birth injury from:— Difficult labour with abnormality of bones, etc.	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
765	Difficult labour with disproportion	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	-	-	-	-	-	-	-	-	-	-
		F	3	1	1	2	-	1	-	-	-	-
767	Difficult labour with abnormality of forces of labour	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
768	Difficult labour with other and unspecified complications	M	2	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	2	-	2	2	-	-	-	-	-	-
		F	4	-	2	2	2	-	-	-	-	-
770	Conditions of placenta	M	3	-	2	2	1	-	-	-	-	-
		F	4	-	1	1	3	-	-	-	-	-
771	Conditions of umbilical cord	M	1	1	-	1	-	-	-	-	-	-
		F	2	1	-	1	-	-	-	1	-	-
772	Birth injury without mention of cause	M	41	-	13	13	5	7	3	1	1	-
		F	19	-	6	6	4	3	-	-	3	-
773	Termination of pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774	Haemolytic disease of newborn with kernicterus	M	2	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	9	1	3	4	2	-	-	-	1	-
		F	18	-	12	12	1	3	2	-	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	175	6	80	86	44	19	3	13	5	1
		F	83	7	43	50	12	8	3	1	5	1
777	Immaturity unqualified	M	86	8	51	59	9	5	4	2	1	-
		F	52	4	29	33	6	6	3	-	-	-
778	Other conditions of foetus or newborn	M	10	1	2	3	2	2	2	1	-	-
		F	9	1	1	2	1	1	1	-	1	1
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	46	-	-	-	1	1	-	-	-	1
		F	33	-	1	1	-	-	-	1	1	1

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months										Detailed International List No.
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756
4	-	1	1	6	-	-	-	-	-	-	-	-	-	-	-	756
3	-	-	1	4	-	2	-	-	-	-	-	-	-	-	-	757
-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	757
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758
3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	758
3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	759
10	2	-	-	12	2	-	1	-	-	-	-	-	-	-	-	759
6	-	-	-	6	1	-	2	-	-	-	-	-	-	-	-	759
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	760
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	760
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	761
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	762
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	762
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	763
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	763
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	766
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	768
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	769
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	769
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	770
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	770
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	771
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	771
30	7	3	-	40	1	-	-	-	-	-	-	-	-	-	-	772
16	1	1	-	18	-	1	-	-	-	-	-	-	-	-	-	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774
7	-	-	-	7	1	1	-	-	-	-	-	-	-	-	-	775
18	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	775
171	2	-	-	173	-	-	1	1	-	-	-	-	-	-	-	776
80	2	-	1	83	-	-	-	-	-	-	-	-	-	-	-	776
80	2	-	2	84	1	-	-	-	-	1	-	-	-	-	-	777
48	2	-	1	51	-	-	-	-	-	-	1	-	-	-	-	777
10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	778
7	1	-	-	8	1	-	-	-	-	-	-	-	-	-	-	778
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780.2
3	2	1	3	9	7	7	7	8	1	4	-	1	1	-	1	780.2
4	1	-	-	5	6	2	4	-	4	3	1	2	4	-	2	780.2

TABLE 27—INFANT MORTALITY—DEATHS OF ILLEGITIMATE INFANTS IN 1972
CLASSIFIED BY SEX, AGE AND CAUSE.

International List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M	24	9	6	2	17	3	2	2
		F	16	7	1	2	10	4	-	2
008, 009	Enteritis and other diarrhoeal diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	4	-	2	-	2	-	2	-
		F	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1
480-486	Pneumonia	M	2	-	-	1	1	-	-	1
		F	-	-	-	-	-	-	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	2	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
740	Anencephalus	M	1	1	-	-	1	-	-	-
		F	1	1	-	-	1	-	-	-
741	Spina bifida	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	1
743-745, 747-759	Other congenital anomalies	M	2	1	-	-	1	1	-	-
		F	3	-	-	2	2	1	-	-
764-765, 772	Birth injury and difficult labour	M	5	2	2	-	4	1	-	-
		F	1	-	1	-	1	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	6	3	2	1	6	-	-	-
		F	2	2	-	-	2	-	-	-
777	Immaturity, unqualified	M	3	2	-	-	2	-	-	1
		F	3	3	-	-	3	-	-	-
760-763, 769, 773 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	-	-
		F	1	1	-	-	1	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other causes	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-

*Late foetal deaths not included.

TABLE 28—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)		
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
			All Causes	M	F	480	226	248	123	153	56	45	28
			347	183	192	91	105	64	33	18	17	10	
008, 009	Enteritis and other diarrhoeal disease	M	6	10	3	5	2	1	1	2	-	2	
		F	2	5	1	3	1	2	-	-	-	-	
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	
		F	-	1	-	-	-	-	-	1	-	-	
033	Whooping cough	M	-	1	-	1	-	-	-	-	-	-	
		F	-	1	-	-	-	1	-	-	-	-	
000-007, 020-032, 034-136 }	Other infective and parasitic diseases	M	8	10	7	5	1	2	-	1	-	2	
		F	3	6	1	1	1	4	1	1	-	-	
320	Meningitis	M	3	7	3	6	-	-	-	1	-	-	
		F	4	4	3	2	-	2	-	-	1	-	
321-324	Other inflammatory diseases of the central nervous system	M	-	1	-	1	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
470-474	Influenza	M	1	-	-	-	-	-	1	-	-	-	
		F	-	2	-	2	-	-	-	-	-	-	
480-486	Pneumonia	M	12	54	6	28	6	17	-	7	-	2	
		F	14	46	9	19	4	17	1	5	-	5	
490-493	Bronchitis, emphysema and asthma	M	-	4	-	2	-	1	-	1	-	-	
		F	1	-	-	-	1	-	-	-	-	-	
460-466, 500-519 }	Other diseases of the respiratory system	M	7	34	4	26	3	3	-	1	-	4	
		F	5	27	5	19	-	7	-	-	-	1	
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
740	Anencephalus	M	20	-	11	-	7	-	2	-	-	-	
		F	26	1	15	1	8	-	2	-	1	-	
741	Spina bifida	M	8	13	2	6	4	4	2	2	-	1	
		F	30	15	21	9	4	5	3	-	2	1	
742	Congenital hydrocephalus	M	5	4	2	3	1	1	1	-	1	-	
		F	10	4	6	2	3	1	1	1	-	-	
746	Congenital anomalies of heart	M	27	25	14	13	7	8	3	1	3	3	
		F	21	19	14	11	5	6	1	2	1	-	
743-745, 747-759 }	Other congenital anomalies	M	46	17	23	8	14	4	6	3	3	2	
		F	30	21	14	10	9	7	2	3	5	1	
764-768, 772 }	Birth injury and difficult labour	M	41	2	22	1	14	-	5	1	-	-	
		F	21	1	11	1	8	-	1	-	1	-	
770, 771	Conditions of placenta and cord	M	4	-	-	-	1	-	1	-	2	-	
		F	6	-	5	-	-	-	1	-	-	-	
774, 775	Haemolytic disease of newborn	M	9	2	5	1	2	-	-	1	2	-	
		F	18	-	9	-	5	-	3	-	1	-	
776	Anoxic and hypoxic conditions not elsewhere specified	M	173	2	97	2	47	-	16	-	13	-	
		F	83	-	41	-	29	-	10	-	3	-	
777	Immaturity, unqualified	M	84	2	37	-	31	1	6	1	10	-	
		F	51	1	25	-	20	-	6	1	-	-	
760-763, 769, 773, 778, 779 }	Other causes of perinatal mortality*	M	17	1	8	1	8	-	1	-	-	-	
		F	17	1	10	1	5	-	-	-	2	-	
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
	Other causes	M	9	37	4	14	5	14	-	6	-	3	
		F	5	28	2	10	2	12	1	4	-	2	

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (remainder)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F
	All Causes		4 9	3 2	94 80	46 41	5 3	9 6	35 26	20 13	12 9	10 3
008, 009	Enteritis and other diarrhoeal disease	M	-	-	1	1	1	-	-	1	-	-
		F	-	-	1	1	-	-	-	-	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	4	2	1	2	-	1	-	-
		F	-	-	1	1	-	-	-	-	-	-
320	Meningitis	M	-	-	1	3	-	-	-	1	-	-
		F	-	-	1	-	-	-	1	-	-	1
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1
480-486	Pneumonia	M	1	3	-	7	-	1	-	1	-	2
		F	1	-	5	8	-	-	2	2	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	1	10	1	3	1	7	-	2
		F	-	-	3	12	-	3	1	1	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	3	-	-	-	4	-	1	-
		F	1	-	7	-	-	-	2	-	1	-
741	Spina bifida	M	-	-	-	3	-	-	-	-	-	3
		F	1	1	9	6	-	-	4	1	1	-
742	Congenital hydrocephalus	M	-	-	-	-	-	1	2	1	-	-
		F	1	-	3	1	-	-	1	-	-	-
746	Congenital anomalies of heart	M	-	-	2	8	-	-	2	4	-	-
		F	-	-	6	5	1	-	2	2	1	-
743-745, 747-759	Other congenital anomalies	M	-	-	9	3	-	1	2	1	2	1
		F	-	-	4	2	-	2	3	5	2	-
764-768, 772	Birth injury and difficult labour	M	2	-	7	1	1	-	3	-	3	-
		F	-	-	5	-	-	-	4	-	1	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	1	-	-	-	-	-	-	-
		F	1	-	2	-	-	-	-	-	2	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	46	-	1	-	15	1	5	-
		F	2	-	18	-	2	-	5	-	-	-
777	Immaturity, unqualified	M	-	-	17	-	-	-	4	-	1	-
		F	1	-	11	-	-	-	1	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	2	1	-	-	1	-	-	-
		F	1	1	2	-	-	-	-	-	1	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	-	7	-	-	1	1	-	2
		F	-	-	2	5	-	1	-	2	-	-

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY												
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year											
			All Causes	M	F	7	11	6	2	5	7	4	2	7	1	1	16	5	4	5	16	6	4
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	M	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	1	2	-	1	-	-	1	2	2	3											
		F	-	-	-	1	-	-	1	2	-	4											
490-493	Bronchitis, emphysema and asthma	M	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	1	-	-	-	-	-	-	-	1											1
		F	1	-	-	-	-	-	1	-	-	-										-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-	1											-
		F	2	-	-	-	-	-	-	-	-	-										-	-
741	Spina bifida	M	1	-	1	-	-	-	-	-	-	-											-
		F	1	-	1	-	-	-	-	1	-	1											-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	-	-											1
		F	-	-	-	-	-	-	-	1	-	-										-	1
746	Congenital anomalies of heart	M	1	-	1	-	2	-	-	-	1	-										1	-
		F	1	-	1	-	1	-	-	-	1	-										-	1
743-745, 747-759	Other congenital anomalies	M	-	1	1	-	-	-	2	-	1	-										1	-
		F	1	-	-	-	-	-	-	1	-	-										-	-
764-768, 772	Birth injury and difficult labour	M	-	-	1	-	1	-	3	-	-	-										-	-
		F	-	1	-	-	-	-	-	-	-	-										-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-	-										-	-
		F	-	-	2	-	-	-	-	-	-	-										-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	1	2	-	1	-										1	-
		F	-	-	-	-	-	-	1	-	2	-										2	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	-	-	2	-	6	1	7	-										-	-
		F	1	-	2	-	1	-	1	-	-	-										-	-
777	Immaturity, unqualified	M	2	-	1	-	2	-	1	-	2	-										2	-
		F	3	-	1	-	-	-	-	-	-	-										-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	1	-	-	-	-	-	1	-	1	-										1	-
		F	-	-	-	-	-	-	-	-	3	-										-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-										-	-
		F	-	-	-	-	-	-	-	-	-	-										-	-
	Other causes	M	-	-	-	-	-	-	-	-	1	-										-	-
		F	-	-	-	-	-	-	-	-	1	-										-	1

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F
	All Causes		6	2	6	3	22	9	13	2	15	1
			6	3	7	3	15	2	6	1	12	5
008, 009	Enteritis and other diarrhoeal disease	M	-	-	1	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	1	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-
320	Meningitis	M	1	-	-	-	-	1	1	-	-	-
		F	-	-	-	1	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	-	1	1	4	-	-	-	-
		F	-	-	-	1	1	-	-	-	-	3
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	1	1	1	-	-
		F	-	1	-	-	-	1	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	1	-	1	-	-	-	-	-
		F	-	-	2	-	-	-	-	1	1	-
741	Spina bifida	M	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	2	-	-	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	1	-	-	3	-	1	-	2	-
		F	-	1	1	1	-	-	-	-	1	1
743-745, 747-759	Other congenital anomalies	M	1	-	-	1	3	-	2	-	1	-
		F	1	-	-	-	3	-	-	-	1	-
764-768, 772	Birth injury and difficult labour	M	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	3	-	5	-	4	-	6	-
		F	2	-	1	-	2	-	4	-	2	-
777	Immaturity, unqualified	M	1	-	-	-	4	-	2	-	6	-
		F	1	-	1	-	5	-	1	-	6	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	2	-	1	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	1	-	-	1	1	2	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	1

*Late foetal deaths not included

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F
	All Causes		18	10	48	18	11	10	27	4	11	2
			14	12	24	15	22	5	7	10	7	8
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	1	-	-	-
		F	-	-	1	-	-	-	-	-	-	2
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	1	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	-	1	8	-	4	1	1	2	2
		F	-	3	1	4	1	1	-	-	-	2
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	1	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	1	1	-	1	2	-	-	-
		F	-	3	-	-	-	-	-	3	-	1
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	2	-	3	-	1	-	-	-	-	-
		F	1	-	2	-	1	-	-	-	-	-
741	Spina bifida	M	1	3	-	-	-	-	1	1	-	-
		F	1	2	-	1	1	-	-	1	1	1
742	Congenital hydrocephalus	M	-	-	1	-	-	1	-	-	-	-
		F	1	1	1	-	1	-	-	-	-	-
746	Congenital anomalies of heart	M	2	2	2	3	-	1	-	-	-	-
		F	1	2	2	1	-	2	-	-	-	-
743-745, 747-759	Other congenital anomalies	M	1	1	5	1	1	1	3	-	1	-
		F	1	1	1	2	3	-	1	2	1	1
764-768, 772	Birth injury and difficult labour	M	6	-	3	-	-	-	-	-	1	-
		F	1	-	1	-	4	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	2	-	-	-
		F	-	-	1	-	2	-	-	-	1	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	4	-	19	-	3	-	10	-	1	-
		F	8	-	9	-	1	-	3	-	3	-
777	Immaturity, unqualified	M	1	-	3	1	4	-	3	-	4	-
		F	-	-	4	-	3	-	2	-	1	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	3	-	-	-	4	-	1	-
		F	-	-	-	-	4	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	1	4	2	4	-	1	-	2	1	-
		F	-	-	-	5	1	2	1	2	-	-

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death	Sex	TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All Causes	M	6	4	9	4	2	1	6	2	21	10	4	4
		F	5	2	9	1	1	4	4	2	12	8	5	1
008, 009	Enteritis and other diarrhoeal disease	M	-	-	1	1	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	1	-	-	-	2	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	1	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	1	1	-	-	1	-	-	3	-	1
		F	-	1	1	1	-	1	1	1	1	3	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	1	-	-	-	1	-	1	-
		F	1	-	-	-	-	-	2	-	1	-	-	-
741	Spina bifida	M	-	-	1	-	-	-	1	-	2	-	-	1
		F	-	-	1	-	-	-	-	-	-	-	1	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	1	1	1	-
746	Congenital anomalies of heart	M	1	-	-	-	-	1	-	1	2	1	-	-
		F	1	-	-	-	-	-	-	-	1	1	-	-
743-745, 747-759	Other congenital anomalies	M	2	-	-	1	-	-	-	-	5	-	-	1
		F	-	-	1	-	-	-	1	2	2	-	-	-
764-768, 772	Birth injury and difficult labour	M	-	-	2	-	1	-	1	-	3	-	-	-
		F	-	-	1	-	-	-	-	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	1	-	-	-	2	-	6	-	-	-
		F	2	-	-	-	-	-	1	-	3	-	-	-
777	Immaturity, unqualified	M	1	-	3	-	-	-	1	-	-	1	3	-
		F	-	-	3	-	1	-	-	-	3	1	2	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	1	2	-	-	-	-	-	1	-	3	-	1
		F	-	1	-	-	-	1	-	-	-	-	-	1

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1972, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Number	Cause of death		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
			All Causes	M	F	6	6	3	5	11	3	6	4	21	10
			6	4	3	4	7	1	6	2	7	10	7	4	1
008, 009	Enteritis and other diarrhoeal disease	M	1	2	-	-	-	-	-	-	-	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	1	-	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	-	2	-	-	-	-	-	1	-	-	1
		F	-	-	-	2	-	-	-	1	-	3	-	-	1
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	1	-	-	-	1	-	3	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
741	Spina bifida	M	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	1	-	1	1	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	-	-	-	-	-	1	1	1	1	1	1	1
		F	-	1	-	-	-	-	-	-	-	-	1	-	-
743-745, 747-759	Other congenital anomalies	M	-	1	-	1	1	-	-	-	2	1	1	1	1
		F	-	1	-	-	-	-	1	-	3	1	1	1	-
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	2	1	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	1	-	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	1	-	-	-	-	-	2	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	1	-	-	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	1	-	-	1	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	3	-	-	-	7	-	2	-	7	-	4	-	-
		F	1	-	2	-	4	-	1	-	1	-	1	-	-
777	Immaturity, unqualified	M	-	-	2	-	1	-	2	-	7	-	1	-	-
		F	-	-	-	-	1	-	-	-	-	-	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	1	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	1	-	-	-	1	-	1	-	1	-	-	1
		F	1	2	-	-	-	1	-	1	-	1	-	-	-

*Late foetal deaths not included.

TABLE 29—LATE FOETAL DEATHS NOTIFIED IN 1972 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY

International List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
740	Anencephalus Anencephalus	8	29	35	28	13	5	1	119
	Spina Bifida								
741.0	With hydrocephalus	1	2	3	1	3	1	-	11
741.9	Without mention of hydrocephalus	-	1	1	-	2	-	-	4
	Congenital hydrocephalus								
742	Hydrocephalus	2	4	3	10	8	1	1	29
	Other congenital anomalies of nervous system								
743.0	Encephalocele	-	-	-	-	-	-	-	-
743.1	Microcephalus	-	1	-	-	-	-	-	1
	Congenital anomalies of heart								
746.3	Ventricular septal defect	1	-	-	-	-	-	-	1
746.9	Unspecified anomalies of heart	-	-	-	-	1	-	-	1
	Other congenital anomalies of upper alimentary tract								
750.2	Tracheo-oesophageal fistula, oesophageal atresia and stenosis	-	2	-	-	-	-	-	2
	Other congenital anomalies of musculoskeletal system								
755.2	Reduction deformity of upper limb	-	-	1	-	1	-	-	2
755.3	Reduction deformity of lower limb	-	-	-	-	-	1	-	1
	Other congenital anomalies of musculoskeletal system								
756.1	Anomalies of spine	-	-	-	-	1	-	-	1
756.5	Osteogenesis imperfecta	-	-	1	-	-	-	-	1
	Other and unspecified congenital anomalies								
758.8	Other specified congenital anomaly	-	-	-	1	-	-	-	1
758.9	Unspecified congenital anomaly	-	-	1	1	2	-	-	4
	Congenital syndromes affecting multiple systems								
759.3	Down's disease	-	-	-	-	1	1	-	2
759.9	Multiple congenital anomalies, unspecified	-	4	2	3	1	-	2	12
	Chronic circulatory and genito-urinary diseases in mother								
760.2	Chronic hypertension	-	1	-	2	4	1	-	8
760.5	Other chronic diseases of genito-urinary system	-	-	-	-	1	-	-	1
	Other maternal conditions unrelated to pregnancy								
761.1	Diabetes mellitus	-	2	-	3	1	-	-	6
761.2	Influenza	-	2	1	-	2	-	-	5
761.3	Rubella	-	1	-	-	-	-	-	1
761.5	Injury	-	2	2	-	2	-	-	6
761.7	Chemical substance transmitted through placenta	1	-	-	-	-	-	-	1
761.9	Other maternal causes	-	-	2	1	-	2	-	5
	Toxaemia of pregnancy								
762.1	Pre-eclampsia of pregnancy	-	6	10	8	7	2	-	34
762.2	Eclampsia of pregnancy	1	1	-	-	-	1	-	3
762.3	Toxaemia, unspecified	-	2	6	4	4	6	-	22
762.9	Other toxaemia of pregnancy	-	-	-	-	-	3	-	3
	Maternal ante- and intrapartum infection								
763.1	Other infections of genito-urinary tract during pregnancy	-	-	-	1	-	-	-	1
763.9	Other	-	-	1	1	-	-	-	2

TABLE 29 (contd.)—LATE FOETAL DEATHS NOTIFIED IN 1972 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY

Inter-national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
765.3	Difficult labour with disproportion, but no mention of abnormality of pelvis								
765.9	With other or unspecified birth injury	-	-	-	-	-	1	-	1
	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	1	-	1	-	-	-	2
766.4	Difficult labour with malposition of foetus								
766.9	With asphyxia, anoxia or hypoxia	-	-	3	1	1	1	-	6
	Without mention of birth injury, asphyxia, anoxia or hypoxia	3	1	1	-	1	1	-	7
767.9	Difficult labour with abnormality of forces of labour								
	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	1	-	-	-	1
768.4	Difficult labour with other and unspecified complications								
768.9	With asphyxia, anoxia or hypoxia	-	1	-	-	1	-	-	2
	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	-	-	3	-	3
769.2	Other complications of pregnancy and childbirth								
769.9	Hydramnios	-	2	2	-	1	-	1	6
	Other	-	1	-	-	-	1	-	2
770.0	Conditions of placenta								
770.1	Placenta praevia	-	2	1	1	1	-	-	5
770.2	Premature separation of placenta	5	23	26	20	22	11	4	111
770.8	Placental infarction	-	6	3	4	6	2	-	21
770.9	Other	-	1	-	1	-	-	-	2
	Unspecified	-	7	8	8	18	3	-	44
771.0	Conditions of umbilical cord								
771.1	Compression of cord	-	-	2	3	-	2	-	7
771.9	Prolapse of cord without mention of compression	1	4	3	1	5	-	-	14
	Other	4	6	5	3	9	2	2	31
772.0	Birth injury without mention of cause								
772.9	To brain	-	1	1	1	-	-	-	3
	Other and unspecified	-	-	1	-	1	-	-	2
774.9	Haemolytic disease of newborn with kernicterus								
	Without mention of cause	-	-	-	-	1	-	-	1
775.0	Haemolytic disease of newborn without mention of kernicterus								
775.9	With Rh incompatibility	-	2	14	14	17	7	-	54
	Without mention of cause	-	1	4	-	1	1	-	7
776.0	Anoxic and hypoxic conditions not elsewhere classified								
776.2	Aspiration of content of birth canal	-	-	1	-	-	1	-	2
776.3	Respiratory distress syndrome	-	1	-	-	-	-	-	1
776.4	Foetal distress	-	2	3	2	1	-	1	9
776.9	Intra-uterine anoxia	4	23	13	12	20	9	1	82
	Asphyxia of newborn unspecified	-	1	4	3	3	1	-	12
777	Immaturity, unqualified								
	Prematurity	-	-	8	2	2	-	-	12
778.0	Other conditions of foetus or newborn								
778.1	Foetal blood loss before birth	-	1	-	-	-	-	-	1
778.2	Post-maturity	-	-	2	-	2	1	-	5
778.9	Haemorrhagic disease of newborn	1	-	-	-	-	-	-	1
	Other	-	-	-	-	1	-	-	1
779.0	Foetal death of unknown cause								
779.9	Maceration	1	16	10	16	7	10	3	63
	Other	5	25	17	16	13	10	4	90
	Total	39	188	201	174	188	91	20	901

TABLE 30—LATE FOETAL DEATHS NOTIFIED IN 1972 CLASSIFIED BY CAUSE AND PERIOD OF GESTATION

Inter- national List Nos. 740-779	Cause of death	Period of gestation		
		28-36 weeks	37 weeks and over	Total
740	Anencephalus	71	48	119
741	Spina bifida	1	14	15
742	Congenital hydrocephalus	10	19	29
743	Other congenital anomalies of nervous system	-	1	1
746	Congenital anomalies of heart	-	2	2
750	Other congenital anomalies of upper alimentary tract	2	-	2
755	Other congenital anomalies of limbs	2	1	3
756	Other congenital anomalies of musculoskeletal system	2	-	2
758	Other and unspecified congenital anomalies	2	3	5
759	Congenital syndromes affecting multiple systems	11	3	14
760	Chronic circulatory and genito-urinary diseases in mother	8	1	9
761	Other maternal conditions unrelated to pregnancy	10	14	24
762	Toxaemia of pregnancy	39	23	62
763	Other	2	1	3
765	Difficult labour with disproportion but no mention of abnormality of pelvis	-	3	3
766	Difficult labour with malposition of foetus	5	8	13
767	Difficult labour with abnormality of forces of labour	-	1	1
768	Difficult labour with other and unspecified complications	1	4	5
769	Other complications of pregnancy and childbirth	5	3	8
770	Conditions of placenta	82	101	183
771	Conditions of umbilical cord	9	43	52
772	Birth injury without mention of cause	-	5	5
774	Haemolytic disease of newborn with kernicterus	-	1	1
775	Haemolytic disease of newborn, without mention of kernicterus	46	15	61
776	Anoxic and hypoxic conditions not elsewhere classified	34	72	106
777	Immaturity, unqualified	11	1	12
778	Other conditions of foetus or newborn	-	8	8
779	Foetal death of unknown cause	66	87	153
	Total	419	482	901

TABLE 31—LATE FOETAL DEATHS NOTIFIED IN 1972 CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN

Inter-national List Nos. 740-779	Cause of death	Number of previous children				
		0	1 or 2	3, 4 or 5	6 or more	Total
740	Anencephalus	47	35	27	10	119
741	Spina bifida	4	5	4	2	15
742	Congenital hydrocephalus	7	7	8	7	29
743	Other congenital anomalies of nervous system	1	-	-	-	1
746	Congenital anomalies of heart	1	-	-	1	2
750	Other congenital anomalies of upper alimentary tract	1	1	-	-	2
755	Other congenital anomalies of limbs	1	1	-	1	3
756	Other congenital anomalies of musculoskeletal system	-	2	-	-	2
758	Other and unspecified congenital anomalies	1	-	2	2	5
759	Congenital syndromes affecting multiple systems	3	5	3	3	14
760	Chronic circulatory and genito-urinary diseases in mother	2	2	4	1	9
761	Other maternal conditions unrelated to pregnancy	8	6	6	4	24
762	Toxaemia of pregnancy	26	11	14	11	62
763	Other	1	1	1	-	3
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	1	1	-	1	3
766	Difficult labour with malposition of foetus	7	1	2	3	13
767	Difficult labour with abnormality of forces of labour	-	-	1	-	1
768	Difficult labour with other and unspecified complications	-	-	2	3	5
769	Other complications of pregnancy and childbirth	3	3	1	1	8
770	Conditions of placenta	53	46	42	42	183
771	Conditions of umbilical cord	14	12	22	4	52
772	Birth injury without mention of cause	2	2	1	-	5
774	Haemolytic disease of newborn, with kernicterus	-	-	1	-	1
775	Haemolytic disease of newborn, without mention of kernicterus	2	14	30	15	61
776	Anoxic and hypoxic conditions not elsewhere classified	45	29	21	11	106
777	Immaturity, unqualified	4	4	3	1	12
778	Other conditions of foetus or newborn	3	1	3	1	8
779	Foetal death of unknown cause	47	43	33	30	153
	Total	284	232	231	154	901

TABLE 32 - LATE FOETAL DEATHS NOTIFIED IN 1972 CLASSIFIED BY SEX AND PERIOD OF GESTATION

Sex	Period of gestation		
	28-36 weeks	37 weeks and over	Total
Males	210	242	452
Females	209	240	449
Total	419	482	901

TABLE 33 - LATE FOETAL DEATHS NOTIFIED IN 1972 CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							Total
	Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
0	34	117	82	32	15	4	-	284
1	5	39	38	16	17	4	1	120
2	-	18	36	33	18	6	1	112
3	-	6	17	33	24	5	2	87
4	-	4	20	24	33	8	1	90
5	-	3	4	12	17	15	3	54
6	-	1	2	7	16	10	3	39
7	-	-	2	3	11	12	-	28
8	-	-	-	5	6	10	3	24
9	-	-	-	1	11	3	2	17
10	-	-	-	5	10	4	1	20
11	-	-	-	2	4	3	-	9
12	-	-	-	-	3	2	1	6
13	-	-	-	-	1	1	2	4
14	-	-	-	-	1	-	-	1
15 and over	-	-	-	1	1	4	-	6
Total	39	188	201	174	188	91	20	901

TABLE 34—DEATHS SHOWING THE NUMBERS OCCURRING IN EACH QUARTER IN 1972 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHS

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	5,526	4,734	4,583	3,680	4,145	3,476	4,477	3,760	18,731	15,650
Carlow	77	49	64	33	51	45	51	54	243	181
Dublin Co. Borough	834	898	682	647	593	639	697	718	2,806	2,902
Dun Laoghaire Borough	82	95	78	83	67	100	77	103	304	381
Dublin Co. (remainder)	204	174	179	147	142	141	180	151	705	613
Kildare	96	97	116	75	91	68	106	84	409	324
Kilkenny	114	88	102	83	87	65	88	86	391	322
Laois	75	76	70	52	53	57	83	47	281	232
Longford	55	49	55	37	43	32	57	46	210	164
Louth	106	107	88	80	94	81	90	83	378	351
Meath	138	96	112	77	105	68	124	82	479	323
Offaly	86	70	84	79	69	46	77	54	316	249
Westmeath	107	78	96	74	79	58	84	70	366	280
Wexford	159	132	142	118	147	111	138	125	586	486
Wicklow	120	96	100	81	75	65	84	72	379	314
Leinster	2,253	2,105	1,968	1,666	1,696	1,576	1,936	1,775	7,853	7,122
Clare	185	136	135	119	141	113	157	96	618	464
Cork Co. Borough	195	187	170	139	155	127	169	170	689	623
Cork County	488	381	381	300	396	168	368	312	1,633	1,261
Kerry	252	199	228	154	203	269	210	145	893	667
Limerick Co. Borough	77	73	82	65	69	75	97	75	325	288
Limerick County	189	161	140	99	136	90	121	99	586	449
Tipperary, N.R.	120	98	100	76	70	54	91	59	381	287
Tipperary, S.R.	137	119	107	73	102	89	113	94	459	375
Waterford Co. Borough	53	60	56	43	30	41	50	38	189	182
Waterford County	102	70	71	54	75	54	76	56	324	234
Munster	1,798	1,484	1,470	1,122	1,377	1,080	1,452	1,144	6,097	4,830
Galway	323	251	243	187	209	191	248	167	1,023	796
Leitrim	86	69	67	51	59	37	59	45	271	202
Mayo	268	229	202	162	194	149	205	157	869	697
Roscommon	143	97	132	91	114	70	90	85	479	343
Sligo	140	104	82	78	108	68	101	72	431	322
Connacht	960	750	726	569	684	515	703	526	3,073	2,360
Cavan	165	122	111	79	103	64	108	93	487	358
Donegal	251	197	227	172	194	162	186	137	858	668
Monaghan	99	76	81	72	91	79	92	85	363	312
Ulster (part of)	515	395	419	323	388	305	386	315	1,708	1,338

TABLE 35 - BIRTHS SHOWING THE NUMBER IN EACH QUARTER IN 1972 ASSIGNED TO THE COUNTIES
AND COUNTY BOROUGHS.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	8,737	8,255	9,333	8,730	8,723	8,395	8,582	7,772	35,375	33,152
Carlow	116	116	116	128	101	119	114	92	447	455
Dublin Co. Borough	1,693	1,589	1,752	1,682	1,641	1,637	1,646	1,466	6,732	6,374
Dun Laoghaire Borough	187	161	198	163	146	152	136	142	667	618
Dublin Co. (remainder)	884	768	877	838	898	854	902	793	3,561	3,253
Kildare	253	255	284	296	266	264	297	252	1,100	1,067
Kilkenny	164	150	193	198	154	168	138	166	649	682
Laois	119	125	156	140	129	115	118	116	522	496
Longford	89	66	92	85	75	59	81	60	337	270
Louth	237	245	283	260	237	227	259	210	1,016	942
Meath	226	207	254	209	228	236	253	202	961	854
Offaly	158	131	164	152	162	132	160	134	644	549
Westmeath	171	165	158	149	165	142	151	122	645	578
Wexford	284	236	301	262	267	221	243	258	1,095	977
Wicklow	187	222	241	216	206	212	209	201	843	851
Leinster	4,768	4,436	5,069	4,778	4,675	4,538	4,707	4,214	19,219	17,966
Clare	199	191	186	223	213	198	223	209	821	821
Cork Co. Borough	457	436	439	386	407	365	392	371	1,695	1,558
Cork County	597	576	654	610	599	595	598	537	2,448	2,318
Kerry	302	247	320	312	290	308	262	235	1,174	1,102
Limerick Co. Borough	231	221	214	222	218	199	212	185	875	827
Limerick County	220	223	217	205	234	198	232	202	903	828
Tipperary, N.R.	149	141	171	150	170	153	150	136	640	580
Tipperary, S.R.	186	192	227	190	197	181	178	177	788	740
Waterford Co. Borough	98	109	122	90	102	84	86	85	408	368
Waterford County	116	103	123	108	131	107	105	106	475	424
Munster	2,555	2,439	2,673	2,496	2,561	2,388	2,438	2,243	10,227	9,566
Galway	392	374	443	403	402	403	420	396	1,657	1,576
Leitrim	65	61	56	70	72	56	56	42	249	229
Mayo	243	218	255	247	245	239	244	227	987	931
Roscommon	87	92	130	118	120	115	93	72	430	397
Sligo	118	117	127	126	112	123	114	89	471	455
Connacht	905	862	1,011	964	951	936	927	826	3,794	3,588
Cavan	130	136	133	123	126	119	122	109	511	487
Donegal	273	277	311	256	282	296	277	275	1,143	1,104
Monaghan	106	105	136	113	128	118	111	105	481	441
Ulster (part of)	509	518	580	492	536	533	510	489	2,135	2,032

TABLE 36—BIRTHS IN 1972 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	67,377	1,150	-	-	-	-	67,377	1,150
Carlow	709	1	99	-	290	1	900	2
Dublin Co. Borough	24,352	436	11,801	12	130	1	12,681	425
Dun Laoghaire Borough	1,469	20	1,006	5	806	1	1,269	16
Dublin Co. (remainder)	294	55	271	2	6,725	13	6,748	66
Kildare	297	33	10	-	1,846	1	2,133	34
Kilkenny	1,149	10	113	1	286	-	1,322	9
Laois	629	30	15	1	375	-	989	29
Longford	377	6	67	-	291	-	601	6
Louth	3,649	20	1,766	1	56	-	1,939	19
Meath	213	19	11	-	1,594	-	1,796	19
Offaly	982	28	88	-	271	-	1,165	28
Westmeath	998	20	160	-	365	-	1,203	20
Wexford	1,714	42	32	-	348	-	2,030	42
Wicklow	235	46	9	-	1,421	1	1,647	47
Clare	960	26	10	-	665	1	1,615	27
Cork Co. Borough	7,637	22	4,430	1	25	-	3,232	21
Cork County	907	19	26	-	3,865	1	4,746	20
Kerry	1,783	20	21	-	493	1	2,255	21
Limerick Co. Borough	4,789	11	3,128	-	30	-	1,691	11
Limerick County	1	29	-	1	1,702	-	1,703	28
Tipperary, N.R.	508	17	14	-	709	-	1,203	17
Tipperary, S.R.	1,440	12	116	-	192	-	1,516	12
Waterford Co. Borough	1,667	67	976	-	18	-	709	67
Waterford County	143	15	2	-	742	1	883	16
Galway	4,021	37	915	-	89	1	3,195	38
Leitrim	207	2	9	-	277	1	475	3
Mayo	1,782	11	71	-	196	-	1,907	11
Roscommon	349	7	37	1	509	-	821	6
Sligo	917	13	92	-	88	-	913	13
Cavan	568	27	57	-	459	1	970	28
Donegal	2,123	46	26	-	104	-	2,201	46
Monaghan	508	3	28	-	439	-	919	3

*Including registered private maternity homes.

TABLE 37—BIRTHS IN 1972 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	68,527	35,375	33,152	2,005	1,014	991
15 and under	55	26	29	32	14	18
16	169	80	89	83	42	41
17	388	176	212	136	68	68
18	778	400	378	192	96	96
19	1,450	719	731	238	122	116
Under 20	2,840	1,401	1,439	681	342	339
20	2,057	1,065	992	228	113	115
21	2,554	1,352	1,202	173	89	84
22	3,402	1,792	1,610	174	90	84
23	3,949	2,073	1,876	141	66	75
24	4,426	2,264	2,162	127	71	56
20-24	16,388	8,546	7,842	843	429	414
25	4,615	2,343	2,272	80	50	30
26	4,582	2,405	2,177	82	41	41
27	4,320	2,275	2,045	51	22	29
28	3,970	2,026	1,944	38	16	22
29	3,910	2,015	1,895	35	17	18
25-29	21,397	11,064	10,333	286	146	140
30	3,495	1,846	1,649	27	11	16
31	3,082	1,593	1,489	20	9	11
32	2,886	1,453	1,433	22	12	10
33	2,730	1,458	1,272	19	9	10
34	2,429	1,208	1,221	14	4	10
30-34	14,622	7,558	7,064	102	45	57
35	2,301	1,201	1,100	14	11	3
36	2,143	1,104	1,039	10	3	7
37	1,814	941	873	9	6	3
38	1,644	812	832	9	7	2
39	1,496	760	736	7	2	5
35-39	9,398	4,818	4,580	49	29	20
40	1,123	580	543	5	1	4
41	857	445	412	6	2	4
42	660	345	315	2	1	1
43	402	203	199	3	1	2
44	264	140	124	-	-	-
40-44	3,306	1,713	1,593	16	5	11
45	148	70	78	1	-	1
46	67	34	33	1	1	-
47	32	10	22	-	-	-
48	13	6	7	-	-	-
49	3	-	3	-	-	-
45-49	263	120	143	2	1	1
50-55	4	3	1	-	-	-
Age not stated	309	152	157	26	17	9

TABLE 38—BIRTHS IN 1972 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	CARLOW						DUBLIN COUNTY BOROUGH					
Under 20 years	50	25	25	10	3	7	683	353	330	173	86	87
20-24 years	214	93	121	9	3	6	3,827	1,973	1,854	275	134	141
25-29 years	273	148	125	3	1	2	3,940	2,044	1,896	102	50	52
30-34 years	203	91	112	-	-	-	2,474	1,265	1,209	30	12	18
35-39 years	120	67	53	1	-	1	1,522	790	732	15	10	5
40-44 years	40	22	18	-	-	-	580	268	312	6	2	4
45 years and over	2	1	1	-	-	-	42	20	22	-	-	-
Age not stated	-	-	-	-	-	-	38	19	19	9	6	3
All ages	902	447	455	23	7	16	13,106	6,732	6,374	610	300	310
	DUN LAOGHAIRE BOROUGH						DUBLIN COUNTY (remainder)					
Under 20 years	67	35	32	25	12	13	183	90	93	64	29	35
20-24 years	292	154	138	23	10	13	1,483	776	707	79	35	44
25-29 years	386	194	192	8	2	6	2,503	1,299	1,204	17	8	9
30-34 years	306	166	140	2	-	2	1,625	863	762	10	2	8
35-39 years	184	91	93	1	-	1	781	411	370	3	1	2
40-44 years	47	27	20	1	-	1	212	109	103	1	1	-
45 years and over	2	-	2	-	-	-	17	9	8	-	-	-
Age not stated	1	-	1	1	-	1	10	4	6	3	2	1
All ages	1,285	667	618	61	24	37	6,814	3,561	3,253	177	78	99
	KILDARE						KILKENNY					
Under 20 years	97	47	50	13	8	5	68	28	40	18	10	8
20-24 years	656	348	308	17	10	7	286	140	146	15	8	7
25-29 years	705	346	359	4	3	1	402	214	188	7	3	4
30-34 years	401	203	198	3	3	-	264	124	140	2	-	2
35-39 years	232	119	113	-	-	-	216	98	118	2	-	2
40-44 years	67	33	34	-	-	-	87	42	45	-	-	-
45 years and over	7	2	5	-	-	-	8	3	5	-	-	-
Age not stated	2	2	-	-	-	-	-	-	-	-	-	-
All ages	2,167	1,100	1,067	37	24	13	1,331	649	682	44	21	23
	LAOIS						LONGFORD					
Under 20 years	44	28	16	12	10	2	18	8	10	7	2	5
20-24 years	199	103	96	8	6	2	130	70	60	5	2	3
25-29 years	318	158	160	2	1	1	174	96	78	2	2	-
30-34 years	214	111	103	3	1	2	134	81	53	-	-	-
35-39 years	161	71	90	1	1	-	96	50	46	-	-	-
40-44 years	60	35	25	1	-	1	51	28	23	-	-	-
45 years and over	5	2	3	-	-	-	2	2	-	-	-	-
Age not stated	17	14	3	1	1	-	2	2	-	-	-	-
All ages	1,018	522	496	28	20	8	607	337	270	14	6	8

TABLE 38 (contd.)—BIRTHS IN 1972 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	LOUTH						MEATH					
Under 20 years	84	42	42	9	2	7	90	45	45	25	15	10
20-24 years	516	271	245	12	10	2	435	232	203	29	16	13
25-29 years	639	319	320	7	3	4	539	296	243	4	4	-
30-34 years	399	220	179	1	-	1	385	197	188	4	2	2
35-39 years	232	118	114	-	-	-	253	137	116	1	-	1
40-44 years	80	42	38	1	-	1	98	46	52	-	-	-
45 years and over	5	3	2	-	-	-	8	4	4	-	-	-
Age not stated	3	1	2	-	-	-	7	4	3	2	2	-
All ages	1,958	1,016	942	30	15	15	1,815	961	854	65	39	26
	OFFALY						WESTMEATH					
Under 20 years	54	29	25	13	11	2	78	40	38	24	13	11
20-24 years	283	144	139	13	11	2	301	164	137	13	11	2
25-29 years	360	188	172	7	3	4	318	170	148	1	-	1
30-34 years	238	134	104	-	-	-	274	144	130	1	1	-
35-39 years	180	106	74	-	-	-	179	84	95	3	1	2
40-44 years	56	34	22	-	-	-	62	37	25	-	-	-
45 years and over	5	1	4	-	-	-	8	5	3	-	-	-
Age not stated	17	8	9	1	1	-	3	1	2	-	-	-
All ages	1,193	644	549	34	26	8	1,223	645	578	42	26	16
	WEXFORD						WICKLOW					
Under 20 years	103	53	50	23	15	8	96	48	48	18	10	8
20-24 years	550	281	269	33	14	19	458	230	228	26	12	14
25-29 years	634	336	298	9	4	5	548	265	283	7	2	5
30-34 years	416	221	195	1	1	-	332	157	175	3	2	1
35-39 years	268	145	123	1	-	1	176	101	75	1	1	-
40-44 years	91	56	35	1	1	-	77	41	36	1	1	-
45 years and over	9	3	6	-	-	-	6	1	5	-	-	-
Age not stated	1	-	1	1	-	1	1	-	1	-	-	-
All ages	2,072	1,095	977	69	35	34	1,694	843	851	56	28	28
	CORK COUNTY BOROUGH						CORK COUNTY					
Under 20 years	142	66	76	25	9	16	147	63	84	33	18	15
20-24 years	824	449	375	30	17	13	1,024	541	483	40	18	22
25-29 years	1,050	541	509	11	5	6	1,477	753	724	13	11	2
30-34 years	684	351	333	4	1	3	1,074	562	512	7	4	3
35-39 years	410	220	190	1	-	1	706	359	347	4	3	1
40-44 years	134	64	70	-	-	-	245	123	122	2	-	2
45 years and over	8	4	4	1	-	1	16	7	9	-	-	-
Age not stated	1	-	1	-	-	-	77	40	37	2	2	-
All ages	3,253	1,695	1,558	72	32	40	4,766	2,448	2,318	101	56	45

TABLE 38 (contd.)—BIRTHS IN 1972 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	CLARE						KERRY					
Under 20 years	50	24	26	9	3	6	76	45	31	18	11	7
20-24 years	362	194	168	20	12	8	396	210	186	16	7	9
25-29 years	501	244	257	9	4	5	675	347	328	3	2	1
30-34 years	363	180	183	2	1	1	528	275	253	-	-	-
35-39 years	268	132	136	1	1	-	376	184	192	1	1	-
40-44 years	89	40	49	-	-	-	124	64	60	-	-	-
45 years and over	7	7	-	-	-	-	18	10	8	-	-	-
Age not stated	2	-	2	-	-	-	83	39	44	2	-	2
All ages	1,642	821	821	41	21	20	2,276	1,174	1,102	40	21	19
	LIMERICK COUNTY BOROUGH						LIMERICK COUNTY					
Under 20 years	97	33	64	17	5	12	75	32	43	16	8	8
20-24 years	459	246	213	17	12	5	365	200	165	16	9	7
25-29 years	546	266	280	5	3	2	522	278	244	9	5	4
30-34 years	328	183	145	4	1	3	379	178	201	3	2	1
35-39 years	202	110	92	1	1	-	264	146	118	2	1	1
40-44 years	65	36	29	-	-	-	113	63	50	-	-	-
45 years and over	-	-	-	-	-	-	7	2	5	-	-	-
Age not stated	5	1	4	-	-	-	6	4	2	-	-	-
All ages	1,702	875	827	44	22	22	1,731	903	828	46	25	21
	TIPPERARY, NORTH RIDING						TIPPERARY, SOUTH RIDING					
Under 20 years	41	14	27	9	3	6	81	43	38	19	8	11
20-24 years	255	140	115	9	4	5	372	189	183	12	6	6
25-29 years	366	199	167	4	3	1	463	247	216	6	5	1
30-34 years	269	142	127	2	1	1	298	152	146	3	-	3
35-39 years	215	101	114	-	-	-	218	106	112	2	2	-
40-44 years	63	36	27	-	-	-	86	47	39	-	-	-
45 years and over	7	5	2	-	-	-	9	3	6	-	-	-
Age not stated	4	3	1	-	-	-	1	1	-	-	-	-
All ages	1,220	640	580	24	11	13	1,528	788	740	42	21	21
	WATERFORD COUNTY BOROUGH						WATERFORD COUNTY					
Under 20 years	41	21	20	8	5	3	47	23	24	7	4	3
20-24 years	202	107	95	7	2	5	201	114	87	10	5	5
25-29 years	261	142	119	1	-	1	278	142	136	6	2	4
30-34 years	146	73	73	-	-	-	186	101	85	4	3	1
35-39 years	93	51	42	1	1	-	140	70	70	-	-	-
40-44 years	32	14	18	-	-	-	43	23	20	-	-	-
45 years and over	1	-	1	-	-	-	3	2	1	-	-	-
Age not stated	-	-	-	-	-	-	1	-	1	-	-	-
All ages	776	408	368	17	8	9	899	475	424	27	14	13

TABLE 38 (contd.)—BIRTHS IN 1972 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	GALWAY						LEITRIM					
Under 20 years	93	42	51	27	15	12	12	7	5	5	5	-
20-24 years	637	323	314	20	8	12	81	41	40	3	-	3
25-29 years	1,009	530	479	9	5	4	146	78	68	2	-	2
30-34 years	754	392	362	4	3	1	121	70	51	-	-	-
35-39 years	534	259	275	3	1	2	77	37	40	-	-	-
40-44 years	186	100	86	-	-	-	32	15	17	1	-	1
45 years and over	15	7	8	1	1	-	7	1	6	-	-	-
Age not stated	5	4	1	2	2	-	2	-	2	-	-	-
All ages	3,233	1,657	1,576	66	35	31	478	249	229	11	5	6
	MAYO						ROSCOMMON					
Under 20 years	45	24	21	12	6	6	14	5	9	3	-	3
20-24 years	354	194	160	12	6	6	129	65	64	11	5	6
25-29 years	552	279	273	5	3	2	255	128	127	2	1	1
30-34 years	473	242	231	1	1	-	218	121	97	-	-	-
35-39 years	358	175	183	-	-	-	145	78	67	-	-	-
40-44 years	118	69	49	-	-	-	61	30	31	-	-	-
45 years and over	12	3	9	-	-	-	3	3	-	-	-	-
Age not stated	6	1	5	-	-	-	2	-	2	-	-	-
All ages	1,918	987	931	30	16	14	827	430	397	16	6	10
	SLIGO						CAVAN					
Under 20 years	28	14	14	9	3	6	30	16	14	10	5	5
20-24 years	186	94	92	7	2	5	189	105	84	18	12	6
25-29 years	293	157	136	4	2	2	314	158	156	9	5	4
30-34 years	205	103	102	-	-	-	211	99	112	1	-	1
35-39 years	161	75	86	1	1	-	171	94	77	2	2	-
40-44 years	46	25	21	-	-	-	79	38	41	-	-	-
45 years and over	7	3	4	-	-	-	1	1	-	-	-	-
Age not stated	-	-	-	-	-	-	3	-	3	-	-	-
All ages	926	471	455	21	8	13	998	511	487	40	24	16
	DONEGAL						MONAGHAN					
Under 20 years	70	35	35	15	9	6	36	23	13	10	4	6
20-24 years	533	257	276	24	16	8	189	98	91	9	1	8
25-29 years	671	358	313	5	3	2	279	144	135	3	1	2
30-34 years	526	262	264	7	4	3	194	95	99	-	-	-
35-39 years	304	151	153	1	1	-	156	82	74	-	-	-
40-44 years	123	70	53	1	-	1	59	36	23	-	-	-
45 years and over	13	6	7	-	-	-	7	3	4	-	-	-
Age not stated	7	4	3	1	1	-	2	-	2	1	-	1
All ages	2,247	1,143	1,104	54	34	20	922	481	441	23	6	17

TABLE 39—TOTAL BIRTHS IN 1972 CLASSIFIED BY AGE

Age of mother at maternity	Number of previous										
	Total	0	1	2	3	4	5	6	7	8	9
All ages	68,527	20,098	15,474	11,316	7,704	5,066	3,173	1,986	1,294	898	533
15 and under	55	48	7	-	-	-	-	-	-	-	-
16	169	156	11	2	-	-	-	-	-	-	-
17	388	344	37	6	1	-	-	-	-	-	-
18	778	632	125	18	3	-	-	-	-	-	-
19	1,450	1,098	291	53	5	3	-	-	-	-	-
Under 20	2,840	2,278	471	79	9	3	-	-	-	-	-
20	2,057	1,435	485	104	29	4	-	-	-	-	-
21	2,554	1,591	703	177	60	21	2	-	-	-	-
22	3,402	1,950	935	335	119	48	10	2	2	1	-
23	3,949	1,971	1,212	475	194	75	16	5	1	-	-
24	4,426	1,940	1,460	640	250	87	32	12	2	1	1
20-24	16,388	8,887	4,795	1,731	652	235	60	19	5	2	1
25	4,615	1,712	1,477	820	368	146	48	26	16	2	-
26	4,562	1,436	1,523	888	435	169	68	41	15	5	2
27	4,320	1,184	1,346	970	438	215	95	48	15	5	4
28	3,970	897	1,142	937	496	259	126	63	28	11	6
29	3,910	712	1,024	977	581	300	166	78	40	18	6
25-29	21,397	5,941	6,512	4,592	2,318	1,089	503	256	114	41	18
30	3,495	580	793	885	586	315	158	80	45	28	12
31	3,082	405	601	745	583	338	195	98	52	36	8
32	2,886	350	464	629	584	361	220	114	75	43	22
33	2,730	263	426	591	539	373	254	132	63	34	27
34	2,429	200	303	430	520	381	233	137	98	67	24
30-34	14,622	1,798	2,587	3,280	2,812	1,768	1,060	561	333	208	93
35	2,301	198	254	406	423	378	226	161	101	64	36
36	2,143	168	234	331	387	321	239	146	117	93	35
37	1,814	141	162	232	306	292	223	151	105	80	50
38	1,644	105	154	214	227	283	199	158	97	77	43
39	1,496	98	106	157	197	241	199	152	106	76	56
35-39	9,398	710	910	1,340	1,540	1,515	1,086	768	526	390	220
40	1,123	61	63	100	138	158	169	116	104	58	41
41	857	47	63	82	95	117	89	88	66	65	48
42	660	33	36	47	65	79	81	70	64	58	46
43	402	17	20	30	30	51	53	42	39	33	37
44	264	12	7	23	23	19	39	28	30	18	20
40-44	3,306	170	189	282	351	424	431	344	303	232	192
45	148	7	4	6	13	20	19	20	8	15	6
46	67	2	-	4	5	3	7	13	1	7	1
47	32	2	1	2	1	4	4	2	4	2	1
48	13	-	-	-	2	2	1	2	-	1	-
49 and over	7	1	2	-	-	3	1	-	-	-	-
45 and over	267	12	7	12	21	32	32	37	13	25	8
Age not stated	309	302	3	-	1	-	1	1	-	-	1

AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

of marriage being												Age of mother at maternity
1961	1960	1959	1958	1957	1956	1955	1954	1953	1948 to 1952	1947 and earlier	Not stated	
1,952	1,793	1,455	1,159	928	797	608	497	383	882	113	285	All ages
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	Under 20
-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	22
1	2	-	-	-	-	-	-	-	-	-	-	23
2	1	-	-	-	-	-	-	-	-	-	-	24
3	3	-	-	-	-	-	-	-	-	-	-	20-24
5	1	-	-	-	-	-	-	-	-	-	-	25
8	1	1	-	-	-	-	-	-	-	-	-	26
18	7	3	1	-	-	-	-	-	-	-	1	27
44	22	8	4	5	-	-	-	-	-	-	-	28
102	54	19	8	3	1	2	-	-	-	-	-	29
177	85	31	13	8	1	2	-	-	-	-	1	25-29
132	73	44	21	7	1	1	-	-	-	-	-	30
178	126	71	32	14	5	1	2	3	-	-	-	31
216	181	94	45	28	21	5	5	-	-	-	-	32
216	208	128	66	42	26	10	7	1	1	-	1	33
222	187	138	117	78	47	22	13	7	5	-	-	34
964	775	475	281	169	100	39	27	11	6	-	1	30-34
171	209	167	144	100	67	46	27	7	6	-	-	35
164	166	156	130	114	107	46	46	26	23	-	-	36
134	160	169	135	110	100	64	48	28	30	2	-	37
117	117	131	118	104	104	91	51	43	71	1	-	38
83	100	116	120	84	97	87	68	58	116	1	-	39
669	752	739	647	512	475	334	240	162	246	4	-	35-39
46	71	77	84	72	73	75	74	47	129	3	-	40
37	50	48	45	59	68	45	51	56	133	15	-	41
30	27	38	38	49	37	46	48	48	129	11	-	42
12	15	19	30	29	16	29	25	25	95	22	-	43
10	6	12	11	18	14	20	14	15	76	17	-	44
135	169	194	208	227	208	215	212	191	562	68	-	40-44
3	5	12	6	6	11	9	9	14	42	11	-	45
1	4	3	2	2	1	6	5	2	15	17	-	46
-	-	1	2	2	1	2	2	3	6	8	-	47
-	-	-	-	-	-	1	1	-	5	4	-	48
-	-	-	-	2	-	-	1	-	-	1	-	49 and over
4	9	16	10	12	13	18	18	19	68	41	-	45 and over
-	-	-	-	-	-	-	-	-	-	-	283	Age not stated

TABLE 42—MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	22,302	21,413	889	528	130	43	7	13	168
Carlow	236	224	12	10	-	1	-	-	1
Dublin County Borough	5,850	5,534	316	140	19	17	4	9	127
Dun Laoghaire Borough	516	470	46	35	1	6	-	-	4
Dublin County (remainder)	1,227	1,192	35	30	2	-	3	-	-
Kildare	596	584	12	8	1	1	-	1	1
Kilkenny	421	412	9	9	-	-	-	-	-
Laois	326	298	28	25	-	-	-	1	2
Longford	172	165	7	7	-	-	-	-	-
Louth	610	605	5	3	1	-	-	-	1
Meath	544	541	3	2	-	-	-	-	1
Offaly	312	309	3	3	-	-	-	-	-
Westmeath	398	398	-	-	-	-	-	-	-
Wexford	655	636	19	17	-	-	-	-	2
Wicklow	532	493	39	33	2	1	-	-	3
Leinster	12,395	11,861	534	322	26	26	7	11	142
Clare	527	527	-	-	-	-	-	-	-
Cork County Borough	1,015	1,001	14	11	2	1	-	-	-
Cork County	1,372	1,318	54	41	1	5	-	-	7
Kerry	667	664	3	3	-	-	-	-	-
Limerick County Borough	629	621	8	2	-	-	-	-	6
Limerick County	487	480	7	5	-	2	-	-	-
Tipperary, N.R.	341	336	5	5	-	-	-	-	-
Tipperary, S.R.	472	468	4	4	-	-	-	-	-
Waterford County Borough	189	184	5	2	-	-	-	-	3
Waterford County	355	347	8	6	-	-	-	-	2
Munster	6,054	5,946	108	79	3	8	-	-	18
Galway	976	967	9	4	-	-	-	-	5
Leitrim	153	149	4	3	-	1	-	-	-
Mayo	513	509	4	3	-	1	-	-	-
Roscommon	282	282	-	-	-	-	-	-	-
Sligo	333	316	17	17	-	-	-	-	-
Connacht	2,257	2,223	34	27	-	2	-	-	5
Cavan	379	347	32	28	1	1	-	-	2
Donegal	873	748	125	55	63	6	-	-	1
Monaghan	344	288	56	17	37	-	-	2	-
Ulster (part of)	1,596	1,383	213	100	101	7	-	2	3

COUNTY AND COUNTY BOROUGH DURING 1972

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
4,763	5,006	7,626	4,907	21,951	97	152	102	Total
47	58	81	50	232	1	1	2	Carlow
1,476	1,259	1,765	1,350	5,754	20	45	31	Dublin County Borough
85	123	194	114	507	1	4	4	Dun Laoghaire Borough
262	297	388	280	1,203	5	10	9	Dublin County (remainder)
127	140	209	120	590	2	1	3	Kildare
85	68	187	81	418	-	2	1	Kilkenny
64	85	125	52	317	4	4	1	Laois
31	46	60	35	168	2	-	2	Longford
138	100	233	139	594	8	3	5	Louth
94	111	229	110	531	2	10	1	Meath
67	72	101	72	309	1	2	-	Offaly
72	102	126	98	397	-	1	-	Westmeath
153	138	242	122	643	2	6	4	Wexford
134	96	201	101	522	3	5	2	Wicklow
2,835	2,695	4,141	2,724	12,185	51	94	65	Leinster
111	124	166	126	519	3	2	3	Clare
222	230	342	221	999	6	6	4	Cork County Borough
296	293	476	307	1,353	6	10	3	Cork County
167	155	193	152	665	-	1	1	Kerry
158	190	158	123	614	5	5	5	Limerick County Borough
106	92	177	112	479	2	3	3	Limerick County
63	61	123	94	337	1	2	1	Tipperary, N.R.
101	96	171	104	465	1	5	1	Tipperary, S.R.
-	59	93	37	186	1	2	-	Waterford County Borough
129	70	94	62	350	2	1	2	Waterford County
1,353	1,370	1,993	1,338	5,967	27	37	23	Munster
151	231	353	241	963	8	1	4	Galway
20	36	61	36	149	1	1	2	Leitrim
82	131	216	84	506	5	2	-	Mayo
38	70	109	65	278	2	-	2	Roscommon
62	66	123	82	327	1	3	2	Sligo
353	534	862	508	2,223	17	7	10	Connacht
50	90	146	93	375	2	2	-	Cavan
111	223	341	198	862	-	10	1	Donegal
61	94	143	46	339	-	2	3	Monaghan
222	407	630	337	1,576	2	14	4	Ulster (part of)

TABLE 43—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY

ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	24	44	157	425	902	1,503	2,000	2,414	2,441	2,441	2,026	1,650	1,253	957	674	551	447	295	283	214	185	151
16	-	3	9	6	4	2	1	3	1	1	-	-	-	-	-	1	1	-	-	-	-	-
17	1	3	14	24	20	11	6	4	4	-	1	-	1	-	-	-	-	-	-	-	-	-
18	2	7	22	45	70	53	31	11	5	6	1	2	-	1	1	-	-	-	-	-	-	-
19	2	6	22	88	116	137	94	58	23	12	4	5	1	3	2	-	-	-	1	-	-	-
20	6	4	26	66	160	214	221	125	81	44	22	13	5	3	1	2	2	-	-	-	-	-
21	1	5	19	63	138	260	323	281	156	105	55	33	23	9	8	4	-	2	2	-	2	2
22	3	4	16	37	119	239	355	435	344	237	118	80	38	26	10	6	7	4	3	1	-	-
23	1	6	9	22	98	188	280	382	408	360	203	118	62	37	21	21	18	3	3	2	-	-
24	3	2	5	23	60	130	205	291	379	398	281	193	106	57	39	20	17	10	3	5	2	1
25	2	1	1	15	36	77	167	234	281	358	296	247	144	84	50	44	14	13	10	9	3	1
26	-	1	4	12	21	63	97	162	217	281	250	206	180	104	63	45	23	14	13	5	3	2
27	1	-	3	5	16	34	63	118	165	176	188	194	146	101	68	42	26	21	14	6	6	5
28	1	1	1	4	9	29	43	77	85	127	166	156	125	100	71	39	35	21	19	17	7	2
29	-	-	1	2	5	16	35	75	84	96	108	99	96	91	57	54	32	17	12	10	8	7
30	-	-	-	2	4	25	17	40	63	55	79	72	78	68	50	50	36	24	22	9	8	4
31	-	-	-	1	5	6	17	24	36	55	60	55	65	52	54	38	41	21	20	8	11	8
32	-	-	3	2	5	6	9	28	24	32	48	37	44	35	28	39	27	16	16	12	8	6
33	-	-	-	2	1	4	5	12	22	19	31	21	24	46	33	18	24	23	16	18	8	12
34	-	-	-	1	4	1	4	9	12	19	27	31	22	29	18	15	18	13	20	18	14	9
35	-	-	-	-	1	1	6	10	10	12	20	14	19	22	13	19	12	10	10	10	10	9
36	-	-	-	-	-	1	2	6	9	9	13	9	20	16	20	19	20	13	12	12	5	5
37	-	-	1	1	1	3	6	9	7	10	18	9	5	17	17	11	13	14	13	10	10	3
38	-	-	-	-	-	-	2	5	5	8	9	14	6	10	12	11	12	9	15	10	18	11
39	-	-	-	2	2	-	-	2	4	3	5	8	3	11	5	11	15	8	12	5	9	9
40	-	-	-	2	2	-	2	3	1	4	4	7	14	9	5	10	13	9	10	7	13	3
41	-	-	-	-	1	-	1	1	1	1	3	3	2	7	3	5	5	8	4	2	5	7
42	-	-	-	-	1	-	2	3	2	1	3	4	2	1	3	3	11	7	8	9	4	6
43	-	-	-	-	-	-	1	-	2	2	2	4	4	6	6	6	5	2	5	3	4	4
44	-	-	-	-	-	-	1	-	2	1	2	3	2	2	2	7	2	4	3	5	7	4
45	-	1	-	-	-	-	-	-	-	1	2	-	2	2	-	-	2	4	2	5	4	6
46	-	-	-	-	1	-	-	1	-	-	1	1	2	-	3	-	4	3	6	2	1	4
47	1	-	-	-	-	-	-	-	-	1	-	4	4	2	1	3	-	-	1	2	2	5
48	-	-	1	-	-	-	-	-	1	1	2	-	1	-	-	1	4	1	1	1	2	2
49	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	2	1	3	5	2	2
50-54	-	-	-	-	-	-	-	1	1	1	1	2	3	2	3	3	5	-	2	4	5	9
55-59	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	1	-	-	-	1	1	2
60-64	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-	-	-	1
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	2	3	2	3	5	4	2	5	2	2	1	1	-	-	1	1	1	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.

MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
145	114	104	83	76	65	69	46	56	42	37	51	31	46	89	47	29	14	1	3	117	22,302	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	259	18
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	578	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,000	20
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,495	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	9	2,092	22
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2,250	23
-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	11	2,243	24
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	2,097	25
2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,775	26
5	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1,421	27
3	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1,149	28
6	5	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	920	29
7	2	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	727	30
3	2	3	2	5	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	4	599	31
5	2	1	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	439	32
5	6	2	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	357	33
6	4	2	5	-	1	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	310	34
1	7	8	2	4	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	1	237	35
10	5	6	3	2	2	2	1	2	-	-	-	1	-	-	-	-	-	-	-	1	226	36
9	9	6	-	2	1	4	-	1	-	-	-	-	1	1	-	-	-	-	-	-	212	37
14	2	4	2	4	3	4	2	1	3	1	-	-	-	2	-	-	-	-	-	1	200	38
6	6	8	5	4	4	2	-	1	1	-	-	-	-	1	-	-	-	-	-	1	153	39
8	7	5	5	4	4	2	3	1	5	-	1	-	2	1	-	-	-	-	-	-	166	40
3	1	7	11	6	4	4	1	2	2	-	1	1	-	-	-	-	-	-	-	1	103	41
6	5	6	5	5	3	2	2	4	2	1	-	2	1	1	-	1	-	-	-	-	116	42
5	5	2	3	6	1	7	2	3	1	3	1	1	1	2	-	-	-	-	-	-	99	43
10	7	3	3	5	2	4	3	4	-	1	-	2	-	1	1	1	-	-	-	-	94	44
5	7	5	5	1	4	1	2	5	-	2	3	-	-	2	2	-	-	-	-	-	75	45
3	2	6	3	2	-	3	4	1	4	2	5	1	3	1	-	1	1	-	-	1	72	46
1	5	4	2	1	2	1	1	3	2	3	3	4	1	2	1	-	-	-	-	-	62	47
1	1	1	1	3	3	2	1	2	3	2	4	-	2	4	-	-	-	-	-	2	50	48
4	1	5	4	4	7	2	4	1	-	1	2	2	2	5	-	-	-	-	-	-	67	49
8	8	5	9	9	11	8	7	17	7	9	14	5	14	16	8	-	1	-	-	1	199	50-54
3	6	2	2	2	3	6	4	2	10	5	6	7	10	15	6	3	-	-	-	-	103	55-59
2	1	1	-	1	2	3	1	2	1	2	4	2	5	12	13	10	3	-	-	-	71	60-64
-	-	-	-	2	1	-	-	2	-	-	5	2	2	14	12	10	6	-	-	-	59	65-69
-	-	-	-	-	2	1	-	1	-	-	-	-	-	6	2	2	2	1	1	-	19	70-74
-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	-	2	-	10	75 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42	77	Not stated

TABLE 44—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY
FIRST

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	24	44	157	426	902	1,503	1,997	2,411	2,440	2,437	2,018	1,648	1,248	956	667	546	443	290	274	208	179	144
16	-	3	9	6	4	2	1	3	1	1	-	-	-	-	-	1	1	-	-	-	-	-
17	1	3	14	24	20	11	6	4	4	-	1	-	1	-	-	-	-	-	-	-	-	-
18	2	7	22	45	70	53	31	11	5	6	1	2	-	1	1	-	-	-	-	-	-	-
19	2	6	22	88	116	137	94	58	23	12	4	5	1	3	2	-	-	-	1	-	-	-
20	6	4	26	67	160	214	221	125	81	44	22	13	5	3	1	2	2	-	-	-	-	-
21	1	5	19	63	138	260	323	281	156	105	55	33	23	9	8	4	-	2	2	-	1	2
22	3	4	16	37	119	239	355	435	344	237	118	80	38	26	10	6	6	4	3	1	-	-
23	1	6	9	22	98	188	280	382	408	359	203	118	62	37	21	21	18	3	3	2	-	-
24	3	2	5	23	60	130	205	291	379	398	281	193	106	57	39	20	17	10	3	5	2	1
25	2	1	1	15	36	77	167	234	281	358	296	247	144	84	50	44	14	13	10	9	3	1
26	-	1	4	12	21	63	96	162	217	281	250	206	180	104	63	45	23	12	12	3	3	2
27	1	-	3	5	16	34	63	118	165	176	188	194	144	101	68	42	26	21	14	6	6	5
28	1	1	1	4	9	29	43	77	85	127	164	156	125	100	71	39	35	21	19	17	7	2
29	-	-	1	2	5	16	35	75	84	96	106	99	96	91	57	54	32	17	12	10	8	7
30	-	-	-	2	4	25	17	40	63	54	79	72	78	68	50	50	36	24	22	9	8	4
31	-	-	-	1	5	6	17	23	36	54	59	54	65	52	54	38	41	21	20	8	11	8
32	-	-	3	2	5	6	9	28	24	32	48	37	44	35	28	38	27	16	16	11	7	6
33	-	-	-	2	1	4	5	12	22	19	31	21	23	46	32	18	24	23	16	18	8	10
34	-	-	-	1	4	1	4	9	12	19	27	31	22	29	18	14	18	13	20	18	14	8
35	-	-	-	-	1	1	6	10	10	12	20	14	19	22	13	19	11	9	10	10	10	9
36	-	-	-	-	-	1	2	6	9	9	13	9	20	16	20	19	20	13	12	12	5	5
37	-	-	1	1	1	3	5	8	6	10	18	9	5	17	15	11	13	14	13	10	9	2
38	-	-	-	-	-	-	2	5	5	8	9	14	6	10	12	11	12	9	14	10	18	11
39	-	-	-	2	2	-	-	2	4	3	5	8	3	11	5	10	15	8	11	5	9	9
40	-	-	-	2	2	-	2	3	1	4	4	7	14	9	5	10	13	8	10	7	13	3
41	-	-	-	-	1	-	1	1	1	1	3	3	2	7	3	5	5	8	4	2	5	7
42	-	-	-	-	1	-	2	3	2	1	3	4	2	1	3	3	11	7	6	9	4	6
43	-	-	-	-	-	-	-	-	2	2	1	3	4	6	4	5	5	2	5	3	4	4
44	-	-	-	-	-	-	1	-	2	1	2	3	2	2	2	6	1	4	3	4	7	4
45	-	1	-	-	-	-	-	-	-	1	2	-	2	2	-	-	2	4	2	5	4	6
46	-	-	-	-	1	-	-	1	-	-	1	1	2	-	2	-	4	3	5	2	1	3
47	1	-	-	-	-	-	-	-	-	1	-	4	4	2	1	3	-	-	1	-	2	5
48	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	1	4	1	-	1	2	2
49	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	2	-	2	5	2	2
50-54	-	-	-	-	-	-	-	1	1	1	-	2	2	2	3	3	5	-	2	4	4	8
55-59	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	1	1	2
60-64	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	2	3	2	3	5	4	2	5	2	1	1	1	-	-	1	1	1	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																						Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
139	103	94	76	62	55	61	40	41	28	30	40	18	25	34	20	7	1	-	1	114	21,951	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	259	18
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	578	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1,001	20
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1,494	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	9	2,091	22
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2,249	23
-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	11	2,243	24
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	2,097	25
2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1,769	26
5	2	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1,418	27
3	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1,147	28
6	5	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	918	29
7	2	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	726	30
3	2	1	2	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	592	31
5	2	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	435	32
5	6	2	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	353	33
5	3	2	5	-	1	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	304	34
1	7	8	2	4	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	1	235	35
10	5	5	3	1	2	2	1	2	-	-	-	1	-	-	-	-	-	-	-	1	224	36
9	9	6	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	202	37
14	2	4	2	4	3	4	2	-	2	1	-	-	-	-	-	-	-	-	-	1	195	38
5	6	8	5	3	4	2	-	1	1	-	-	-	-	1	-	-	-	-	-	1	149	39
8	7	5	5	4	4	2	3	1	4	-	1	-	1	-	-	-	-	-	-	-	162	40
2	1	6	11	5	4	4	1	1	2	-	1	-	-	-	-	-	-	-	-	1	98	41
6	5	5	5	4	3	2	2	2	2	1	-	1	1	-	-	-	-	-	-	-	107	42
5	4	2	3	5	1	7	1	1	-	2	1	1	1	1	-	-	-	-	-	-	85	43
10	7	3	3	4	2	3	2	4	-	1	-	2	-	-	1	1	-	-	-	-	87	44
5	7	4	5	1	4	1	2	5	-	1	3	-	-	2	2	-	-	-	-	-	73	45
3	2	6	3	2	-	3	4	1	3	2	5	-	3	-	-	1	-	-	-	1	65	46
1	4	4	2	1	2	1	1	3	2	2	1	3	-	2	1	-	-	-	-	-	54	47
1	1	1	1	2	3	2	-	1	2	2	4	-	1	2	-	-	-	-	-	2	40	48
4	-	3	1	4	5	2	4	1	-	1	1	2	-	2	-	-	-	-	-	-	51	49
7	5	3	6	5	9	6	6	13	6	6	12	2	8	7	4	-	-	-	-	1	144	50-54
1	3	2	1	2	3	5	3	1	4	5	3	3	4	5	2	1	-	-	-	-	57	55-59
2	-	1	-	-	-	1	-	1	-	2	3	1	4	6	5	1	-	-	-	-	30	60-64
-	-	-	-	-	-	-	-	2	-	-	5	1	1	2	4	1	-	-	-	-	17	65-69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	5	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	3	75 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	73	Not stated

TABLE 45—MARRIAGES REGISTERED IN 1972 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	935	8,787	7,037	2,321	978	551	313	189	95	142	65	21,413	27.3
Church of Ireland	14	163	209	72	24	19	4	5	3	5	10	528	28.3
Presbyterian	3	53	45	12	8	3	-	1	1	3	1	130	27.9
Other Religious denominations	1	19	23	8	4	1	1	1	-	4	1	63	30.3
Civil marriages	5	58	48	19	14	4	8	3	4	5	-	168	30.4
Total	958	9,080	7,362	2,432	1,028	578	326	199	103	159	77	22,302	27.3

TABLE 46—MARRIAGES REGISTERED IN 1972 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Catholic	2,979	10,853	4,881	1,361	574	295	193	83	46	43	105	21,413	24.8
Church of Ireland	36	297	127	31	9	7	6	2	-	2	11	528	25.1
Presbyterian	16	67	29	8	5	3	-	1	-	-	1	130	24.9
Other Religious denominations	5	36	10	5	3	-	2	-	1	1	-	63	26.4
Civil marriages	19	69	38	19	6	7	6	3	-	1	-	168	27.2
Total	3,055	11,322	5,085	1,424	597	312	207	89	47	47	117	22,302	24.8

TABLE 47—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Farmers, relatives assisting and farm managers	20	418	872	566	323	211	121	69	29	34	11	2,674	32.4
Other agricultural occupations and fishermen	29	207	137	49	17	6	9	7	3	5	4	473	27.1
Higher professional	4	341	608	148	52	26	11	8	6	7	4	1,215	28.1
Lower professional	25	467	560	160	58	22	8	6	-	3	2	1,311	27.1
Employers and managers	4	284	399	140	54	23	20	9	9	12	2	956	29.0
Salaried employees	2	219	276	99	22	9	4	4	-	3	3	641	27.5
Intermediate non-manual workers	151	1,410	1,095	354	120	62	36	24	14	21	8	3,295	26.8
Other non-manual workers	88	807	594	193	83	64	25	13	12	11	6	1,896	27.2
Skilled manual workers	301	3,220	2,039	478	193	99	44	31	15	30	18	6,468	25.9
Other manual workers	295	1,643	766	239	104	52	47	27	14	20	19	3,226	25.8
Not stated	39	64	16	6	2	4	1	1	1	13	-	147	27.0
Total	958	9,080	7,362	2,432	1,028	578	326	199	103	159	77	22,302	27.3

TABLE 48—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Farmers, relatives assisting and farm managers	10	63	60	34	28	12	11	5	2	2	1	228	30.5
Other agricultural occupations and fishermen	1	6	1	1	-	-	-	-	-	-	-	9	23.6
Higher professional	8	72	67	12	3	3	1	2	-	-	-	168	26.1
Lower professional	113	1,499	1,046	289	99	54	26	3	5	4	21	3,159	26.1
Employers and managers	3	67	54	20	10	9	4	2	-	-	-	169	28.1
Salaried employees	1	25	17	1	2	-	1	-	-	-	-	47	25.6
Intermediate non-manual workers	784	4,340	1,959	483	181	73	39	15	6	2	33	7,915	24.6
Other non-manual workers	739	1,960	923	336	182	114	88	46	26	33	22	4,469	25.9
Skilled manual workers	135	557	197	40	18	9	5	2	-	-	5	968	23.9
Other manual workers	1,103	2,555	702	188	64	31	24	12	6	5	33	4,723	23.1
Not stated	158	178	59	20	10	7	8	2	2	1	2	447	23.3
Total	3,055	11,322	5,085	1,424	597	312	207	89	47	47	117	22,302	24.8

TABLE 49—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,674	166	3	8	469	20	1	780	846	64	274	43
Other agricultural occupations and fishermen	473	4	1	-	31	-	-	106	187	11	125	8
Higher professional	1,215	-	-	87	382	26	8	519	100	28	55	10
Lower professional	1,311	2	-	16	597	13	5	437	99	46	77	19
Employers and managers	956	1	1	9	194	33	7	456	130	42	70	13
Salaried employees	641	-	-	5	127	5	11	341	88	15	45	4
Intermediate non-manual workers	3,295	15	-	16	483	29	7	1,582	506	131	474	52
Other non-manual workers	1,896	7	-	2	122	10	1	628	486	101	505	34
Skilled manual workers	6,468	18	1	23	645	24	6	2,446	1,196	424	1,592	93
Other manual workers	3,226	13	3	2	106	9	1	611	808	106	1,486	81
Not stated	147	2	-	-	3	-	-	9	23	-	20	90
Total	22,302	228	9	168	3,159	169	47	7,915	4,469	968	4,723	447

TABLE 50—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	958	9,080	7,362	2,432	1,028	578	326	199	103	159	77	22,302	27.3
Carlow	13	121	66	18	16	10	4	3	-	5	1	257	27.5
Dublin County Borough	324	2,763	1,701	452	179	94	52	37	19	35	11	5,667	26.1
Dun Laoghaire Borough	19	195	117	41	14	6	1	2	4	2	1	402	26.3
Dublin County (remainder)	44	471	345	97	30	15	11	7	4	8	6	1,038	26.5
Kildare	40	272	240	65	24	11	8	6	4	2	2	674	26.7
Kilkenny	7	162	136	42	22	14	5	3	2	2	1	396	27.7
Loais	4	97	94	45	17	12	7	4	-	4	4	288	29.0
Longford	3	59	53	25	12	5	9	1	2	3	-	172	29.6
Louth	22	275	183	55	21	14	7	9	2	4	1	593	26.9
Meath	14	197	147	60	37	19	12	5	-	5	1	497	28.2
Offaly	17	131	122	33	20	13	7	3	-	2	4	352	27.6
Westmeath	30	123	121	35	21	11	5	3	-	4	1	354	27.4
Wexford	31	247	199	79	28	20	5	7	4	10	2	632	27.8
Wicklow	29	247	145	42	13	8	7	6	6	9	1	513	27.0
Leinster	597	5,360	3,669	1,089	454	252	140	96	47	95	36	11,835	26.7
Clare	10	144	158	66	28	18	12	5	2	2	2	447	28.7
Cork County Borough	41	435	228	61	21	9	6	8	6	4	-	819	25.9
Cork County	35	513	537	199	79	45	25	13	9	11	5	1,471	28.2
Kerry	14	186	213	100	40	19	6	2	2	3	5	590	28.3
Limerick County Borough	43	236	123	42	12	10	3	1	-	1	3	474	25.4
Limerick County	17	192	187	91	36	21	7	3	3	4	3	564	28.3
Tipperary, N.R.	13	110	131	54	24	12	7	8	3	2	2	366	28.9
Tipperary, S.R.	17	153	137	53	31	10	8	1	3	2	1	416	28.8
Waterford County Borough	8	78	58	14	7	3	2	-	-	-	1	171	26.1
Waterford County	19	138	114	38	12	10	7	3	-	1	3	345	27.0
Munster	217	2,185	1,886	718	290	157	83	44	28	30	25	5,663	27.6
Galway	20	247	327	125	51	34	26	12	6	4	2	854	29.1
Leitrim	3	40	59	29	6	7	1	1	-	2	1	149	28.8
Mayo	15	140	174	58	31	19	13	8	3	3	2	466	29.0
Roscommon	4	55	100	33	32	6	4	4	-	3	-	241	29.8
Sligo	6	80	92	29	19	7	6	3	-	2	1	245	28.5
Connacht	48	562	752	274	139	73	50	28	9	14	6	1,955	29.1
Cavan	6	99	104	45	24	14	7	6	2	2	1	310	29.2
Donegal	23	245	246	75	32	25	16	8	6	4	-	680	27.7
Monaghan	9	88	94	35	16	16	4	4	2	3	1	272	28.9
Ulster (part of)	38	432	444	155	72	55	27	18	10	9	2	1,262	28.6
Ireland*	900	8,539	6,751	2,236	955	537	300	186	94	148	69	20,715	27.3
Northern Ireland	26	134	126	36	27	7	8	5	3	-	3	375	27.5
England and Wales	14	317	364	111	26	22	10	7	2	6	3	882	27.6
Scotland	-	20	18	5	2	1	-	-	1	-	-	47	27.3
Elsewhere	1	55	99	44	17	10	8	1	2	5	2	244	30.1
Not stated	17	15	4	-	1	1	-	-	1	-	-	39	22.6

*Exclusive of Northern Ireland.

TABLE 51—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Total	3,055	11,322	5,085	1,424	597	312	207	89	47	47	117	22,302	24.8
Carlow	61	119	54	8	7	2	3	1	1	1	-	257	23.9
Dublin County Borough	840	3,071	1,151	362	133	64	55	21	13	11	24	5,745	24.5
Dun Laoghaire Borough	67	269	122	28	11	6	2	1	1	2	3	512	24.5
Dublin County (remainder)	128	602	207	52	26	12	9	3	3	2	5	1,049	24.5
Kildare	98	311	131	30	12	7	6	1	-	1	1	598	24.2
Kilkenny	55	189	93	29	10	3	3	1	-	1	3	387	24.7
Laois	31	152	72	21	7	6	2	4	1	1	3	300	25.5
Longford	21	88	35	11	9	4	3	2	-	2	2	177	26.0
Louth	86	334	129	38	15	5	11	1	-	3	-	622	24.7
Meath	86	261	116	22	19	13	7	-	-	-	3	527	24.6
Offaly	56	168	71	15	9	2	1	1	2	1	5	331	24.2
Westmeath	58	192	79	22	8	2	3	1	-	-	3	368	24.1
Wexford	112	343	143	38	18	9	6	3	3	1	3	679	24.5
Wicklow	109	258	103	21	6	8	4	8	1	1	1	520	24.1
Leinster	1,808	6,357	2,506	697	290	143	115	48	25	27	56	12,072	24.5
Clare	58	202	120	50	10	4	7	1	1	1	2	456	25.4
Cork County Borough	143	516	176	40	16	13	12	4	2	1	1	924	24.2
Cork County	158	664	381	109	36	21	12	4	4	1	11	1,401	25.2
Kerry	61	290	201	43	25	10	1	1	-	-	3	635	25.3
Limerick County Borough	95	278	95	25	14	6	3	2	1	-	3	522	23.9
Limerick County	76	243	158	43	17	13	5	2	2	1	1	561	25.4
Tipperary, N.R.	45	171	90	27	10	6	2	3	1	1	1	357	25.3
Tipperary, S.R.	65	194	117	35	12	8	1	-	-	-	2	434	24.8
Waterford County Borough	35	94	39	7	6	2	-	-	-	1	3	187	23.9
Waterford County	56	187	79	20	6	6	2	2	-	1	4	363	24.4
Munster	792	2,839	1,456	399	152	89	45	19	11	7	31	5,840	24.9
Galway	87	404	236	76	38	21	9	6	1	3	5	886	26.0
Leitrim	8	81	41	8	4	2	2	3	1	1	-	151	26.2
Mayo	44	251	117	36	20	9	9	-	-	2	4	492	25.6
Roscommon	13	127	71	29	7	-	1	-	-	2	6	256	25.7
Sligo	24	156	80	25	8	3	3	2	-	-	1	302	25.3
Connacht	176	1,019	545	174	77	35	24	11	2	8	16	2,087	25.8
Cavan	37	165	85	26	14	8	2	2	1	2	2	344	25.7
Donegal	93	375	189	40	34	11	5	3	2	3	3	758	25.2
Monaghan	38	172	76	19	8	8	5	-	1	-	2	329	25.0
Ulster (part of)	168	712	350	85	56	27	12	5	4	5	7	1,431	25.3
Ireland*	2,944	10,927	4,857	1,355	575	294	196	83	42	47	110	21,430	24.8
Northern Ireland	47	62	40	14	7	8	2	2	1	-	3	186	25.3
England and Wales	32	281	142	40	10	8	3	4	1	-	2	523	25.4
Scotland	-	9	3	3	1	-	-	-	-	-	1	17	26.3
Elsewhere	3	30	38	10	4	2	4	-	3	-	-	94	29.2
Not stated	29	13	5	2	-	-	2	-	-	-	1	52	21.5

*Exclusive of Northern Ireland.

TABLE 52—MARRIAGES REGISTERED IN 1972 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	22,302	257	5,745	512	1,049	598	387	300	177	622	527	331	368	679	520	12,072	456	924	1,401
Carlow	257	172	10	1	1	7	11	13	-	-	2	1	-	12	11	241	-	1	-
Dublin Co. Borough	5,667	9	4,591	118	379	45	18	14	12	24	37	15	14	27	48	5,351	15	10	28
Dun Laoghaire Borough	402	1	88	247	33	1	-	1	-	1	2	-	-	4	14	392	-	1	1
Dublin County (remainder)	1,038	-	389	47	417	16	2	3	2	9	30	1	12	11	28	967	4	6	4
Kildare	674	16	56	4	32	433	3	20	5	2	17	15	6	8	19	636	1	-	4
Kilkenny	396	15	12	2	1	1	274	4	-	2	1	1	-	12	3	328	2	1	6
Laois	288	5	12	1	4	21	9	191	1	-	4	7	3	2	2	262	2	-	2
Longford	172	1	5	1	1	1	-	1	108	1	3	-	17	1	1	141	1	-	-
Louth	593	1	22	4	12	2	1	1	-	452	38	2	1	5	3	544	1	-	3
Meath	497	1	44	5	26	16	-	2	2	33	312	3	8	1	5	458	1	3	1
Offaly	352	3	14	2	5	10	1	14	1	3	7	239	13	3	2	317	-	1	-
Westmeath	354	-	16	-	-	6	1	1	13	-	12	13	254	1	1	318	1	1	1
Wexford	632	6	14	6	14	2	7	-	-	-	4	-	-	528	14	595	2	2	4
Wicklow	513	9	51	28	28	6	1	4	2	2	3	2	1	18	336	491	-	-	3
Leinster	11,835	239	5,324	466	953	567	328	269	146	529	472	298	330	633	487	11,041	30	26	57
Clare	447	-	6	1	2	2	2	2	-	2	2	-	1	1	2	23	353	1	5
Cork County Borough	819	2	11	-	3	2	1	-	-	1	-	-	-	-	1	21	1	702	65
Cork County	1,472	-	20	3	3	4	2	2	-	2	2	-	-	4	2	44	3	149	1,144
Kerry	590	-	11	-	2	-	3	2	-	1	2	-	2	1	1	25	4	8	18
Limerick County Borough	474	1	12	1	3	-	-	2	-	-	-	-	-	2	2	23	15	4	9
Limerick County	564	-	7	1	2	-	-	2	1	1	1	1	-	1	-	17	10	2	24
Tipperary, N.R.	366	3	16	1	3	1	16	5	-	-	1	14	1	3	1	65	5	1	2
Tipperary, S.R.	416	-	6	2	1	3	5	-	-	-	-	1	1	5	2	26	3	1	11
Waterford County Borough	171	-	7	-	-	-	6	1	-	-	-	-	1	3	-	18	-	1	-
Waterford County	345	2	2	1	2	1	14	1	1	-	-	-	-	4	1	29	1	2	24
Munster	5,664	8	98	10	21	13	49	17	2	7	8	16	6	24	12	291	395	871	1,302
Galway	854	-	25	-	9	1	-	2	1	2	1	5	9	3	-	58	14	2	2
Leitrim	149	-	11	1	1	-	-	1	3	2	-	-	2	-	-	21	-	1	1
Mayo	466	-	13	-	3	1	-	-	-	2	2	1	1	-	-	23	4	-	1
Roscommon	241	-	15	-	2	-	-	1	5	1	-	2	4	-	-	30	1	-	-
Sligo	244	-	8	2	1	2	-	1	1	-	-	-	-	-	-	15	-	-	-
Connacht	1,954	-	72	3	16	4	-	5	10	7	3	8	16	3	-	147	19	3	4
Cavan	310	-	9	1	2	1	-	-	10	9	22	1	4	2	-	61	-	-	1
Donegal	680	1	15	-	2	1	-	1	1	-	2	-	1	-	1	25	-	-	2
Monaghan	272	-	10	1	-	-	-	-	1	13	4	-	-	-	1	30	-	-	1
Ulster (part of)	1,262	1	34	2	4	2	-	-	12	22	28	1	5	2	2	116	-	-	4
Ireland*	20,715	248	5,528	481	994	586	377	292	170	565	511	323	357	662	501	11,595	444	900	1,367
Northern Ireland	375	2	31	4	4	2	1	2	1	33	6	-	2	2	1	91	1	1	8
England and Wales	882	3	117	13	33	10	5	4	4	17	9	5	4	9	14	247	8	20	15
Scotland	47	-	10	2	2	-	1	-	-	-	-	-	2	-	1	18	1	-	4
Elsewhere	244	4	58	12	16	-	3	2	2	6	1	3	3	5	3	118	2	3	7
Not stated	39	-	1	-	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-

*Exclusive of Northern Ireland

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride																							
Kerry	Limerick Co. Borough	Limerick Co.	Tipperary, N.R.	Tipperary, S.R.	Waterford Co. Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	N. Ireland	England and Wales	Scotland	Elsewhere	Not stated
635	522	561	357	434	187	363	5,840	886	151	492	256	302	2,087	344	758	329	1,431	21,430	186	523	17	94	52
1	-	3	1	1	-	-	7	2	1	-	3	-	6	-	-	1	1	255	-	1	1	-	-
29	11	10	21	16	7	4	151	43	8	11	13	17	92	21	13	9	43	5,637	11	7	2	7	3
1	-	-	-	-	-	-	3	1	-	-	-	-	1	-	1	1	2	398	2	1	-	-	1
1	1	5	5	1	-	1	28	5	5	5	5	2	22	7	3	3	13	1,030	4	2	1	1	-
5	-	2	3	2	-	1	18	3	2	7	1	3	16	1	1	1	3	673	1	-	-	-	-
3	2	-	7	11	14	14	60	2	-	2	-	2	6	-	1	1	2	396	-	-	-	-	-
1	3	4	6	1	-	1	20	2	1	-	2	-	5	-	-	-	-	287	1	-	-	-	-
1	-	-	1	-	-	1	4	2	8	2	7	-	19	6	-	1	7	171	-	-	1	-	-
-	1	-	-	-	2	-	7	2	-	2	1	2	7	8	1	16	25	583	9	1	-	-	-
1	1	1	1	-	1	-	10	3	-	-	-	4	7	18	-	3	21	496	-	1	-	-	-
1	1	1	15	2	-	-	21	8	1	1	1	1	12	-	2	-	2	352	-	-	-	-	-
1	-	-	2	-	-	-	6	7	-	1	10	4	22	3	2	1	6	352	2	-	-	-	-
1	1	-	2	4	4	5	25	1	-	1	-	-	2	1	1	1	3	625	3	2	-	-	2
-	2	3	-	1	-	1	10	2	1	2	1	-	6	1	-	1	2	509	1	2	1	-	-
46	23	29	64	39	28	28	370	83	27	34	44	35	223	66	25	39	130	11,764	34	17	6	8	6
7	18	15	4	-	1	2	406	12	-	3	-	1	16	-	-	-	-	445	-	-	-	1	1
3	5	4	1	4	4	1	790	1	1	-	-	-	2	2	-	1	3	816	-	3	-	-	-
30	4	33	6	13	3	27	1,412	5	-	-	-	1	6	1	-	-	1	1,463	1	2	-	1	5
505	2	13	2	-	-	-	552	2	-	2	3	-	7	1	-	1	2	586	-	3	-	1	-
1	372	36	2	3	1	-	443	3	-	2	1	-	6	-	-	1	1	473	-	1	-	-	-
17	68	379	11	20	1	3	535	6	-	1	-	1	8	-	1	1	2	562	-	1	-	-	1
2	8	17	236	10	-	4	285	4	2	1	1	2	10	3	-	-	3	363	1	1	-	1	-
3	2	20	15	317	2	11	385	1	1	-	-	1	3	-	1	-	1	416	-	1	-	-	-
-	2	-	-	3	129	17	152	-	-	-	-	-	-	-	-	-	-	170	1	-	-	-	-
-	-	-	1	11	13	261	313	-	-	1	1	-	2	-	-	-	-	344	-	1	-	-	-
568	481	517	278	381	154	326	5,273	34	4	10	6	6	60	7	2	4	13	5,637	3	13	-	4	7
7	3	4	6	4	1	1	44	690	3	33	13	3	742	2	4	-	6	850	1	1	-	1	1
-	-	-	-	-	-	-	2	2	73	7	15	13	110	6	5	2	13	146	1	1	-	-	1
-	1	-	2	4	-	-	12	20	2	373	14	14	423	-	4	2	6	464	-	-	-	1	-
-	-	-	-	-	-	2	3	23	15	5	149	12	204	1	3	-	4	241	-	-	-	-	-
-	-	-	-	-	-	-	-	2	8	8	5	192	215	2	9	-	11	241	2	1	-	-	-
7	4	4	8	8	1	3	61	737	101	426	196	234	1,694	11	25	4	40	1,942	4	4	-	2	2
-	1	1	-	2	-	-	5	-	6	1	-	-	7	217	3	13	233	306	2	2	-	-	-
1	1	1	2	-	-	-	7	1	4	4	-	7	16	1	604	1	606	654	18	7	1	-	-
1	1	-	-	-	-	-	3	1	-	-	-	3	4	15	2	216	233	270	2	-	-	-	-
2	3	2	2	2	-	-	15	2	10	5	-	10	27	233	609	230	1,072	1,230	22	9	1	-	-
623	511	552	352	430	183	357	5,719	856	142	475	246	285	2,004	317	661	277	1,255	20,573	63	43	7	14	15
1	-	2	-	-	2	-	15	-	5	2	-	2	9	18	78	45	141	256	118	-	-	1	-
9	8	5	5	2	-	5	77	20	4	13	6	14	57	6	9	4	19	400	4	475	-	1	2
-	1	1	-	-	-	-	7	2	-	-	-	1	3	1	7	-	8	36	-	1	10	-	-
2	2	-	-	2	2	1	21	8	-	1	3	-	12	2	3	3	8	159	1	4	-	78	2
-	-	1	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	6	-	-	-	-	33

TABLE 53—MARRIAGES REGISTERED IN 1972 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Northern Ireland	21	110	113	31	28	10	7	4	3	-	1	328	28.0	
England and Wales	34	482	446	121	31	24	11	5	2	5	3	1,164	26.7	
Scotland	1	22	17	5	2	1	-	-	1	-	-	49	26.9	
Europe (remainder)	-	34	41	17	3	-	1	1	-	1	1	99	27.8	
U.S.A.	3	36	65	25	14	14	6	1	1	4	1	170	30.1	
Canada	2	25	18	7	1	1	-	-	1	-	-	55	26.5	
Australia and New Zealand	-	44	21	2	2	1	1	-	-	-	-	71	25.3	
Elsewhere	-	10	24	9	3	1	3	-	-	-	-	50	29.5	
Total	61	763	745	217	84	52	29	11	8	10	6	1,986	27.4	

TABLE 54—MARRIAGES REGISTERED IN 1972 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Northern Ireland	47	139	82	28	10	12	4	1	1	-	4	328	25.6	
England and Wales	88	646	299	71	23	15	10	4	3	-	5	1,164	25.0	
Scotland	2	26	11	5	3	-	-	-	-	1	1	49	26.3	
Europe (remainder)	3	55	31	5	3	1	-	-	1	-	-	99	25.4	
U.S.A.	5	61	64	25	6	4	4	-	-	-	1	170	27.3	
Canada	4	30	13	6	1	-	-	-	1	-	-	55	25.3	
Australia and New Zealand	9	46	10	3	2	-	1	-	-	-	-	71	23.8	
Elsewhere	2	18	19	6	3	1	-	-	-	-	1	50	26.8	
Total	160	1,021	529	149	51	33	19	5	6	1	12	1,986	25.4	

TABLE 55—MARRIAGES REGISTERED IN 1972 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Northern Ireland	328	38	3	20	33	21	10	43	24	98	36	2
England and Wales	1,164	16	7	125	90	74	34	175	91	411	137	4
Scotland	49	1	-	8	3	6	1	3	2	16	8	1
Europe (remainder)	99	-	-	10	16	10	11	20	3	26	3	-
U.S.A.	170	1	1	24	30	14	12	20	10	48	9	1
Canada	55	1	-	12	4	3	5	5	1	23	1	-
Australia and New Zealand	71	2	2	3	5	3	3	9	5	37	1	1
Elsewhere	50	-	-	11	13	1	-	11	1	12	1	-
Total	1,986	59	13	213	194	132	76	286	137	671	196	9

TABLE 56—MARRIAGES REGISTERED IN 1972 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Northern Ireland	328	2	-	4	71	1	2	93	59	11	83	2
England and Wales	1,164	1	-	13	327	25	1	436	141	44	157	19
Scotland	49	-	-	1	15	-	-	12	11	4	5	1
Europe (remainder)	99	-	-	3	30	2	3	39	8	5	9	-
U.S.A.	170	-	-	2	59	1	2	62	30	5	6	3
Canada	55	-	-	-	20	1	-	26	-	3	3	2
Australia and New Zealand	71	-	-	-	11	1	-	32	8	4	13	2
Elsewhere	50	-	-	1	20	2	1	18	2	2	2	2
Total	1,986	3	-	24	553	33	9	718	259	78	278	31

TABLE 57—MARRIAGES REGISTERED IN 1972 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY

Country of future permanent residence	Total marriages	Form of ceremony						Civil marriages
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	
Northern Ireland	328	263	30	26	4	-	2	3
England and Wales	1,164	1,066	69	11	7	1	-	10
Scotland	49	46	1	2	-	-	-	-
Europe (remainder)	99	89	6	1	1	-	-	2
U.S.A.	170	152	10	3	-	-	-	5
Canada	55	50	4	-	1	-	-	-
Australia and New Zealand	71	68	1	2	-	-	-	-
Elsewhere	50	44	1	1	-	-	-	4
Total	1,986	1,778	122	46	13	1	2	24

TABLE 58—MARRIAGES REGISTERED IN 1972 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	328	6	9	1	1	22	290	-
England and Wales	1,164	107	71	92	59	34	801	-
Scotland	49	3	3	1	1	5	36	-
Europe (remainder)	99	21	1	6	2	-	69	-
U.S.A.	170	21	6	18	10	-	115	-
Canada	55	17	10	7	1	-	20	-
Australia and New Zealand	71	30	14	10	4	1	12	-
Elsewhere	50	21	3	7	2	-	17	-
Total	1,986	226	117	141	80	62	1,360	-

TABLE 59—MARRIAGES REGISTERED IN 1972 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	328	24	35	10	9	132	118	-
England and Wales	1,164	253	131	153	110	56	459	2
Scotland	49	16	4	4	4	10	11	-
Europe (remainder)	99	68	3	9	5	1	13	-
U.S.A.	170	43	25	24	17	5	54	2
Canada	55	21	8	10	3	2	11	-
Australia and New Zealand	71	34	15	10	3	4	5	-
Elsewhere	50	24	10	11	1	1	3	-
Total	1,986	483	231	231	152	211	674	4

TABLE 60—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1972

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
COUNTY BOROUGHS												
Cork	-	-	-	291	-	6	-	-	24	7	-	-
Dublin	-	1	9	1,289	-	67	-	15	226	34	25	1
Limerick	-	1	1	16	-	3	-	-	17	1	1	-
Waterford	-	-	-	3	-	-	-	-	1	-	-	-
COUNTIES												
Carlow												
Urban	-	-	-	5	-	-	-	-	-	-	-	-
Rural	-	1	-	3	-	-	-	-	22	-	-	-
Cavan												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	1	1	4	-	-	-	-	2	-	-	-
Clare												
Urban	-	-	-	5	-	-	-	-	-	-	-	-
Rural	-	4	-	5	-	1	-	-	10	-	-	-
Cork												
Urban	-	-	-	61	-	2	-	-	1	24	2	-
Rural	-	20	1	282	-	9	-	-	35	5	1	-
Donegal												
Urban	-	-	-	-	-	-	-	-	1	-	-	-
Rural	-	-	-	8	-	-	-	-	7	-	1	-
Dublin												
Urban	-	-	1	61	-	3	-	-	12	9	2	-
Rural	-	1	1	133	-	10	-	-	32	9	7	-
Galway												
Urban	-	1	-	7	-	2	-	-	13	-	-	-
Rural	-	6	2	6	-	1	-	1	15	-	-	-
Kerry												
Urban	-	-	-	3	-	-	-	-	-	-	-	-
Rural	-	1	-	12	-	-	-	-	-	1	-	-
Kildare												
Urban	-	-	-	7	-	-	-	-	-	-	-	-
Rural	-	1	1	53	-	2	-	-	4	2	-	-
Kilkenny												
Urban	-	-	-	9	-	-	-	-	-	-	-	-
Rural	-	-	-	9	-	1	-	-	9	-	-	-
Laois												
Rural	-	3	2	86	-	1	-	-	1	3	-	-
Leitrim												
Rural	-	-	1	1	-	-	-	-	1	-	-	-
Limerick												
Rural	-	23	-	11	-	2	-	1	8	1	-	-
Longford												
Urban	-	1	1	4	-	-	-	-	-	-	-	-
Rural	-	-	-	5	-	1	-	-	3	-	-	-
Louth												
Urban	-	-	1	35	-	1	-	-	1	-	-	-
Rural	-	1	-	12	-	-	-	-	14	1	-	-

TABLE 60 (contd.)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1972.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
Mayo												
Urban	-	-	1	8	-	-	-	-	-	-	1	-
Rural	-	-	5	30	-	2	-	-	26	1	30	-
Meath												
Urban	-	-	-	9	-	-	-	-	4	-	-	-
Rural	-	5	-	38	-	8	-	-	15	2	-	-
Monaghan												
Urban	-	-	-	4	-	-	-	-	-	-	-	-
Rural	-	-	-	6	-	-	-	-	3	3	-	-
Offaly												
Urban	-	-	-	5	-	1	-	-	-	-	-	-
Rural	-	-	-	16	-	1	-	-	3	1	1	-
Roscommon												
Rural	-	1	-	-	-	27	-	-	-	-	-	-
Sligo												
Urban	-	-	-	8	-	-	-	-	1	2	-	-
Rural	-	-	-	-	-	-	-	-	-	-	-	-
Tipperary N.R.												
Urban	-	-	-	1	-	-	-	-	-	2	-	-
Rural	-	8	1	8	-	1	-	-	2	1	-	-
Tipperary S.R.												
Urban	-	-	-	5	-	-	-	-	-	1	-	-
Rural	-	-	-	5	-	-	-	-	-	-	-	-
Waterford												
Urban	-	-	-	1	-	-	-	-	-	-	-	-
Rural	-	1	-	8	-	-	-	-	-	-	-	-
Westmeath												
Urban	-	-	-	1	-	-	-	-	-	-	-	-
Rural	-	1	-	9	-	3	-	1	19	-	-	-
Wexford												
Urban	-	-	-	50	-	-	-	-	3	-	-	-
Rural	-	1	-	60	-	1	-	-	3	-	6	-
Wicklow												
Urban	-	-	-	18	-	-	-	-	3	1	-	-
Rural	-	3	-	21	-	-	-	-	52	1	-	-
ALL COUNTY BOROUGHS	-	2	10	1,599	-	76	-	15	268	42	26	1
ALL URBAN DISTRICTS	-	2	4	307	-	9	-	-	39	39	5	-
ALL RURAL DISTRICTS	-	82	15	831	-	71	-	3	286	31	46	-
TOTAL	-	86	29	2,737	-	156	-	18	593	112	77	1

TABLE 60 (contd.)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1972

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weill's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHS:													
Cork	57	-	-	59	14	21	2	6	-	-	-	8	-
Dublin	559	1	-	76	135	218	48	1	-	1	-	78	40d
Limerick	50	-	-	2	1	12	-	-	-	-	-	32	-
Waterford	4	-	-	-	-	-	-	-	-	-	-	-	-
COUNTIES:													
Carlow													
Urban	2	-	-	-	-	-	-	-	-	-	-	-	-
Rural	35	-	-	-	-	-	5	-	-	-	-	-	-
Cavan													
Urban	1	-	-	-	-	-	-	-	-	-	-	-	-
Rural	40	-	-	4	2	-	-	-	-	-	-	-	-
Clare													
Urban	7	-	-	-	-	-	-	1	-	-	-	-	-
Rural	85	-	-	-	3	-	1	4	-	-	-	1	-
Cork													
Urban	42	-	-	63	3	58	-	3	-	-	-	10	-
Rural	96	2	-	101	9	-	10	3	-	-	1	17	-
Donegal													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	83	-	1	1	2	-	3	-	-	-	-	-	-
Dublin													
Urban	83	-	-	10	5	30	26	-	-	1	-	2	5d
Rural	390	-	-	46	10	-	31	-	-	-	-	22	3d
Galway													
Urban	129	-	-	2	1	2	-	-	-	-	-	2	-
Rural	128	-	-	2	2	-	9	-	-	3	-	4	-
Kerry													
Urban	1	-	-	-	-	-	-	-	-	-	-	-	-
Rural	13	-	-	2	1	-	1	1	-	2	-	12	-
Kildare													
Urban	11	-	-	3	-	18	-	-	-	-	-	1	-
Rural	27	-	-	16	4	-	-	-	-	-	-	1	1d
Kilkenny													
Urban	8	-	-	-	-	-	-	-	-	-	-	-	-
Rural	105	-	-	1	1	-	2	-	-	-	-	-	-
Laois													
Rural	24	-	-	-	12	-	6	-	-	-	-	2	1d
Leitrim													
Rural	2	-	-	-	2	-	-	-	-	-	-	-	1d
Limerick													
Rural	42	-	-	3	1	-	1	-	-	-	-	4	-
Longford													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1	-	-	-	2	-	-	-	-	-	-	1	-
Louth													
Urban	1	-	-	-	1	-	-	-	-	-	-	-	-
Rural	8	-	-	-	1	-	-	-	-	-	-	1	-

(d) Acute Lymphocytic Meningitis.

TABLE 60 (contd.)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR, 1972

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban	-	-	-	-	-	5	-	-	-	1	-	-	-
Rural	29	-	-	17	-	-	2	-	-	-	-	8	-
Meath													
Urban	30	-	-	8	1	4	-	-	-	-	-	3	-
Rural	110	-	-	18	17	-	2	-	-	-	-	10	1d
Monaghan													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	5	-	-	-	-	-	-	-	-	1	-	3	-
Offaly													
Urban	7	-	-	-	-	1	-	-	-	-	-	-	-
Rural	81	-	-	1	-	-	2	-	-	-	-	-	1d
Roscommon													
Rural	6	-	-	-	1	-	-	-	-	-	-	-	-
Sligo													
Urban	38	-	-	-	2	13	4	-	-	-	-	-	-
Rural	18	-	-	-	-	-	-	-	-	-	-	-	-
Tipperary N.R.													
Urban	13	-	-	-	-	-	-	-	-	-	-	-	-
Rural	3	-	-	-	2	-	-	-	-	-	-	-	-
Tipperary S.R.													
Urban	1	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2	-	-	-	2	-	-	-	-	-	-	1	-
Waterford													
Urban	16	-	-	-	-	-	-	-	-	-	-	-	-
Rural	64	-	-	1	-	-	2	-	-	-	-	6	-
Westmeath													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	187	-	-	4	3	-	2	-	-	-	-	1	-
Wexford													
Urban	14	-	-	8	-	1	2	-	-	-	-	-	-
Rural	18	-	-	3	-	-	3	-	-	-	-	-	-
Wicklow													
Urban	41	-	-	2	-	5	7	-	-	-	-	-	-
Rural	79	-	-	12	1	-	7	-	-	-	-	1	-
ALL COUNTY BOROUGHS	670	1	-	137	150	251	50	7	-	1	-	118	40d
ALL URBAN DISTRICTS	445	-	-	96	13	137	39	4	-	2	-	18	5d
ALL RURAL DISTRICTS	1,681	2	1	232	78	-	89	8	-	6	1	95	8d
TOTAL	2,796	3	1	465	241	388	178	19	-	9	1	231	53d

(d) Acute Lymphocytic Meningitis.