



Central Statistics Office
An Phríomh-Oifig Staidrimh

Environmental Accounts for Ireland

1994-2001

Published by the Stationery Office, Dublin, Ireland.

To be purchased from the:

Central Statistics Office, Information Section, Skehard Road, Cork.

Government Publications Sale Office, Sun Alliance House,
Molesworth Street, Dublin 2, Ireland.

or through any bookseller.

Price €10.00

October 2003

CSO on the Web - <http://www.cso.ie/publications/enviracc.pdf>
(entire text including tables)
<http://www.cso.ie/publications/enviracc.xls>
(tables only)

© Government of Ireland 2003

Material compiled by the Economic and Social
Research Institute and the Central Statistics Office.

Reproduction is authorised, except for commercial
purposes, provided the source is acknowledged.

ISSN 1649-3311

ISBN 0-7557-1525-X

Contents

	Page
Foreword	4
Chapter 1 Introduction	5
Chapter 2 Environmental Themes	7
Chapter 3 Sources of Data	9
Chapter 4 Air Emissions Accounts 1994-2001	11

Tables

1	CO ₂ emissions – thousand tonnes	22
2	N ₂ O emissions – thousand tonnes	23
3	CH ₄ emissions – thousand tonnes	24
4	Greenhouse gas emissions – thousand tonnes CO ₂ equivalents	25
5	SO ₂ emissions – thousand tonnes	26
6	NO _x emissions – thousand tonnes	27
7	NH ₃ emissions – thousand tonnes	28
8	Acid rain precursor emissions – thousand tonnes SO ₂ equivalents	29
	Appendix	30

Foreword

Background

The national accounts provide a comprehensive framework within which economic data can be presented in a coherent, consistent manner. They present in a condensed manner, using internationally agreed standards, information about the working of the economy.

The Irish national accounts are basically compiled in accordance with "The European System of Accounts 1995" (ESA 95) which is used in all member states of the European Community.

However, such accounts can be incomplete depending on the analytical focus. In particular, the effects or the potential effects of pollution are not considered. Hence satellite accounts are generated to organise information to supplement the general-purpose orientation of the national accounts.

Environmental Satellite Accounts

The aim of the present accounts is to outline the potential impact on the environment of economic and social activity. The idea is to list in quantifiable terms the amount of potential air pollutants produced by industry and households, which may be compared to the employment and the value of output produced by these sectors. Due to the difficulties in dealing with aspects of environmental accounts in monetary terms, physical data is used instead which can be linked to the main accounts to describe the effects of pollution.

This publication represents the fourth set of environmental satellite accounts for Ireland. They set out a longitudinal series of air emissions in respect of the years 1994-2001 and have been compiled by the Economic and Social Research Institute (ESRI) and the Central Statistics Office (CSO). The work for years prior to 2001 was funded by Eurostat (the Statistical Office of the European Communities).

The CSO publishes the results as a potentially useful adjunct to the National Income & Expenditure (NIE) annual report.

The contributions from and assistance of the following bodies to the background material in this report is gratefully acknowledged: Environmental Protection Agency, Department of Communications, Marine & Natural Resources, Sustainable Energy Ireland, Electricity Supply Board and Bord Gáis.

Central Statistics Office

October 2003

Chapter 1 Introduction

These satellite accounts give a sectoral breakdown of greenhouse gas emissions and acid rain precursor emissions, two phenomena that can impinge on our future well-being. The allocations are based on the sector of the energy end-user as distinct from the sector of energy generation/production. The figures in these accounts do not measure pollution levels but rather are estimates of emissions into the environment. Emissions are the flow into the environment whereas the level of pollution depends on the state of the receiving medium and its capacity to absorb and assimilate emissions without damage occurring now or in the future.

Under the Kyoto protocol to the United Nations Framework Convention on Climate Change, EU Member States agreed to reduce greenhouse gas emissions in the EU as a whole to 8 per cent below 1990 levels in the period 2008-2012. Ireland's burden-sharing contribution is a target of 13 per cent increase above 1990 levels.

Ireland is also committed to reducing the emissions of four acid rain precursor air pollutants by 2010 under the 1999 Gothenburg Protocol. These pollutants contribute to regional acidification, eutrophication and local air pollution. The EU has put in place a Directive setting National Emissions Ceilings (NECs) for each Member State.

While official estimates of Irish air emissions are compiled and published by the Environmental Protection Agency (EPA)¹, the aim of this publication is to further attribute air emissions to economic sub-sectors rather than the physical processes that generate the emissions. When analysing these air emissions accounts it should be borne in mind that the figures are estimates and recalculations are periodically done as improved data and models become available.

¹ "Emissions to Air 1990-1998," McGettigan and Duffy (2000) or "Air Quality Monitoring, Annual Report 2001," McGovern and McGettigan (2002) and Annual National Inventory reports to the UNFCC.

The six gases examined in these environmental accounts can be classified into two separate streams based on their potential effects on the environment:

Global warming potential	Carbon Dioxide - CO ₂ Nitrous Oxide - N ₂ O Methane - CH ₄
Acid rain precursors	Sulphur Dioxide - SO ₂ Oxides of Nitrogen - NO _x Ammonia - NH ₃

Chapter 2 Environmental Themes

Global warming potential

Carbon dioxide (CO₂) emissions are the result of burning fossil fuels such as coal, turf and petroleum. Carbon dioxide is also sequestered by vegetation growth, the most important being by trees. **Nitrous oxide** (N₂O) emissions arise from a few industrial processes and from nitrogen fertilisers. The digestive systems of ruminant animals and waste treatment systems lead to **methane** (CH₄) emissions. There are other greenhouse gases (VOC and CO) that are not considered in this exercise.

The relative contribution of each gas to the greenhouse effect can be expressed in terms of global warming potential. This is measured in tonnes of CO₂ equivalents. The global warming potential of each gas takes account of the fact that different gases remain in the atmosphere for differing lengths of time. The relevant conversions are as follows:

Emitted gas	Global warming potential over 100 years (CO ₂ equivalents per tonne of gas emitted)
Carbon dioxide (CO ₂)	1
Methane (CH ₄)	21
Nitrous oxide (N ₂ O)	310

It should be noted that these measures of global warming potential are those given by the Inter Governmental Panel on Climate Change (1995) and are used by the EPA but may be subject to revision.

Acid rain precursors

Acid rain occurs when acidic gases and particles are transported in the air before falling as wet or dry deposition. High concentrations can be harmful to health, to water and soil quality, to buildings, and can reduce plant growth and damage forests. Emissions *per se* are not necessarily harmful but they have acidification potential and are therefore aggregated into an acid rain precursor theme.

Burning of coal with high sulphur content is a significant source of **sulphur dioxide** (SO₂). **Oxides of nitrogen** (NO_x) arise when fossil fuels are burnt under certain conditions. **Ammonia** (NH₃) emissions arise primarily from animal manure and nitrogen based fertilisers. Acid rain precursor emissions are expressed in sulphur dioxide (SO₂) equivalents using the following conversion factors:

Emitted gas	Acid rain precursors (SO ₂ equivalents per tonne of gas emitted)
Sulphur Dioxide (SO ₂)	1.0000
Oxides of Nitrogen (NO _x)	0.6957
Ammonia (NH ₃)	1.8824

Chapter 3 Sources of Data

Estimates of air emissions in both the Global Warming Potential and Acid Rain Precursors themes derive from the same data sources. Both involve emissions to air and are primarily due to the combustion of fossil fuels. The EPA compiles the official air emissions estimates, which it submits annually to the United Nations Framework Convention on Climate Change (UNFCCC) and the European Environment Agency (EEA). These satellite accounts use and complement EPA's work by estimating emissions by sector within the economy. Both the EPA's estimates and the data sources mentioned below were used to attribute emissions to the relevant economic sectors. Much of the sectoral data available is company accounts data and the work undertaken in compiling these accounts involved inferring from this economic data the extent of emissions to air attributable to each economic sector (e.g. from fuel expenditure data).

Estimates of emissions to air by industry are primarily derived from the data collected in the CSO's annual *Census of Industrial Production (CIP)*. Periodically, the CIP collects detailed information on the breakdown of fuel expenditure and these detailed analyses were used also to infer expenditure by fuel type in the intervening years. Quantities of fuels consumed were estimated by dividing fuel expenditure by average fuel prices using fuel price time series maintained by Sustainable Energy Ireland. Standard conversion factors were then used to convert the fuel quantities consumed into estimates of air emissions². The methodology employed, where fuel consumption is inferred from fuel expenditure, is the best available in the absence of sectoral data on quantities of fuel consumption.

² Emissions factors are reproduced in an appendix.

Figures for the services sectors, both market and non-market, are derived from the Department of Communications Marine and Natural Resource's Energy Balance Sheets. These balance sheets disaggregate consumption by fuel type into five major sectors: Industry, Transport, Agriculture, Commercial and Public services, and the Residential sector. The balance sheets were also used to estimate sectoral air emissions for the agricultural and residential sectors.

Electricity-related emissions were attributed to the individual economic sectors in proportion to their final demand for electricity. Emissions associated with natural gas consumption were similarly attributed to individual economic sectors in proportion to their consumption except where natural gas is used as a production feedstock, in which case the associated emissions are estimated separately.

The estimates presented here are best interpreted as indicative in nature but it is hoped that they give further insights into the interaction which the different economic sectors have with the environment and, in particular, air.

Chapter 4 Results Air Emissions Accounts 1994 – 2001

The rapid growth in the Irish economy during the past 7 years implies an increase in the consumption of raw materials and energy inputs, which have knock on effects on the environment. The increase in economic activity is evidenced, for example, in the increase in the size of the labour force and in the level of fixed capital formation over the period. The increase in the use of natural resources can be gauged by the expansion in the area of land used for construction, the increase in both energy consumption and raw materials inputs. The ensuing increases in emissions of greenhouse gases and acid rain precursors put further pressure on the environment.

Aspects of Economic Activity 1994-2001

	Units	1994	2001	% change
Gross domestic fixed capital formation at 1995 prices	€ Million	7,968	17,974	+126%
Gross domestic product at 1995 prices	€ Million	47,915	89,320	+86%
Numbers at work	'000	1,221	1,716	+40%
Total Primary Energy Requirement	TOE '000	10,846	14,761	+36%
Greenhouse Gas emissions	ktonne CO ₂ equiv	56,414	68,795	+22%
Acid Rain precursors	ktonne SO ₂ equiv	484	451	-7%
Household and commercial waste	ktonne	1,287	2,298	+79%


Trends in emissions of carbon dioxide, which are lower than trends in energy consumption, can be explained by changes in the mix of energy sources such as for example, a switch from hard coal to natural gas in electricity generation in particular.

Greenhouse Gases

CO₂ emissions

Emissions estimates for carbon dioxide (CO₂) are presented in Table 1. In the period 1994 to 2001 aggregate national emissions increased by 35% from approximately 34.0 to 45.8 million tonnes. In the industrial and services sectors there were similar percentage increases in CO₂, while emissions from the residential sector increased by 6% over the period. The most marked increase in CO₂ emissions occurred in transport (which includes both the Transport Sector and transport activities carried out in all other sectors), where emissions increased by 93% between 1994 and 2001, with transport comprising both private and business transport. Emissions trends are presented graphically in Figure 1³.

Figure 1: Carbon Dioxide Emissions



³ There are significant revisions in the levels of sequestration of CO₂ due to the EPA now adopting a country specific methodology under the UNFCCC Reporting Guidelines on Annual Inventories. Previously, the total sequestration by Ireland's stock of forest was included. Under the new guidelines only the changes due to afforestation since 1990 are recorded.


N₂O and CH₄ emissions

Emissions of nitrous oxide (N₂O) and methane (CH₄) are presented in Tables 2 and 3. Although the aggregate magnitude of emissions of these gases are significantly lower than those for CO₂ emissions, N₂O and CH₄ are relatively more potent in terms of global warming potential. Aggregate N₂O emissions increased by just 5% over the eight-year period but this masks somewhat the relatively large growth in emissions from the transport, services and residential sectors. N₂O emissions from transport increased by 160% between 1994 and 2001. Although three-way catalytic converters are now prevalent in vehicles these devices do not curb N₂O emissions. Ruminant animals are the primary source of CH₄ emissions with gas distribution losses the other significant source.

Greenhouse Gases

Figure 2 and Table 4 combine the three greenhouse gases into a single emissions estimate in terms of carbon dioxide equivalents. Although the forestry acts as a large sink for CO₂ emissions³, the high level of emissions of N₂O and CH₄ (when expressed as CO₂ equivalents) from farming contributes to agriculture, forestry and fishing being the sector with the highest level of greenhouse gas emissions. For the period 1994-1999 greenhouse gas emissions in the agricultural sector (incl. forestry and fishing) were roughly stationary at an average of 21 million tonnes/annum but there was a 6% reduction in net emissions between 1999 and 2001 due primarily to a decrease in livestock numbers. All other sectors in the economy recorded increases in greenhouse gas emissions. Transport in particular changed from having the fifth highest level of emissions in 1996 to the third highest in 1999, a position it continued to hold in 2001 while the industrial sector's emissions increased by an average of 4% per annum.

Figure 2: Greenhouse Gas (CO₂, N₂O, CH₄) Emissions



Under the Kyoto protocol of the United Nations Framework Convention on Climate Change Ireland is committed to limit its increase in emissions of six greenhouse gases to 13% above 1990 levels between the years 2008 to 2012. Based on the EPA’s official estimates, national greenhouse gas emissions exceeded the Kyoto target in 1997 and were 31% above the 1990 baseline level in 2001. Clearly, significant remedial measures are required to meet our commitment under the Kyoto protocol, as identified in the National Climate Change Strategy (October 2000).


Greenhouse gas emissions as a percentage of 1990 Kyoto protocol baseline*

1994	1995	1996	1997	1998	1999	2000	2001
106%	108%	111%	116%	120%	124%	128%	131%

* Calculations based on official aggregate emissions estimates compiled by the EPA and Kyoto definitions.

While aggregate emissions have been increasing between 1994 and 2001, the relative sectoral shares of greenhouse gas emissions have also changed, as shown in Figure 3. The share of emissions emanating from the residential and agricultural sectors have declined whereas share of emissions from the transport and industry sectors increased.


Figure 3: Sector Shares - Greenhouse Gas (CO₂, N₂O, CH₄) Emissions



Residential Sector

Residential greenhouse gas emissions were stationary at approximately 10 million tonnes per annum between 1994 and 2001. Over the same period the housing stock increased by approximately 25% suggesting that emissions per household declined. However, this hides the fact that households actually increased their demand for energy. Figure 4 shows that residential electricity demand per household increased by over 10% between 1994 and 2001. The increase in per household electricity demand in parallel to a decline in per household emissions is explained by the fact that electricity generation has become cleaner in recent years in terms of intensity of greenhouse gas emissions. Secondly, emissions from solid fuels used directly by the residential sector have also declined, leading to a decline in emissions per household. These two components are the primary factors explaining the 15% decline in residential greenhouse gas emissions per household between 1994 and 2001 as shown in Figure 4.

Figure 4: Residential Sector Electricity Demand and Emissions




Acid rain precursors

SO₂ emissions

Sulphur dioxide (SO₂) emissions are presented in Table 5, which shows that emissions declined by 28% between 1994 and 2001. The decline occurred in all sectors of the economy, which is due in part to a decline in the volume of sulphur emissions from electricity generation and the introduction in 1999 of low sulphur transport fuel. Figure 5 shows that the industrial, residential and services sectors are the most intensive emitters of SO₂ and the three sectors combined now emit over 82% of all SO₂ emissions.

Figure 5: Sulphur Dioxide Emissions



NO_x and NH₃ emissions

Tables 6 and 7 contain emissions estimates for oxides of nitrogen (NO_x) and ammonia (NH₃). The growth of NO_x emissions between 1994 and 2001 was 10% for the period with the transport (+26%) and residential (-14%) sectors showing the most significant movement over the period. Ammonia (NH₃) emissions predominantly derive from agricultural sources and were 7% higher in 1999 compared to 1994 levels, which was followed by a 4% reduction in emissions in 2001 due to the significant drop in both cattle and sheep numbers in this period.

Acid Rain Precursors

Estimates of emissions of acid rain precursors, which are expressed in SO₂ equivalents, are presented in Figure 6 and Table 8. Emissions totalled 451 thousand tonnes in 2001, a decline of 7% since 1994. The agricultural sector predominates, accounting for roughly half of total emissions. Elsewhere in the economy there have been only relatively small fluctuations in the magnitude of emissions, as illustrated in Figure 7.

Figure 6: Acid Rain Precursor (SO₂, NO_x, NH₃) Emissions





Figure 7: Sector Shares - Acid Rain Precursor (SO₂, NO_x, NH₃) Emissions



Ireland’s targets under the Gothenburg Protocol

Ireland is committed to reducing the three acid rain precursor emissions and volatile organic compounds (VOCs) under the 1999 Gothenburg Protocol. The EU has put in place a Directive setting National Emissions Ceilings (NECs), which in Ireland’s case are the same as the Gothenburg Protocol targets. Significant further reductions in Ireland’s emissions are required if these targets are to be met.

Pollutant	Year 2001 Emissions (kt)	Ceiling by 2010 (kt)	Reduction required to meet 2010 target (kt)	Percentage reduction required
Sulphur Dioxide (SO ₂)	126	42	84	67%
Nitrogen Oxides (NO _x)	135	65	70	52%
Volatile Organic Compounds (VOC _s)	87	55	32	37%
Ammonia (NH ₃)	123	116	7	6%

Source: Department of the Environment and Local Government

References

Department of Environment and Local Government, *Bulletin of Vehicle and Driver Statistics*, Stationery Office, Dublin.

International Panel on Climate Change (IPCC). <Various publications>
<http://www.ipcc.ch/>

McGettigan, Michael and Paul Duffy, 2000, *Emissions to Air 1990-1998, Estimation Methods, Trends and Challenges*, Environmental Protection Agency, Co. Wexford, Ireland.

McGettigan, Michael and Paul Duffy, 2003, *National Inventory Report 2003*
reports.eea.eu.int/technical_report_2003_95/en/NIR_Submission2003_IE.pdf

McGovern, Frank and Michael McGettigan, 2002, *Air Quality Monitoring, Annual Report 2001*, Environmental Protection Agency, Co. Wexford, Ireland.

National Climate Change Strategy, Ireland, 2000, Published by the Stationery Office, Dublin.

Department of Environment and Local Government. *Strategy to Reduce Emissions of Transboundary Pollution by 2010 to comply with National Emission ceilings.*

Tables

Table 1: Carbon Dioxide (CO₂) Emissions

		Thousand tonnes								
		NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
Emissions by Agriculture, Forestry, Fishing			1,554.6	1,591.9	1,621.3	1,693.3	1,702.4	1,705.6	1,756.1	1,795.6
Sequestration by forestry			-407.3	-428.7	-420.2	-497.9	-573.6	-500.5	-407.3	-1,007.0
AGRICULTURE, FORESTRY, FISHING		1,2,5	1,147.3	1,163.2	1,201.1	1,195.4	1,128.8	1,205.0	1,348.8	788.6
FUEL,POWER,WATER		40-41	1,161.3	1,207.5	1,348.9	1,318.3	1,318.5	1,295.6	1,325.0	1,610.1
Coal, peat, petroleum, metal ores, quarrying		10-14	502.4	670.5	756.8	773.4	824.9	859.3	886.7	988.5
Food, beverage, tobacco		15-16	2,070.6	2,229.7	2,269.2	2,381.1	2,431.1	2,458.3	2,618.3	2,791.6
Textiles Clothing Leather & Footwear		17-19	296.2	312.9	327.1	380.9	383.0	391.3	389.8	435.1
Wood & wood products		20	157.9	196.5	216.3	215.7	202.5	209.6	206.9	215.8
Pulp, paper & print production		21-22	146.4	157.6	158.9	141.4	139.5	144.3	140.9	147.3
Chemical production		24	2,375.9	2,229.1	2,137.6	2,394.3	2,401.3	2,323.8	2,325.0	2,470.6
Rubber & plastic production		25	183.6	189.0	186.1	258.3	267.0	273.6	268.3	270.0
Non-metallic mineral production		26	1,980.4	2,067.3	2,120.1	2,299.3	2,281.8	2,357.7	2,999.9	3,337.5
Metal prod. excl. machinery & transport equip.		27-28	759.8	755.8	780.6	860.9	917.4	901.9	880.8	672.2
Agriculture & industrial machinery		29	604.3	686.8	683.9	699.9	724.5	748.1	749.3	802.0
Office and data process machines		30	136.9	142.5	79.2	106.8	118.6	129.2	130.3	126.5
Electrical goods		31-33	273.9	306.1	366.6	517.6	522.3	544.8	537.3	539.6
Transport equipment		34-35	62.3	74.0	65.5	71.7	73.8	75.1	72.6	74.5
Other manufacturing		36-37,23	243.8	224.3	210.4	223.1	280.1	374.9	352.0	329.9
Construction		45	25.0	33.4	36.6	41.5	43.8	45.0	45.0	47.8
INDUSTRY excl. Fuel, Power, Water			9,819.3	10,275.4	10,395.0	11,365.9	11,611.6	11,837.0	12,603.0	13,248.7
TRANSPORT*			6,142.1	6,529.8	7,283.7	8,119.8	9,304.6	10,458.2	11,030.0	11,849.0
SERVICES excl Transport			5,930.1	5,871.1	6,030.9	6,359.9	6,663.5	7,327.0	7,729.3	7,966.6
RESIDENTIAL			9,704.2	9,558.5	9,590.1	9,819.8	9,956.4	9,782.0	9,967.1	10,260.2
Sub-TOTAL			33,904.4	34,605.6	35,849.7	38,179.2	39,983.4	41,904.9	44,003.1	45,723.2
Not attributed to any sector			96.5	98.3	100.2	102.8	105.3	106.8	109.2	108.6
TOTAL			34,000.9	34,703.9	35,949.9	38,281.9	40,088.7	42,011.7	44,112.3	45,831.8

* Includes both Transport and road transport activities carried out in all other sectors.

Table 2: Nitrous Oxide (N₂O) Emissions
Thousand tonnes

	NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
AGRICULTURE, FORESTRY, FISHING	1,2,5	26.0	26.4	26.9	27.1	27.5	27.7	27.4	26.7
FUEL,POWER,WATER	40-41	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Coal, peat, petroleum, metal ores, quarrying		0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Food, beverage, tobacco		0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Textiles Clothing Leather & Footwear	10-14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wood & wood products	15-16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulp, paper & print production	17-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chemical production	20	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.0
Rubber & plastic production	21-22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-metallic mineral production	24	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Metal prod. excl. machinery & transport equip.	25	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
Agriculture & industrial machinery	26	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Office and data process machines	27-28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Electrical goods	29	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
Transport equipment	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other manufacturing	31-33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Construction	34-35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
INDUSTRY excl. Fuel, Power, Water		3.2	3.2	3.3	3.3	3.4	3.4	3.3	2.7
TRANSPORT*		0.5	0.6	0.7	0.8	1.0	1.3	1.2	1.3
SERVICES excl Transport		0.7	0.7	0.7	0.7	0.8	0.8	0.9	0.9
RESIDENTIAL		1.0	1.0	1.0	1.1	1.2	1.2	1.2	1.3
Sub-TOTAL		31.6	32.1	32.8	33.2	34.0	34.5	34.2	33.0
Not attributed to any sector		0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5
TOTAL		32.0	32.4	33.1	33.6	34.4	34.9	34.7	33.6

* Includes both Transport and road transport activities carried out in all other sectors.

Table 3: Methane (CH₄) Emissions

		Thousand tonnes								
		NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
AGRICULTURE, FORESTRY, FISHING		1,2,5	521.1	523.1	528.8	539.7	551.6	551.8	540.3	525.9
FUEL,POWER,WATER		40-41	2.7	2.9	3.1	3.0	2.5	2.5	2.5	2.5
Coal, peat, petroleum, metal ores, quarrying			0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
Food, beverage, tobacco			0.8	0.8	0.7	0.7	0.6	0.5	0.5	0.6
Textiles Clothing Leather & Footwear		10-14	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Wood & wood products		15-16	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Pulp, paper & print production		17-19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Chemical production		20	1.8	1.6	1.3	1.3	1.1	0.9	0.8	0.9
Rubber & plastic production		21-22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-metallic mineral production		24	0.4	0.5	0.5	0.5	0.5	0.4	0.5	0.7
Metal prod. excl. machinery & transport equip.		25	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Agriculture & industrial machinery		26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Office and data process machines		27-28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Electrical goods		29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Transport equipment		30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other manufacturing		31-33	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Construction		34-35	-	-	-	-	-	-	-	-
INDUSTRY excl. Fuel, Power, Water			3.4	3.3	2.9	2.8	2.4	2.2	2.1	2.5
TRANSPORT*			1.9	1.9	2.0	2.1	2.3	2.4	2.6	2.6
SERVICES excl Transport			63.1	65.4	68.0	66.0	55.6	52.0	58.5	61.1
RESIDENTIAL			3.3	3.1	3.3	3.3	3.2	2.7	2.7	2.6
Sub-TOTAL			595.5	599.8	608.0	616.9	617.6	613.6	608.8	597.2
Not attributed to any sector			-	-	-	-	-	-	-	1.0
TOTAL			595.5	599.8	608.0	616.9	617.6	613.6	608.8	598.2

* Includes both Transport and road transport activities carried out in all other sectors.

Table 4: Greenhouse Gas Emissions (CO₂, N₂O, CH₄)**Thousand tonnes CO₂ equivalents**

	NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
AGRICULTURE, FORESTRY, FISHING	1,2,5	20,135.9	20,340.7	20,655.6	20,924.2	21,229.3	21,368.2	21,203.4	20,113.6
FUEL,POWER,WATER	40-41	1,264.6	1,314.3	1,464.4	1,429.6	1,421.5	1,397.8	1,426.1	1,721.9
Coal, peat, petroleum, metal ores, quarrying		514.1	686.8	775.8	791.6	844.1	879.2	907.3	1,011.0
Food, beverage, tobacco		2,132.0	2,292.2	2,330.5	2,444.5	2,496.8	2,524.3	2,682.2	2,861.6
Textiles Clothing Leather & Footwear	10-14	305.5	322.2	337.2	393.0	396.0	404.4	402.5	449.2
Wood & wood products	15-16	163.2	202.6	223.4	223.0	209.9	217.1	214.1	223.5
Pulp, paper & print production	17-19	151.3	162.7	164.2	146.1	144.4	149.3	145.7	152.4
Chemical production	20	3,253.9	3,101.6	3,003.2	3,263.0	3,268.2	3,186.4	3,181.4	3,103.5
Rubber & plastic production	21-22	190.0	195.2	192.1	266.9	276.4	283.1	277.4	279.4
Non-metallic mineral production	24	2,004.2	2,093.1	2,147.0	2,326.9	2,309.6	2,384.6	3,028.3	3,372.0
Metal prod. excl. machinery & transport equip.	25	781.8	776.8	801.3	880.0	937.8	922.6	900.6	687.8
Agriculture & industrial machinery	26	627.2	711.7	708.4	725.2	751.8	775.8	776.0	830.9
Office and data process machines	27-28	141.8	147.6	81.6	110.2	122.3	133.0	133.9	130.3
Electrical goods	29	283.4	315.5	378.7	535.0	541.2	563.9	555.7	558.7
Transport equipment	30	64.5	76.3	67.7	74.0	76.2	77.5	75.0	76.9
Other manufacturing	31-33	250.9	230.4	215.8	229.2	287.2	383.2	359.4	337.1
Construction	34-35	26.0	34.6	38.0	43.1	45.5	46.7	46.6	49.5
INDUSTRY excl. Fuel, Power, Water		10,889.6	11,349.2	11,464.9	12,451.7	12,707.4	12,931.1	13,686.2	14,123.9
TRANSPORT*		6,347.5	6,741.3	7,540.3	8,423.6	9,670.8	10,895.9	11,456.3	12,315.1
SERVICES excl Transport		7,473.8	7,457.4	7,673.2	7,971.0	8,070.0	8,676.1	9,222.8	9,524.2
RESIDENTIAL		10,087.6	9,936.7	9,974.9	10,226.3	10,381.6	10,212.5	10,398.5	10,711.1
Sub-TOTAL		56,199.1	57,139.6	58,773.2	61,426.3	63,480.6	65,481.7	67,393.2	68,509.9
Not attributed to any sector		214.9	209.6	209.6	232.5	229.7	243.0	263.8	285.2
TOTAL		56,414.0	57,349.2	58,982.8	61,658.8	63,710.3	65,724.7	67,657.0	68,795.1

* Includes both Transport and road transport activities carried out in all other sectors.

Table 5: Sulphur Dioxide (SO₂) Emissions

		Thousand tonnes								
		NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
AGRICULTURE, FORESTRY, FISHING		1,2,5	4.6	3.8	3.3	3.8	4.1	3.5	2.9	2.9
FUEL,POWER,WATER		40-41	8.7	8.3	7.7	8.4	9.0	7.9	6.3	6.8
Coal, peat, petroleum, metal ores, quarrying			2.4	3.0	3.4	3.7	4.3	4.1	3.4	3.0
Food, beverage, tobacco			11.9	11.6	10.9	12.9	14.5	13.4	10.8	10.7
Textiles Clothing Leather & Footwear		10-14	2.0	2.0	1.8	2.2	2.4	2.2	1.7	1.7
Wood & wood products		15-16	1.0	1.1	1.1	1.3	1.4	1.3	1.0	1.0
Pulp, paper & print production		17-19	1.1	1.0	0.9	0.9	1.0	0.9	0.7	0.6
Chemical production		20	6.9	6.1	5.2	6.1	6.8	6.4	5.1	4.8
Rubber & plastic production		21-22	1.4	1.3	1.1	1.7	1.9	1.8	1.4	1.2
Non-metallic mineral production		24	3.7	3.6	3.5	4.0	4.5	4.0	3.4	3.7
Metal prod. excl. machinery & transport equip.		25	6.3	5.9	5.8	7.8	9.0	7.9	7.7	5.6
Agriculture & industrial machinery		26	4.3	4.5	3.7	4.3	4.8	4.4	3.4	3.3
Office and data process machines		27-28	1.0	1.0	0.4	0.6	0.7	0.6	0.5	0.5
Electrical goods		29	2.1	2.2	2.3	3.4	3.7	3.4	2.7	2.4
Transport equipment		30	0.5	0.5	0.4	0.5	0.6	0.5	0.4	0.4
Other manufacturing		31-33	0.8	0.7	0.6	0.9	1.0	0.9	0.7	0.6
Construction		34-35	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2
INDUSTRY excl. Fuel, Power, Water			45.4	44.8	41.4	50.6	56.8	52.2	43.1	39.6
TRANSPORT*			7.2	7.4	8.0	8.9	10.1	3.2	3.2	3.3
SERVICES excl Transport			33.9	31.7	28.5	33.0	35.8	36.0	30.8	30.2
RESIDENTIAL			46.5	43.5	39.8	44.2	46.2	42.3	35.8	34.0
Sub-TOTAL			146.4	139.6	128.8	148.7	162.1	145.0	122.1	116.7
Not attributed to any sector			28.7	21.6	18.6	17.4	14.0	12.3	9.4	9.3
TOTAL			175.1	161.2	147.4	166.1	176.1	157.4	131.5	126.1

* Includes both Transport and road transport activities carried out in all other sectors.

Table 6: Oxides of Nitrogen (NO_x) Emissions
Thousand tonnes

	NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
AGRICULTURE, FORESTRY, FISHING	1,2,5	13.9	13.1	12.9	12.1	13.0	13.9	15.1	13.7
FUEL,POWER,WATER	40-41	4.1	3.7	4.0	3.5	3.4	3.1	3.2	3.8
Coal, peat, petroleum, metal ores, quarrying		1.2	1.6	1.8	1.7	1.7	1.8	2.1	2.3
Food, beverage, tobacco		6.3	6.4	6.3	6.1	6.1	5.9	6.3	6.8
Textiles Clothing Leather & Footwear	10-14	1.0	1.0	1.0	1.1	1.0	1.0	1.0	1.2
Wood & wood products	15-16	0.6	0.7	0.7	0.6	0.5	0.5	0.5	0.5
Pulp, paper & print production	17-19	0.5	0.5	0.5	0.4	0.3	0.3	0.3	0.3
Chemical production	20	4.1	3.7	3.5	3.3	3.2	3.1	3.3	3.3
Rubber & plastic production	21-22	0.6	0.6	0.5	0.7	0.7	0.6	0.7	0.6
Non-metallic mineral production	24	2.9	3.2	3.3	3.2	3.1	2.8	3.3	4.3
Metal prod. excl. machinery & transport equip.	25	2.4	2.1	2.2	2.2	2.3	2.1	2.2	1.6
Agriculture & industrial machinery	26	2.1	2.1	2.1	1.9	1.9	1.8	1.9	1.9
Office and data process machines	27-28	0.5	0.4	0.2	0.3	0.3	0.3	0.3	0.3
Electrical goods	29	0.9	0.9	1.1	1.4	1.3	1.3	1.3	1.3
Transport equipment	30	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Other manufacturing	31-33	0.6	0.5	0.5	0.5	0.6	0.7	0.7	0.7
Construction	34-35	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
INDUSTRY excl. Fuel, Power, Water		24.1	23.9	23.9	23.6	23.3	22.7	24.3	25.3
TRANSPORT*		48.8	52.5	57.1	57.6	61.5	58.9	60.9	61.4
SERVICES excl Transport		12.9	11.8	12.0	11.8	11.9	12.5	13.4	13.6
RESIDENTIAL		18.8	17.2	16.8	15.9	15.6	15.4	15.8	16.1
Sub-TOTAL		122.6	122.2	126.8	124.5	128.6	126.3	132.7	134.0
Not attributed to any sector		-	-	-	-	-	-	-	1.0
TOTAL		122.6	122.2	126.8	124.5	128.6	126.3	132.7	135.0

* Includes both Transport and road transport activities carried out in all other sectors.

Table 7: Ammonia (NH₃) Emissions

		Thousand tonnes								
		NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
AGRICULTURE, FORESTRY, FISHING		1,2,5	118.2	119.2	121.4	122.6	125.5	125.6	120.7	120.6
FUEL,POWER,WATER		40-41	-	-	-	-	-	-	-	-
Coal, peat, petroleum, metal ores, quarrying			-	-	-	-	-	-	0.0	0.0
Food, beverage, tobacco			-	-	-	-	-	-	-	-
Textiles Clothing Leather & Footwear		10-14	-	-	-	-	-	-	-	-
Wood & wood products		15-16	-	-	-	-	-	-	-	-
Pulp, paper & print production		17-19	-	-	-	-	-	-	-	-
Chemical production		20	-	-	-	-	-	-	-	-
Rubber & plastic production		21-22	-	-	-	-	-	-	-	-
Non-metallic mineral production		24	-	-	-	-	-	-	-	-
Metal prod. excl. machinery & transport equip.		25	-	-	-	-	-	-	-	-
Agriculture & industrial machinery		26	-	-	-	-	-	-	-	-
Office and data process machines		27-28	-	-	-	-	-	-	-	-
Electrical goods		29	-	-	-	-	-	-	-	-
Transport equipment		30	-	-	-	-	-	-	-	-
Other manufacturing		31-33	-	-	-	-	-	-	-	-
Construction		34-35	-	-	-	-	-	-	-	-
INDUSTRY excl. Fuel, Power, Water			-	-	-	-	-	-	0.0	0.0
TRANSPORT*			0.4	0.4	0.6	0.8	1.0	1.4	1.8	1.9
SERVICES excl Transport			-	-	-	-	-	-	-	-
RESIDENTIAL			-	-	-	-	-	-	-	-
Sub-TOTAL			118.7	119.7	121.9	123.4	126.6	127.0	122.4	122.6
Not attributed to any sector			-	-	-	-	-	-	-	-
TOTAL			118.7	119.7	121.9	123.4	126.6	127.0	122.4	122.6

* Includes both Transport and road transport activities carried out in all other sectors.

Table 8: Acid Rain Precursor Emissions (SO₂, NO_x, NH₃)

Thousand tonnes SO₂ equivalents

	NACE REV 1	1994	1995	1996	1997	1998	1999	2000	2001
AGRICULTURE, FORESTRY, FISHING	1,2,5	236.9	237.3	240.8	243.0	249.4	249.6	240.5	239.5
FUEL,POWER,WATER	40-41	11.6	10.9	10.5	10.8	11.4	10.1	8.5	9.4
Coal, peat, petroleum, metal ores, quarrying		3.2	4.1	4.6	4.8	5.5	5.4	4.9	4.6
Food, beverage, tobacco		16.3	16.1	15.3	17.2	18.7	17.5	15.2	15.4
Textiles Clothing Leather & Footwear	10-14	2.7	2.7	2.5	3.0	3.1	2.9	2.4	2.5
Wood & wood products	15-16	1.4	1.5	1.6	1.7	1.8	1.7	1.4	1.3
Pulp, paper & print production	17-19	1.4	1.4	1.2	1.1	1.2	1.1	0.9	0.9
Chemical production	20	9.7	8.7	7.6	8.5	9.0	8.6	7.4	7.1
Rubber & plastic production	21-22	1.8	1.7	1.5	2.2	2.4	2.2	1.8	1.7
Non-metallic mineral production	24	5.7	5.8	5.8	6.2	6.6	6.0	5.8	6.7
Metal prod. excl. machinery & transport equip.	25	8.0	7.4	7.3	9.3	10.6	9.3	9.2	6.7
Agriculture & industrial machinery	26	5.8	6.0	5.2	5.6	6.1	5.7	4.7	4.6
Office and data process machines	27-28	1.3	1.3	0.6	0.8	0.9	0.8	0.7	0.6
Electrical goods	29	2.7	2.9	3.0	4.4	4.6	4.3	3.6	3.3
Transport equipment	30	0.6	0.7	0.5	0.6	0.7	0.6	0.5	0.5
Other manufacturing	31-33	1.2	1.0	0.9	1.2	1.4	1.4	1.2	1.1
Construction	34-35	0.2	0.3	0.3	0.3	0.4	0.4	0.3	0.3
INDUSTRY excl. Fuel, Power, Water		62.1	61.5	58.0	67.0	73.0	68.0	60.0	57.2
TRANSPORT*		41.9	44.8	48.8	50.5	54.9	46.8	48.9	49.7
SERVICES excl Transport		42.9	39.9	36.8	41.2	44.0	44.7	40.1	39.6
RESIDENTIAL		59.6	55.4	51.5	55.2	57.1	52.9	46.8	45.2
Sub-TOTAL		455.0	449.9	446.5	467.6	489.8	472.0	444.8	440.7
Not attributed to any sector		28.7	21.6	18.6	17.4	14.0	12.3	9.4	10.0
TOTAL		483.8	471.5	465.1	485.0	503.8	484.3	454.3	450.7

* Includes both Transport and road transport activities carried out in all other sectors.

Appendix

A1: Air Emission Conversion Factors

	TOE per tonne	TOE per 1000 litres	Tonnes CO ₂ /TJ	Tonnes SO ₂ /TJ	Tonnes NO _x /TJ	Tonnes CH ₄ /TJ
1 TOE (Tonne of Oil Equivalent) = 41.868 x 10 ⁻³ TJ and TJ (Tera Joule) = 10 ¹² Joules						
Briquettes	0.443		98.860	0.280	0.100	0.050
Milled Peat	0.186		111.580	0.270	0.160	0.050
Sod Peat	0.313		104.000	0.300	0.100	0.050
Coal	0.665		94.600	0.575	0.050	0.100
Gas/Diesel Oil	1.034	0.869	73.247	0.090	0.100	
Kerosene	1.056	0.845	71.342	0.045	0.100	0.005
Residual Fuel Oil	0.985		75.959	1.260	0.200	
LPG	1.126	0.579	63.647	0.000	0.100	
Natural Gas			54.890	0.000	0.100	0.005

Sources: Environmental Protection Agency, Department of Communications, Marine & Natural Resources

Emitted Gas	Global warming potential over 100 years (CO ₂ equivalents per tonne of gas emitted)
Carbon dioxide (CO ₂)	1
Methane (CH ₄)	21
Nitrous Oxide (N ₂ O)	310
	Acid rain precursors (SO ₂ equivalents per tonne of gas emitted)
Sulphur dioxide (SO ₂)	1
Oxides of Nitrogen (NO _x)	0.6957
Ammonia (NH ₃)	1.8824